

# Treat the Mind of Children

(CHILD PSYCHOLOGY)

982

by

M. FAYAZUDDIN.

AUTHOR OF :

1. "1001 Human Desires and Aversions—  
Loves and Hates in Biochemistry"
- &
2. "Conquer the Internal Enemy— Anger"

"There is no such thing as a naughty child  
and that the *wilful, disobedient, destructive,*  
*malicious* child is a fit subject for  
homoeopathic treatment".

— (Dr. Woods)

Faiz Homoeopathic Publishing House,  
49, SUBHAS ROAD, KAKINADA.  
Andhra Pradesh (India)

*Published by :*  
M. Fayazuddin  
49, Subhas Road,  
Kakinada. A.P.

All Rights Reserved.  
(1st Edition)



*Printed by :*  
Sree Krishna Printing Press,  
Subhas Road, Kakinada,  
Phone No. 384

Price Rs. 2/-

# Treat the Mind of Children

(CHILD PSYCHOLOGY)



by

**M. FAYAZUDDIN,**

AUTHOR OF :

1. "1001 Human Desires and Aversions—  
Loves and Hates in Biochemistry"
- &
2. "Conquer the Internal Enemy— Anger"

962

"There is no such thing as a naughty child  
and that the *wilful, disobedient, destructive,  
malicious* child is a fit subject for  
homoeopathic treatment".

— (Dr. Woods)

**Faiz Homoeopathic Publishing House,**  
49, SUBHAS ROAD, KAKINADA.  
Andhra Pradesh (India)



## P R E F A C E

The desire to relieve the suffering of the sick and the handicapped is one of the supreme instincts of mankind and this can be best achieved by a study of homœopathy the fundamental principle of which is based on the following :

“ In order to cure a disease, select such a remedy as is capable of producing a similar malady in a healthy person, and of such a remedy, prescribe only a small dose. ”

Emerson says “ An institution is the lengthened shadow of one man. ” Homoeopathy is, therefore, the lengthened and benevolent shadow of the great personality of Samuel Hahnemann. According to Hahnemann “ Mind is the key to Man. ” He placed Homoeopathy at par with psychiatry. Homoeopaths believe that crippled, distorted and mentally defective children can often be normalised with the indicated homoeopathic medicines. They help children who are late in learning to walk or talk and who are backward in their class lessons. Even the congenital deformities can be set right and the children’s normalcy restored.

In 1969 I took up the treatment of a boy aged about 15 years. His limbs were crippled; his fingers were stiff and bent; he was silly; undisciplined

and heedless. He could not eat by himself. He must be fed by others. He could not speak. His past history revealed that he was born as a normal baby. When he was aged 8 months he suffered from a severe type of eczema on the scalp and it was suppressed with strong ointments and he became a "Problem child" and it took one year for me to unlock his suppression. He suffered from cold and chronic constipation. He was very irritable and showed temper tantrums on seeing children fighting each other in the neighbourhood and this was controlled by me with one dose of *Tuberculinum C. M.* (1,00,000) and afterwards he became lamb like and now no more temper tantrums are seen. In Shannon's Repertory on Tissue Remedies there is a rubric on Page 309 "Congenital malformations from contraction of the muscles — *Nat. Mur.*" Dr. Bellokossy says "The intellectual faculties of *Nat. Mur.* may show abnormalities that is, they may be either overdeveloped or not developed enough. The memory may be phenomenal that one individual remembers telephone numbers of all his friends for ten years back or he may be a cretin, idiot, mongoloid. Many inventive geniuses, creative artists such as painters, composers, poets, musicians are *Nat. Mur.* cases." I tried *Nat-Mur.* in this case in various potencies ranging from 6x to C.M. supplemented with *Cupr. Met.*; *Kali. Phos.*; *Calc. Phos.*; *Kali. Mur.*; *Calc. Sulph.*; and *Tuberc.* as per indications. After a course of treatment for a period of two years he is now able to take his

food and walk with firmness; the stiffness in his fingers is a thing of the past; he is well disciplined and is able to utter a few words and he is now going to school and is scribbling something on the slate. He is now brought to the position of a 'serviceable boy'. He is still under my treatment.

The above case gave me the necessary impetus to gather more authoritative material on the mind of children. In this pamphlet I have set forth data from various sources, including Gentry's Repertory and arranged it according to my own idea quoting the case reports in original of master prescribers and allotted more pages to mind repertory. This small volume is not a substitute for the existing Materia Medicas and Repertories by great masters the consultation of which is indispensable at some stage or other in accomplishing a cure. It is compiled with the hope that a perusal of the case reports and mind symptoms may inspire even laymen to study homoeopathy as a HOBBY and help the suffering humanity.

My grateful acknowledgements are due to the renowned authors whose profound views I have quoted in original in this book. My acknowledgements are also due to Dr. S.R. Wadia, M.B.B.S., M.F. Hom (London) of Bombay and also Shri Surisetti Sri Rama Murty, land lord of Katranipadu but

for whose sympathy and support this compilation could not have been made available to the public so early.

I will esteem my labour amply rewarded even if one unserviceable boy is rendered serviceable and a dunce at school is brought to the expected standard with the help of this book-let.

**M. FAYAZUDDIN.**

## C O N T E N T S

---

	Page No.
I. Tips to Paediatricians ...	1
II. Treatment of Babies in Utero ...	6
III. Treatment of Defective Children ...	9
IV. Treat the Mind of Children ...	23
V. Personalities of Naughty Children ....	58

CONTENTS

1	Introduction
2	Chapter I
3	Chapter II
4	Chapter III
5	Chapter IV
6	Chapter V
7	Chapter VI
8	Chapter VII
9	Chapter VIII
10	Chapter IX
11	Chapter X
12	Chapter XI
13	Chapter XII
14	Chapter XIII
15	Chapter XIV
16	Chapter XV
17	Chapter XVI
18	Chapter XVII
19	Chapter XVIII
20	Chapter XIX
21	Chapter XX
22	Chapter XXI
23	Chapter XXII
24	Chapter XXIII
25	Chapter XXIV
26	Chapter XXV
27	Chapter XXVI
28	Chapter XXVII
29	Chapter XXVIII
30	Chapter XXIX
31	Chapter XXX
32	Chapter XXXI
33	Chapter XXXII
34	Chapter XXXIII
35	Chapter XXXIV
36	Chapter XXXV
37	Chapter XXXVI
38	Chapter XXXVII
39	Chapter XXXVIII
40	Chapter XXXIX
41	Chapter XL
42	Chapter XLI
43	Chapter XLII
44	Chapter XLIII
45	Chapter XLIV
46	Chapter XLV
47	Chapter XLVI
48	Chapter XLVII
49	Chapter XLVIII
50	Chapter XLIX
51	Chapter L
52	Chapter LI
53	Chapter LII
54	Chapter LIII
55	Chapter LIV
56	Chapter LV
57	Chapter LVI
58	Chapter LVII
59	Chapter LVIII
60	Chapter LIX
61	Chapter LX
62	Chapter LXI
63	Chapter LXII
64	Chapter LXIII
65	Chapter LXIV
66	Chapter LXV
67	Chapter LXVI
68	Chapter LXVII
69	Chapter LXVIII
70	Chapter LXIX
71	Chapter LXX
72	Chapter LXXI
73	Chapter LXXII
74	Chapter LXXIII
75	Chapter LXXIV
76	Chapter LXXV
77	Chapter LXXVI
78	Chapter LXXVII
79	Chapter LXXVIII
80	Chapter LXXIX
81	Chapter LXXX
82	Chapter LXXXI
83	Chapter LXXXII
84	Chapter LXXXIII
85	Chapter LXXXIV
86	Chapter LXXXV
87	Chapter LXXXVI
88	Chapter LXXXVII
89	Chapter LXXXVIII
90	Chapter LXXXIX
91	Chapter LXXXX
92	Chapter LXXXXI
93	Chapter LXXXXII
94	Chapter LXXXXIII
95	Chapter LXXXXIV
96	Chapter LXXXXV
97	Chapter LXXXXVI
98	Chapter LXXXXVII
99	Chapter LXXXXVIII
100	Chapter LXXXXIX
101	Chapter LXXXXX



## I. TIPS TO PAEDIATRICIANS

"The child deserves and is entitled to the greatest skill man possesses for his life is made efficient and happy or insufficient and unhappy by the use or non-use of this skill. If we desire future generations of strong men and women, mentally and physically, it is imperative that we begin at at once logically, sensibly and scientifically too to correct defects of inheritance and environment and do this in the most rational manner possible. For our responsibility is great, not only in the eyes of our common wealth, but in the eyes of God to whom the child belongs. He who is not willing to search into the reasons of a sick child and try to prevent mental and physical catastrophe, has no right legal or moral or scientific to assume the responsibility of a Paediatrician, or the name of a Physician in fact. For every man and a woman is a child until they have passed three scores and ten and each must have the same individual care and study and the therapeutics indicated in his or her peculiar individual illness and ill-tendencies" (George E. Dienst, M.D. Recorder, June 15, 1926)

2. "With children, lunatics and liars you have to use your observations" (Dr. Burnett, M.D.)

3. "To consider babies homoeopathically in the largest possible sense, is the most important work in medicine." (Green).

4. "Cure the children and you have the parents." (James W. Overpeck, M.D.)

5. "I know of no classes of cases which are as a rule more satisfactorily prescribed for, or cases where you can do more for humanity than in cases of children. I have often thought that if I <sup>would</sup> wanted to specialise in one branch of medicine, I would specialise in Paediatrics. Children's lives have not become so entangled as have adults. You do not have much pathology to deal with as a rule and you have a glorious opportunity not only to benefit the child, but generations to come.

(Dr. E. Underhill, M.D — Recorder 1931)

"If" Mother can describe the mental state of the child, we have a good beginning and can sometimes see what remedy was needed before the drug doctor or the near homoeopath obscured the case"

(Kent)

7. "Babies have been the basis for many studies of psychologists and educators. In contemplating what a baby means to a homoeopathic physician his relationship should be divided into four parts— before birth, during babyhood, in adolescence and adult life." (Gulia M. Green)

8. Burton in his Anatomy of Melancholy states that "If a drunken man gets a child it will never likely to have a good brain."

9. The wise Michelet predicts: "Woe unto the children of darkness, the sons of drunkenness who were, nine months before their birth, an outrage on their mothers." And again "He who is born of a nocturnal orgy, of the very forgetfulness of love, of a profanation of the loved one, will drag out a sad and troubled life."

10. "The children of drunkards are often sad, and hideous burlesques upon normal humanity." (Talcott)

11. "It is impossible to get the symptoms and wants of a child except by interpreting its motions. Every motion it makes indicates something. An astute observer, one who has been watching children for a number of years, will understand the child, and will hardly have to ask the mother a question. He will know at once where the child is sick by what it does. The child is like the animal. You never have to ask a horse or a dog where he feels pain because he will always tell by his motions. So does the infant." (Kent)

12. "The homoeopathic physician does well when he trots the little Johnnies and the little Susies

on his knees and takes a good fair observation of their ability and of what they lack and understands how to build up what is lacking. Is not that by itself worth working for?" (Kent)

13. "You will be well astonished, after ten years of real homoeopathic practice that you have so few deformed babies; that they have all grown up and prospered; that their little defects and deformities have been outgrown and that they are more beautiful than most children because they have been kept orderly. The doctor watches and studies him and feeds him a little medicine now and then, and the mother suspects it sugar to keep on the good side of the baby. She need not know that it is medicine or that anything is the matter with the baby. So he watches the development of that little one and grows him out of all his unhealthy tendencies. The child that grows up under the care of the homoeopathic physician will never have consumption or Bright's disease; they are all turned into order and they will die of old age or be worn out properly by business cares and they will not rust out. It is the duty of the physician to watch the little ones. To save them from their inheritances and their downward tendencies is the greatest work of his life." (Kent)

14. "In many conditions, in children especially, the disposition of the patient determines the choice of the remedy." (Dr. Pierce)

15. "In children base the choice of the remedy on mental symptoms, the appearance and the cause of illness. The young child has always a good reason for craving or an aversion. Aversions are more to be respected than cravings. Unusual cravings are a valuable guide to the remedy.

(Dr. Woods-Recorder-15th Oct., 1928)

16. Americans call "difficult children" as "Problem children". The Psychologists call them "Problem children" for many do present rather serious problems to the Psychologists. Homoeopaths are better psychologists. They are taught to consider each individual case as an unit to be separately watched, observed and studied.

(Dr. Shepherd, M.D.)

---

## II. TREATMENT OF BABIES IN UTERO

1. "The unborn babies stretch out their tiny hands from the mystic future and plead: let me be well-born. Give me my inalienable right— a healthy mind and soul. Let me be an embryonic man created in the image of God or let me remain unborn" (Says Dr. Plumb Brown, M.D. in the Homoeopathic Recorder — Nov. 15th 1926).

2. "It is essential to guard the health of the mother during pregnancy— mental and physical— if the best possible child is to be born."

(Dr. Douglas M. Borland)

3 "A prescription of psorinum during pregnancy will improve the general health after the birth of the child.

(Dr. D. Shepherd)

4. "We believe the unborn child may be radically influenced by the homoeopathically applied drug so as to prevent or at least modify the disease tendencies which it is likely to inherit from its parents (especially the mother) and give her the drug or drugs in a not a low potency which specially antagonize the form of dyscrasia which it is

desired to overcome. Give the remedy sparingly once in three days or a week."

(C. M. Cannot, M.D.)

5. "What a wonderful field of endeavour the homoeopathic physician has who is actually engaged in obstetrics. None other has the opportunity to do so much for the child to be as the doctor who has charge of the mother during the period of gestation. The three miasms are all cumulative from generation to generation and it is easy to see that a nervous hysterical mother is very apt to beget a nervous baby, but if the father is also nervous and is carrying around the effects of a suppressed gonorrhoea or Syphilis, it is a foregone conclusion that the baby under these circumstances will have a heritage that supplies the background for a multitude of diseases all too often, such as hydrocephalus, idiocy, feeble mindedness blindness etc..

(C. A. Dixon, M.D. —

Homoeopathic Recorder, Dec. 1931).

6. "It should be clearly understood that the miasms are fixed upon the human race and that they are the fundamental cause of the physical defects; therefore it is every physician's duty to search for these signs and symptoms in every infant, child or youth in order to discover a remedy to the end that all may grow up better, wiser and stronger." (Kent).

7. "Thirty eight years ago, six members of Hahnemann Medical Association of Iowa formed a club for the express purpose of finding remedies to prevent premature births, still births and birth of deficient children. The club members met and reported their experiences at the annual meetings of the Association. The club was in existence 12 years. The remedies found to be most useful were *Calc. Carb and Phos., Sep., Baryta C., Actac Racimosa, Sil., and Trill. Pend.* The *Calcareas* led by a large margin."

(Dr. George Royal- Diseases of the  
brain and nerves).

8. "*Cimicifuga (Actac Racimosa)* has ensured living births in women who have previously borne dead children. given in daily doses of  $\text{Ix}$  two months before the time."

(Dr. Wingfield). & (Dr. Clarke M.D.)

9. "The causes of still birth are Syphilis, chronic inflammation of kidneys, tuberculosis, general debility, alcoholism and the febrile diseases particularly influenza (epidemic influenza) and pneumonia. The causes of still birth that occur during the process of birth are constitution of the mother, the position of the child and various accidents at birth."

(Recorder of August 15, 26.)

### III. TREATMENT OF DEFECTIVE CHILDREN

1. "The value of homoeopathy in defective development is known to many of our physicians, yet the extent of its usefulness can hardly be believed by the majority. The prevention of crime is a study for many public-spirited men and women but homoeopathy applied in infancy and youth has not been mentioned. Homoeopathy will, when properly applied, greatly help in developing the defective side of the brain or a defective limb or in removing congenital astigmatism. It will plump up belated mammary glands, hasten tardy puberty diminish amazingly the degrees of idiocy. It will often change the defective mind and body, establishing order."

(Kent. Medical advance 1904)

2. 'Very frequently one sees children who do not flourish. They are born with various defects, such as skin disease, running eyes, ghastly teeth, or they are dwarfed and mis-shapen; cry all the time for no obvious reason. Such children very frequently bear a syphilitic or gonorrhoeal taint, possibly in the third or fourth generation. Syphilis has an aggravation during night while gonorrhoea sufferers have restful nights but their troubles are worse

in daytime. Crippled, distorted and defective children can frequently be normalised with doses of *Syphilinum*, the syphilis poison or *Medorrhinum*, the gonorrhoea poison", (Ellis Barker)

3. "When children cannot be cured of lying, stealing or destructiveness and fail to imitate well-disposed adults, it is because they are belated or distorted in development. While a whipping is worth much for some of these boys and girls, parents should also be taught the value and need of homoeopathy if the child is to be really cured; and our physicians should know what power we can have for the good of mankind. We are far too much inclined to wait until the child grows up instead of studying it from infancy when a much more perfect cure is possible." (Kent)

4. "Sycotic children (so born) when one or both parents have gonorrhoea, have cholera infantum, marasmus, and are pining children. *Medorrhinum* is the only remedy that will save the life of these children." (Kent)

5. "I have wasted much time trying to find out a remedy in cases with tuberculosis in the family. Now I give a dose of *Tuberculinum* and miracles will happen. I like very much to augment *Tuberculinum* with *Syphilinum*."

(W. K. Bond)

6. "Study the helpless infants that come into your care. Question the parents closely that you may find or may not find a chance for an unfavourable inheritance. Watch the tonsils early and if disease appears, stay with the case until the tonsils are saved. They belong to the child; look for enlarged lymphatics and for the cause; and cure it. In fact, try to discover that is unfavourable."

(Dr. James W. Overpeck, M.D.)

7. "Dr. Vongrauvogl advises that if a woman has given birth to scrofulous children with tendency to hydrocephalus or if you fear such a result, she should be given *Calc. Phos.* one day and *Sulphur* the next day during the pregnancy. He gives *Sulphur* as a nutritive remedy favouring formation of tissues while *Calc. Phos.* is to favour that of bones."

8. "I came across an American article in which they recommended the giving of two doses of each potency of *Tuberculinum Bov.* from 1 M to C. M.— two of 1 M; two of 10 M; two of 50 M and two of C. M.— and they gave them on successive dates, two 1 M one day, two 10 M the next day and so on. They claim by that administration you can produce a practical immunity to T. B. in a child of T. B. patients."

(Dr. D. M. Borland)

9. "If *Tuberculinum* produces a fearful aggravation, *Calc. Carb.* or *Calc. Phos.* in a lower potency may check the effect."

(The Homoeopathic Recorder- 15 Nov. 28)

10. "When a case calling for *Silicea* has too brief an amelioration and repetition of the dose makes matters worse with a tubercular family history, study *Tuberculinum*" (E. Wright)

11. "Club foot and deformity in utero. think of *Phosphorus.*" (Dr. Stacy Jones, M.D.)

12. "When unable to get individual symptoms for children, size up the parents and see what they needed before birth of the child." (A.A.P)

13 "If every child were given an occasional dose of *Sulphur* and later *Calc. Carb.* and delicate ones *Bacillinum*, the world would be far healthier and the indicated remedy would be far easier to discover." (Dr. Johnson- Recorder 1939)

14. "Patients whose mothers and fathers have died of cancer of the liver or any other organ. just do not do well until they have received a dose of *Carcinosin 50 M* or *Scirrhinum 50 M.*" (Bond)

15. "There is yet another condition sometimes met with. The child is born after some difficulty, and seems to be doing well, but in a few

days it is reported to be not quite right. It may be that an arm or a leg is rather limp, is not used properly or the face seems somewhat a-symmetrical and there is some difficulty in sucking. There has been some intracranial haemorrhage *Arnica* will help the absorption of the blood and induce the maximum recovery of the damaged nerve tissue."

(Dr. D. M. Borland, M.D.)

16. It is well known that we can greatly help children who are *late in learning to talk and late in learning to walk*. I once cured a dog of similar belated intelligence. A high-bred beautiful setter lacked intelligence. He could not be house-broken. He dropped his feces and urine on the carpet instead of whining at the door as a house-broken dog will soon learn to do. When strangers came in he would crawl under the furniture and come out after they had gone, just as some children are known to do. But after *Baryta carb* he soon became intelligent and house-broke, himself, I was told. (Kent - Medical Advance 1904)

17. In children who look old, dwarfed wrinkled with a T. B. history, *Syphilinum* and *Bacillinum* given in turn will work wonders.

(Dr. Noel Pudaphatt)



## BLINDNESS FROM CHILDHOOD

"Since December 21st 1920 I have under my charge 160 patients at the Pennsylvania working home for the blindmen. By the use of *Zinc Sulphate* 82 M I have obtained the following results: Opacities of the cornea have cleared; cataracts are clearing; and some have entirely disappeared; adhesions have given way allowing the eye-ball to return to its normal voluntary motion; contracted pupils have resumed practically their normal size; chronic congestion of the ocular tissues has disappeared, showing the normal structure of the eyes; eyes blind from childhood have responded sufficiently to enable to see the light and diminished objects. (Dr. William H. Tomlinson, M.D.)

"In the case of infant that was born with cataract *Sulphur* effected considerable improvement a cure was finally completed by means of *Euph.* and *Lyco.* which is recommended by Rummel, (Dr. Jahr

## POLIO MYELITIS

"Against Polio-Myelitis the homoeopathic remedy *Lathyrus Sativus* has, for a period of thirty years proved protective in many thousands of cases exposed to the infection. The remedy affects the same nerve centres in the spinal cord that

the polio virus does— it is a pity that homoeopaths have not exploited the valuable possibilities that the wide application of this remedy would give. It is a real need against crippling and suffering and would bring recognition and expansion of Homoeopathic practice as well— The Homoeopathic Medical Journal— October 1947.)

(Use 1000 potency as a prophylactic—says  
Hannysett, M.D.)

### CROOKED PINE

1. "As regards the girl with the crooked spine, I would never recommend machines, which as far as I know of them, are very far from attaining their object, but on the contrary, do much more harm than good; and as, moreover, the disease that lies at the root of the softening of the bones causing the curvature is purely a psoric one, you will find it best to give first tincture sulphur, one two or three globules, then *Calcarea*; then *Phos. Ac*; then *Baryata* and *Phosphorus* and *Silica* "

(Hahnemann's letter to Dr. Loewe of Prague)

2. *Treatment of Mental Deficiency in children* :  
"I remember years ago, a small boy of eight hauled in by his waist belt by an old woman to subside on the floor in the middle of the room, a shapeless heap, slobbering and passing urine. He was a most repulsive object, offensive to eye and nostril.

He could not feed himself. He could scarcely swallow when fed. He could not speak. He could not maintain the upright position for a moment, much less walk without the support of that terrible belt by which he was hauled up and dragged along. His one talent was screaming and he did not hide his talent in his nap-kin.....he *screamed*. He nearly drove his people and neighbours mad, a few drops of *sulphur* in a course of a few months made a happy smiling child out of their monstrosity. Screams ceased. He improved all round. The belt was discarded. He appeared to be proud of his progress in the way of his locomotion. Then I lost sight of him. (Dr. M. L. Tyler, M.D. The British Homoeopathic Journal July 1925).

3. *Severe case of curvature of spine*: Rudolf standie adopted son of Mr. Kall of Schaberan, a school master suffered from curvature of the spine and from serious curvature of the ribs. He was fifteen years old when he came to me. I gave him on the fifteenth May "*Sulphur 50th*" potency a dose to be taken once a week. The medicine was taken during eight months and in January I received the following letter from the father.

"I have the greatest pleasure to inform you that my son's condition has wonderfully improved. The curvature of the back-bone has completely disappeared and the bent condition of the ribs of

the left side has gone as well. Besides Rudolf is far more alert and high spirited than he was in the past. You have no idea how delighted I am with truly wonderful improvement.

(*Twelfth edition of von Gerhandlr Hand buch der Homoo''pathic* )

### TEMPESTUOUS CHILDREN

Remedies : *Dros; Phos; Tuberc; Staph; Sil.*

1. "Children with a history of tuberculosis in their family with sudden brain-storms will react well to *Tuberculinum*. They may require other remedies later on, but for a time they will do well on this remedy and seem to require nothing but *Tuberculinum* to turn them into strong healthy children with a normal amount of naughtiness which is easily controllable."

(Dr. D Shepherd, M.D.)

2. "Another symptom that always makes me give *Tuberculinum* to a young child is this : I offer the baby over a year old, an unmedicated tablet of sugar; if the child refuses to take it even though you coax him and say "Have a sweet" and when you put the sweet on the child's tongue, he immediately becomes obstreperous, refuses to swallow it and he spits it out; his mother tries him and he clenches his teeth; and if she manages to push in he still rejects it violently; one is pretty certain that *Tuber-*

*culinum* is the remedy and that after a few doses the child will become lamb-like and lose the tendency to those symptoms."

(Dr. D. Shepherd, M.D.)

3. "Unreasonable fear of dentists. One sees these kicking, screaming, ill-tempered children frequently in the dentist's chair or even before while they are waiting to be seen. Unreasonable terror of a child at a medical examination or with strangers needs *Tuberculinum*. (*Puls*)"

(Dr. D. Shepherd, M.D.)

4. Dr. woods holds that there is no such thing as a naughty child and that the wilful, disobedient, destructive and malicious child is a fit subject for homoeopathic treatment

#### CRIMINAL TENDENCIES OF CHILDREN

1. "I have wondered and I am pretty well satisfied in my mind that if our friends have a homoeopathic conception of the mental symptoms of their patients there would not be half the number of people in our insane hospitals that there are nor would there be half the number of juvenile delinquents The Homoeopathic doctor, who studies his case, can obviate and prevent those mental characteristics that lead not only children but men and women astray and make criminals of them "

(Dr. A. W. Hol-Combe, M.D.)

2. "For Juvenile delinquents and a lot of other things we see these days, *Nat-Mur.* would probably be a most possible asset."

(Dr. Grimmer)

3. "*Unemployable or Criminal*:" This is the type of child which not uncommonly in later years is found to have developed into the unemployable or the criminal adult. On the other hand, under the action of *Baryta Carb.*; *Nat. Mur.* or one of the other kindred drugs, in a very short time these children become perfectly normal."

(Dr. D. M. Borland, M.D.)

4. "A criminal is an invalid who ought to be cured of criminal propensities and not punished"

(Dr. H. L. Castro, M.D.)

5. "Juvenile delinquents, robbers and the worst-kind of criminals are the products of molecular disturbance of *Nat-Mur.*"

6. *Mentally Deficient with Criminal Tendencies*  
K. C. at eleven years of age was dumb and deaf, spiteful, passionate - when irritated would throw a knife at every one in the room. She was mentally deficient and they were planning to send her to a special school for imbeciles. She was undersized, was late in walking - a miserable specimen of humanity. After a two years course of *Baryta Carb.*

every one of these symptoms was removed. At 16 she was a tall stappering, well developed intelligent girl. She earns £ 1 a week at a laundry and goes to the picture alone; is always ready to help in all house hold duties. The girl can now hear and speak fairly well. Considering she was deaf so long, she could neither read nor write before treatment. She is now an intelligent and well formed girl eager to help the house work and relieve her mother- Quite a transformation in fact and the wonder of the neighbourhood. I gave *Baryta Carb.* 6 three times a day.

(Dr. W A. Davidson- The Homoeopathic world of November 1930)

7. *Opium* is a drug (in Homoeopathic preparation) to be thought of for those abnormal children whose normal sense had <sup>never</sup> been developed, who lie and steal and are heading for a mental institution.

(Dr. M L Tyler, M.D.)

### OBSTINACY

1. "Obstinacy is a fixed miasmatic symptom; problems of all correctional agencies. It is one of the important questions confronting us in the handling of the anti-social child."

(Dr. J.W. Waffinsmith, M.D.H.M.)

2. "Child is obstinate, head- strong; cries when kindly spoken to." (Remedy : *Sil*)

3. "Mental symptoms of *Capsicum*. Home sickness- over-sensitiveness; suspiciousness; always looking out for an insult. Obstinate in the extreme. It is devilishness. If she wants a thing will oppose it if suggested by some one else.

(Dr. M.L. Tyler, M.D.)

4. "For violent temper think of *Stram* and *Lyc.* (wood)

5. For the excessively obstinate child, *Tuberculinum* in 30 or 200 is most often indicated.

(Dr. Foubister, M B.Ch.B.D.Ch.)

#### MISERLY HABITS

The acquiring, saving and hoarding instinct; laying up a surplus and allowing nothing to be wasted; the mine-and-thine feeling; miserly, grasping, close fisted, penuriousness. (Remedy: *Puls*, *Sep.*, *Lyc.*, *Nat-Mur.*; *Sul*)

#### KLEPTOMANIA

Tendency to steal repeatedly for the sake of fun, thrill and psychological relief it affords and not for the value of the articles stolen.

(Remedies :- *Absin*; *Ars*; *Art. V*; *Bry*; *Caust*; *Cur*; *Kali C*; *Lyc*; *Nux V*; *Puls*, *Sep*; *Staph*; *Stram*; *Sul*; *Taren*; *Nat-Mur*.)

Child steals dainties : *Mag. Mur; Nat. C. China;*  
 Child steals money : *Calc. C.*

### EVIL HABITS

Dr. Burnett says "I am very strongly of opinion that evil habits in the young are of physical origin and nature and that they can be cured by medicines if physicians will take the trouble."

Dr. Burnett again says "The mental and moral balance in children when disturbed is so disturbed materially and physically and if we keep this well before our minds we can restore much disturbed balance just as readily as we can cure any other disease."

### NERVOUS CHILD

"The child is afraid to be left alone, is afraid of the dark; terrified by traffic; afraid of animals, liable to suffer from sleeplessness and night horrors; he is misery to himself and is a torture to his parents. Homoeopathy can take hold of unstable nervous system. It can control the immediate symptoms with ease, and what is of infinitely more value, it can modify and strengthen the whole nervous system, so that all signs and symptoms of instability will disappear."

(Dr. Borland.

Remedies :- *Acon; Nat-Mur; Kali. Phos; Mag. C Helon; Mag. Phos; Scutel; Zinc Phos; Calc. Phos Chamo.)*

#### IV. TREAT THE MIND OF CHILDREN

**Airplanes** : Fear of, in children, flying overhead :  
*Acon; Arn; Chamo; Ign; Nat. Mur.*

**Alone** : Child fears to go to bed alone : *Caust*;  
Child thinks that it is going to be ill and  
wants somebody about : *Ars. a.*

**Amusement** : Child averse to amusement : *Bar.C;*  
*Sul. Staph.*

Child wants amusements : *Chamo; Puls;*  
*Lach.*

Child must be amused all the time  
to keep it quiet; prefers to be carried;  
*Chamo.*

**Anger** : Child is very irritable. Gets angry with  
every thing : *Bry.*

Child angry when looked at : *Ant. C.,*  
*Ant. T; Staph. Ars; Chamo;*

Child angry when touched: *Ant. C; Arg N;*  
*Iod; Tarent. H*

Child angry when caressed: *China; Cina; Ign;*

"When children get into so violent a rage  
as to lose their breath or fall into convul-  
sions, give *Chamomilla*," (Hering)

"The Chamomilla anger and irascibility always reminds me of a sudden April shower and April storm; it is short and sharp while it lasts and aggravating but is soon over and the sun shines in between. The baby and the toddler with his toothache and his colic will forget all about his pain and his anger as soon as it is over and will be all smiles and will be amiable, especially if he gets some *Chamomilla*."

(Dr. D. Shepherd, M.D.)

**Anxiety** : Anxiety in children : *Borax*; *Calc. Phos*; *Gels*; *Kali. C*; *Calc. C*;

Anxiety and nervousness. The children are very easily startled by any sudden noise, the slamming of a door, or even the rustle of a paper or dress will cause the child to start, scream and seem badly frightened. Any downward motion is especially distressing and if the child is rocked, carried down-stairs or laid down in bed it will, even if asleep at the time start and throw up its hands as if afraid of falling : *Borax*.

Anxiety in children when lifted from the cradle : *Calc. Phos*.

**Approach** : Children cannot bear anyone approach them : *Cina*; *Cupr. M*.

**Awakens** : Child awakens terrified. Knows no one : Screams with fright; clings to those near : *Stram.*

**Bathing** : Child is disinclined to bathing : *Am. C. Ant. C; Mag. Phos; Nat. Mur; Nat. Sulph Psor; Sep; Sil; Sul.*

Child dislikes hot water; Gets convulsions sometimes death : *Apis.*

Child enjoys cold water bath : *Puls; Nat. Mur; Apis.*

**Bed** : Child does not want to go to bed alone. Least thing makes it cry : *Caust.*

**Bite** : Child wants to bite its gums together or bite on anything that it could get into its mouth : *Phyto., Podo.*

Child bites tumbler while drinking cold water : *Chamo.*

**Bright Objects** : Bright objects make the child gay and lively : *Stram.*

**Caresses** : Child ill-humoured, restless, oversensitive, sickly, cannot be quieted by any persuasions, proof against all caresses : *Cina (Nux. V.)*

**Carried** : Child dislikes to be carried or raised : *Bry.*

Child wants to be carried while awake from room to room : *Kali. Phos.*

Child wants to be carried or soothed, but will scream and cry and show temper at every little attention : *Ant. C.*

Child carries things from place to place and back again : *Mag Phos; Opuntia.*

Child is aggravated from being handled, yet he wants to be carried and kept busy. Although not so irritable as *Chamomilla* yet wants to be carried : *Cina.*

Child must be carried : *Acon; Ant. T. Ars; Benz. Ac; Bor; Chamo; Cina; Kali. C Lyco; Ipec; Kali Phos; Kreos; Puls; Rhus. T; Sanic; Staph.; Sul; Vacc; Verat A.*

Child wants to be carried fast : *Ars; Bell; Brom; Rhus. T; Verat. A.*

Child wants to be carried slowly about : *Puls.*

Child wants to be carried sitting about : *Ant T.*

Child wants to be carried over the shoulder : *Cina; Podo; Stan.*

Child wants to be carried in croup: *Brom.*

Child wants you run with it and even shake it up : *Verat. A.*

Child wants to be nursed in the arms; will not be laid down : *Benz Ac.*

Children and babies who desire to be carried (and mother and father must walk the floor with them) with bad temper : *Chamo.*

**Cars :** Fear of being run over by cars : *Hydroc. Ac; Phos.*

**Clings :** Child dreads downward motion; clings to the nurse : *Borax; Gels; Sanic.*

Child clings to those around : *Stram.*

Child awakes terrified; knows no one, screams, clings to those near : *Stram.*

**Clothing:** Child kicks off clothing even in the coldest weather : *Sanic; Hepar. S; Sul.*

**Creeping things:** Full of fear of dogs; of creeping animals; *China.*

Fearful as if something were creeping from every corner : *Medor.; Phos.*

**Clumsy :** Children become clumsy and awkward, especially with headache : *Caps.*

**Complaining Children :** *Cina.*

**Comprehension :** Difficult in children : *Aeth., Bar. C.*

Covered : Child will not remain covered : *Calc. Sulph; Sul.*

**Crying Child:** (Also see screaming and weeping.)  
Child cries all the time with pain: *Mag. Phos.*

Child cries and trembles, does not know what to do : *Coff.*

Child cries out during sleep : *Zinc. Met.*

Child cries from the slightest cause : *Nat. Mur.*

Child good all day, cries all night : *Jalap; Syph.*

Child cries day and night : *Ipec; Stram; Mag. Phos.*

Child cries when washed in cold water : *Ant. C., Sul.*

Child cross, irritable, cries and screams all the time especially night : *Lac. C; Jalap; Nux. V; Psor.*

Child cries from 6 a.m. to 6 p.m. : *Kreos.*

Child will cry if you look at it : *Ant. C. Ars.; Chamo.; Cina; Ant.t.*

Child cries and screams as if in great pain just before passing water : *Lyco. Sanic; Sars; Lach; Nux. V; Borax.*

Child suddenly lets go the nipple and cries : *Ant. T.*

Child wants to cry if he believes that he is pitied : *Nat. Mur.*

Child does not want to be dandled, screeches and screams when it is dandled, and tossed up and down : *Borax.*

Child cries piteously if taken hold of or carried : *Cina* (reverse of *Chamo*)

Child does not want to go to bed alone; the least thing makes it cry : *Caust.*

Children cannot bear to see any other child crying. You will see these children very often crying because they think that you are hurting some other child : *Caust; Carls.*

Child wants to yawn, but cries because he cannot yawn. Frequent, yet fruit-less attempt to yawn : *Lyc.*

Child has taken all it can hold, yet cries for the bottle or empties its stomach by spitting up and vomiting the food and reaches out whining and crying for more.  
*Cina*

Child weeps before stools : *Aeth.; Cina; Chamo; Phos; Sil; Sul; Borax; Rhus t; Puls;*

Child cries before the cough spells : *Ant. T; Arn.*

Child gets blue during its cry which is caused by incarcerated flatulence : *Senna*.

Child wakes from sleep with piercing cries and trembling all over : *Ign*.

Child cries towards evening : *Zinc. Met.*

Child cries when eating : *Carbo. An ; Stagh.*

Child is cross, kicks and scolds on waking : *Lyc.*

Guernsey in his monumental work on obstetrics says : "The new born baby should be given a dose of Sulphur as soon as possible to combat the Psora and give the infant a good start in life. An under-nourished infant who cries all the time from hunger, claws his little fist, kicks the clothes off and objects to being washed certainly needs badly *Sulphur*."

Child demands different things with vehemence and cries : *Rheum*.

Child cries and laughs easily, while crying it suddenly laughs quite heartily and cries again : *Coff*.

Child is very obstinate, head-strong, cries when kindly spoken to : *Sil*.

**Cross** : Children cross after sleep, pushing every one away : *Lyc*.

**Cruel habits in children** : *Anac. IM.*

**Dainties** : Child asks for dainties but rejects substantial kind of food : *China.*; *Sac. Off.*; *Ipec.*

Child steals dainties : *Mug. Mur*; *Nat. C.*

**Dancing** : Child likes dancing : *Phos*; *Sep*; *Tarent, H.*

Child inclined to dance and sing : *Croc*; *Bell*; *Hyos*; *Nat. Mur*; *Sep*; *Stram.*

Child cannot walk, must run and jump : *Bufo*; *Kali Br*; *Nat. Mur*; *Sep.*


**Dandled** : Child must be rocked, carried dandled on knees, constantly day and night; will not sleep unless rocked or kept in constant motion : *Con*; *Cina*; *Chamo*; *Kali C*; *Puls*; *Pyro*; *Rhus. T.*

Aversion to being dandled : *Borax.*

**Dark Room** : School girls and boys do not go to sleep alone or do not go into a dark room without someone with them : *Carbo. V.*

Child will not sleep in a dark room but will soon fall asleep in a lighted room : *Acon*; *Amm. M.* *Bell*; *Calc. C.*, *Gels.*, *Lac. C.*, *Nat. Mur.*, *Rhus. T.*, *Sil.*, *Stram.*, *Valer.*

Afraid of dark; fear of ghosts : *Acon*; *Puls*, *Ars*; *Can. ind*; *Carb an.*, *Carb. V.*



Children are perfectly happy so long as there is somebody about; they sit peacefully and play, but when it gets dark, they are scared of going to bed in the dark : *Carbo V; Calc. C.*

Fear of darkness; Night terrors of children : *Bell; Kali Br; Stram; Valer.*

**Dentist** : Unreasonable fear of dentist. One sees these kicking, screaming, illtempered children frequently in the dentist's chair or even before while they are waiting to be seen : *Puls; Tuberc;* (Dr. Shepherd)

**Devil** : Fear of being taken by the devil : *Manc;*

**Devoured** : Fear of being devoured by animals : *Hyos; Stram;*

**Different things** : Child demands different things with vehemence and crying ; *Rheum.*

**Dogs** : Abnormal fear of dogs in children : *Bell; Caust; China; Hyos; Stram; Tuberc;*

**Eating** : "If a child refuses to eat even after taking vitamins, tonics, appetisers etc., think of *Calc. Phos.*" (Dr. Arthur W. Records)

**Examination Funk** : *Aeth.; Anac; Kali Phos; Gels; Arg. N; Sil; Lyco; Phos. Ac; Carbo Veg; Thuja.*

School children are worried about their lessons : *Lyco.*; *Sil.*; *Kali Phos.*

"Don't forget to give *Gelsemium* to your children or grand children when they get fussy about examination in school.

(Dr Dixon M.D.)

Anxiety if a time is set in : *Arg. N.*; *Gels.*; *Medor.*

Examination scare; urging to urinate  
*Copai.*

**Fire :** (Pyro Phobia) *Cupr. M.*; *Onos.* *Lyssin.*

Frightful Visions of fire : *Anac.*; *Hepar.S*  
*Puls.*; *Rhus. T.*

**Fretful :** Child fretful and peevish, does not wish to be touched or looked at : *Ant. C.*; *Calc. Phos.*; *Chamo*; *Cina.*

**Frightend :** Child on waking is frightened at any thing it first sees : *Bell.*; *Stram.*

**Genitals :** Child grasps genitals while coughing :  
*Zinc M.*

**Groaning Child :** *Millef.*

**Hide :** Child thinks all visitors laugh at it and hides behind the furniture, *Bar. C.*

Child hides things : *Boll.*

**Heights :** (High places) Fear of : *Arg N; Puls;*  
*Staph; Sul.*

**High Bridges :** Fears to go upon a high bridge  
or lofty place lest he should throw himself  
down : *Arg. N.*

High buildings (High walls) Fear of :  
*Arg. N; Arn.*

**Home:** Child imagines that it is in a strange place  
and wants to go home : *Bry; Calc. Phos.;*  
*Eup. Purf., Hyos; Op.*

Child wishes to go home and when at  
home wishes to go out : *Calc. Phos.*

Child wants to wander from home all-  
night : *Flat.*

School girls get home sick. Cannot study  
or work. They want to go home : *Caps.*

Children do not like to walk home in the  
dark. They are very likely to have the  
impression that somebody is following  
them and they get scared : *Brom; Puls;*  
*Medor; Sanic.*

**Ill-Humor :** in children, early morning : *Staph*

**Heedless Children :** *Anac.;* *Apis.;* *Nux. M.*  
*Phos. Ac.*

**Ice Cream** : Child craves ice cream : *Calc. Phos.*;  
*Phos.*; *Puls*; *Tuberc*; *Verat. a*

**Irritability in Children** : *Calc. Phos.*, *Chamo.*,  
*Cina.*, *Iod.*, *Mag. C.*, *Sil.*

Rocking fast ameliorates : *Cina.*

**Indolence** : of children : *Bar. C.*, *Lach.*

**Ill-Humour** of children : *Bov.*, *Caps.*, *Kreos.*,  
*Bry.*, *Kali. Phos.*, *Coloc.*, *Canth.*, *China.*,  
*Merc.*, *Nux. V.*, *Calc. Phos.*

**Ill-Temper** of children : *Chamo. Lyco*; *Stram.*

**Impatience** : *Acon*; *Kali Phos*; *Nat. Mur.*

**Kleptomania** : See elsewhere Chapter III

**Kicks** : Child is cross, kicks and scolds on waking  
*Lyco.*

Child kicks off clothing even in coldest  
weather : *Hepar. S*; *Sanic.*; *Sul.*

**Kiss** : Child kisses everyone : *Caps.*; *Croc.*; *Phos.*;  
*Stram.*; *Verat. A.*

Child wants to be kissed : *Stram.*

**Laugh** : Child is inclined to laugh at serious-  
matters : *Graph*; *Nat. Mur.*

Child thinks all visitors laugh at it and hides behind furniture : *Bar. C.*

Child laughs involuntarily : *Nat. Mur.*

Child with copious, watery stool in summer; so copious that the napkin seems of no use; the stool runs all over the mother's dress and on the floor forming great puddles; the stool is almost odourless, thin and watery and the little one smiles as if nothing were the matter" : *Phos. Ac.*

Child cries and laughs easily; while crying it suddenly laughs quite heartily and finally cries again : *Coff.*

**Lessons** : Students cannot concentrate their mind on their work and prepare for an examination : *Aeth; Kali Phos; Nux. Vom.*  
(Black wood)

Child is not inclined to study. Study brings on sleep *Mag. Phos.*

Child learns with difficulty : *Calc. Phos; Mag. Phos.. Nat. Mur; Bar. C.*

Easily fatigued from study. Must stop frequently during exercise, on account of tiring; compelled to rest; cannot think clearly, cannot bare to think; becomes confused during recitation because she cannot concentrate her thoughts; wants to think but cannot : *Sil.*

School children are worried about their lessons : *Lyc.*; *Sil.*; *Kali Phos.*

When the child begins to learn the alphabet, headache comes and returns with every repeated effort; often with dilated pupils. After every examination at school come these violent headaches : *Picr. Ac.*

**Lie :** (Falsehood) Never speaks the truth, does not know what she is saying : *Op*; *Verat. a.*

**Light :** Child desires light and company, cannot bear to be alone; worse in the dark room and solitude : *Puls.*; *Stram.*

Child will not go to sleep in the dark room but soon falls asleep in a lighted room : *Stram.*, *Sil*

Child turns away from light and wants it dark : *Stram.*

Child: aversion to or desire for light : *Acon*; *Bell.*; *Stram.*; *Nat. Mur.*; *Valer.*

**Looked at :** Children hate being looked at or scoffed at : *Calc. C*, *Ant. C.*; *Ars.*; *Ambra*; *Ant. T.*, *Cina.*; *Iod.*, *Chamo*; *Merc.*; *Nat. Mur.*, *Sil.*, *Stram.*, *Taret. H.*

**Meat :** Child craves ham-rind, meat, salted or dried mutton : *Calc. Phos.*

Inordinate craving for meat in children of tubercular parentage, and refuses everything else, ravenously clawing at the meat plate stuffing its mouth to choke if permitted : *Mag Carb.*

**Medical Examination:** "I won't undress; I won't undress; I will hit you"; I will tell my daddy. (*Puls.; Tuberc.*)

Unreasonable terror of a child at a medical examination or with strangers.

*Tuberc.; Puls.* (Dr. D. Shepherd.)

**Mischief:** Children given to mischief : *Nux. V.; Bar C, Lach; Cupr. M.*

**Memory Loss of :** *Calc. Phos., Kali Phos. Mag Phos.*

**Morose:** Child morose in day time : *Cina.*

**Mother:** Child wants mother to hold her hand; afraid of being alone : *Stram; Bism.; Lyco.; Kali C.; Lil T.*

**Nail Biting:** For release of nerve tension : *Ars. a; Sanic.; Hyos; Amm. Br.*

**Nervous dread:** *Kali. Phos.; Nat. Mur.*

**Nursed:** Child refuses to nurse or makes a great fuss about it, but as soon as the mouth

is moistened it takes hold of nipple and nurses energetically : *Bry.*

While nursing child must let go of nipple, nose blocked up, cannot breath : *Samb.*

After nursing child vomits its milk in curds and refuses to nurse afterwards and is very cross. Nausea and persistent vomiting occurring as soon as the child eats or drinks : *Ant. C.*

Child has taken all it can hold yet cries for the bottle, empties its stomach by spitting up and vomiting the food and reaches out whining and crying for more : *Cina.*

**Obstinate :** Child becomes obstinate, headstrong, cries when spoken to even kindly : *Bar. C., Dros.; Sil., Tuberc.*

Child is obstinate to the extreme. Even if she wants a certain thing she will oppose it if proposed by someone else. It is devilishness : *Caps.*

**Own Way :** Girls who have always had their own way, have never been crossed, and when they grow older, and reach puberty and have got to submit to some sort of discipline or never become women, they have mad fits and cramps. *Cupr. Met.*

will sometimes make them sensible, so in that way it fits into the loves and hates.

(Dr. Kent)

**Peevish** : Children peevish and fretful : *Cina.*;  
*Calc. Phos.*; *Kali Phos.*; *Chamo.*; *Puls.*;  
*Abrot.*

**Physician** : Afraid of, will not see him; he seems to terrify her: *Arg. N.*; *Iod. Thuya.*; *Verat. A. Puls.*; *Tuberc.*

Fear, by presence of physician after typhoid : *Stram.*

Fear of surgeon *Coffea.*

Fear, timidly withdraws eyes to farthest corner of room with eyes cast down upon entrance of physician : *Nux. V.*

**Piteous moaning** : because she cannot have what she wants : *Bry.*, *Chamo.*, *Staph.*;  
*Cina.*; *Kreos.*

**Play** : Indisposition to play in children : *Bar. C.*  
*Bar. Mur.*; *Cina.*; *Hepar S.*, *Lycos.*;  
*Rheum.*

Child does not want to play but just sit about interested in nothing, showing a decided tendency to absent-mindedness and idiocy : *Bar. C.*

Disposition to play with rags with pleasure : *Aeth., Sul.*

**Precocity** : *Bell; Merc., Tuberc., Ign.*

**Punished** : Child cannot be punished because it goes into convulsion : *Cina., Ign., Op.*

**Quieted** : Child can be quieted when carried about and patted : *Chamo.*

**Rage** : When trying to comfort him the child becomes enraged : *Nat. Mur.*

**Rain** : Fear of : *Naja; Elaps.*

**Raised** : Child does not like to be raised : *Borax  
Bry.,  
Cannot exhale ; Meph.*

**Rats** : Abnormal fear of : *Absinth; Bell; Calc. C;  
Cimic; Op; Phos.*

**Religious affections** : in children : *Ars; Calc. C;  
Lach; Sul.*

**Repeat** : Child repeats all questions before answering : *Zinc. Met*

**Reprimand** : Children get sick from being reprimanded or scolded or sent to bed : *Ign; Medor; Carcin.*

**Restlessness in Children :** *Ant. T; Bor; Chamo; Jalap; Rheum.*

**do** relieved by being carried about : *Ant. T; Ars; Chamo; Cina; Kali. C.*

**Rocked :** Child wants to be rocked. Baby is passified by nothing but fast rocking : *Acon; Cina; Carbo. V; Chamo; Bell; Kali. C; Puls; Pyro; Rhus. T.*

**Rubbed :** Child likes to be rubbed : *Calc. C; Lach; Nat-Mur; Nat. C; Phos; Sil.*

Child rubs its face while coughing *Caust; Puls.*

Child starts from sleep rubbing the nose : *Lyco.*

**Sadness :** In children : *Ars; Calc. C; Caust; Lach; Gels; Rhus. T.*

**School :** Child does not want to go to school : *Calc. Phos., Nat. Mur., Picr. Ac., Tuberc., Mag. Phos.*

"I have found *Calc Phos.*; very useful in the headaches of school girls. Here we sometimes have to choose between it and *Nat. Mur.* (Says Dr. Nash)

—Brain fag of school children : “I am so tired I cannot study. It makes my head, ache awfully.” : *Mag. Phos.*

—When the child begins to learn the alphabet headaches come and return with every repeated effort; often with dilated pupil : *Picr. Ac.*

—Anxiety while reading : *Mag. Mur., Sep.*

Difficult concentration of mind, children cannot learn their lessons – a very useful remedy for children in school : *Kali-sil.* (Kent)

Child cannot remember to be taught : *Bar. C; Calc. c; Phos.*

—Overtrained mind : *Kali Phos. Sil.*

Students cannot concentrate their mind on their work and prepare for an examination : *Aeth; Kali Phos; Nux. V.*

(Dr. Blackwood)

“*Lycopodium* is a wonderful remedy for the anticipatory fears of school children going up for the examination etc.,”

(Sir John Weir, G.C.V.O.)

School girls' headache, aggravated by study or even slight mental exertion :

*Calc. Phos.*; *Nat. Mur.*; *Mag. Phos.*; *Kali-Phos.*; *Tuberc.*

Fear being late at school : *Arg. N.*

Dread of failure that he will fail with his mental effort yet does it well : *Lyco.*; *Sil.*

### Screaming Incessant in Children :

With cold, diarrhoea : *Ipec.*

With colic : *Chamo.*; *Nux. V.*

Worse by comforting : *Nat. M.*; *Bell.*

With fever : *Anac.*

, , , in evening : *Cina.*; *Cinam*

All the time especially at night, will not be passified : *Lac. C.*

In diarrhoea of the infant : *Jalap.*

On waking : Night terrors of children : *Chamo.*; *Chloral.*; *Kali. Phos.*

In paroxysms every after noon at five causes scrotal hernia in infants : *Calc. C.*

In dysentery of infants and marasmus : *Apis.*

From undue sensitiveness in children : *Kali Phos.*

Meningitis infantum : *Arn.*; *Hell.*

During Stool : *Kreos.*; *Rheum.*

“When children are apt to awake screaming and are very difficult to sooth then two doses of *Cina* 3 twice a day some times will clear away the trouble”.

(Dr. Anshutz)

**Sensitive :** Over sensitive children : *Acon.*, *Ant. S.*, *Ant. T.*, *Bell*, *Calc C.*, *Chamo.*, *Kali. Phos*, *Phos*, *Puls.*, *Staph*, *Teucr.*

**Sexual Shock :** When the fear is hidden and the child will not reveal it, you will find that the pupil of the right eye is flat in its upper part. Give the appropriate remedy - it may be *Aconite*, *Borax* or *Stramonium* and the pupil becomes round again.

**Shadows :** Child fears shadows by candle light:  
*Calc. C.*

Child is afraid of everything it sees :  
*Calc C.*

**Shyness** Child has a great aversion to strangers. Shy : *Bar C.*, *Ambra C.*, *Kali. Phos.*, *Tuberc.*

**Shrieking :** in children : *Anac*; *Apis.*, *Bell.*, *Benz. Ac*, *Bor.*, *Calc C.*, *Calc. Phos.*, *Chamo*, *Cina.*, *Coff.*, *Cupr. Met.*, *Dulc.*, *Hell.*, *Ign.*, *Ipec*, *Jalap.*, *Kali Bi.*,

*Kreos.*, *Lac. C.*, *Lyco.*, *Rheum.*, *Stram.*,  
*Stann.*

—during stool : *Kreos.*

—when touched : *Ant. T.*

**Sleep :** Child flops over on its belly Sleeps better that way : *Cina*, *Calc. Phos.*, *Medor.*  
—Child sleeps in knee-chest position : *Tuberc.*, *Phos.*, *Lyco.*, *Carcin.*, *Medor.*, *Cina.*

Child moans and doses with half open eyes, unable to sleep except when carried or caressed : *Kreos.*

Child tosses from side to side. Kicks off clothes, never sleeps long at a time : *Cina.*

Child apparently sleeps soundly, but screams out suddenly. Starts and cannot be passified : *Lyco.*

—Child wakes, pushes everything away and wants everybody to go away; restless as from frightened dream; calls mother often : *Stram.*

—Child will not sleep in bed but wants to be held in lap and kept in slight motion Wakes when the motion is stopped or on attempting to lay her down : *Pyro.*; *Kreos.* *Cina.*

- Child starts from sleep rubbing the nose : *Lyc.*
- Child wakes terrified. Knows no one Screams with fright. Clings to those near : *Calc. C.*
- Child lies drowsy. Does not want to move or if it does cannot move much on account of weakness : *Gels.*
- Children wake, scream. grasp sides of cradle. Easily startled by sudden noise *Borax*
- Disturbed sleep of nervous children who play with toys in bed with mounting hilarity, suddenly followed by complete indifference : *Cyprip.*
- The child on waking is frightened at any thing that first meets its eyes (*Bell*) wants to run away from them : *Stram.*
- Sick babies will not sleep day or night: *Psor.*
- Child moans a great deal, jumping and starting from sleep : *Bell*
- Children are convulsed in sleep after punishment : *Ign.*
- Child wakes from sleep with piercing cries and trembling all over : *Ign.*

— "When anyone, child or adult, is afraid in the dark, say of going to bed, *Caust.* 30 is a good remedy - a dose a day."

(Hering)

— Frightful images at night during pregnancy or in children who awake screaming; unconscious, recognises no one followed by squinting : *Kali Brom.*

**Soldiers** : Fear of soldiers who came to take him away : *Bell.*

**Solitude Unbearable** : *Stram.*

**Spoken to** : Child fretful; does not want to be touched, crossed, carried, or looked at or spoken to : *Ant. C* ; *Ant. T.*

**Stammering** : *Bell* ; *Bufo.* ; *Cann. I.* ; *Caust.* ; *Cupr* ; *Dulc.* ; *Euphr* ; *Glon* ; *Hyos.* ; *Iod.* ; *Lac. C.* ; *Lach* ; *Mag. C.* ; *Mag. Phos.* ; *Merc.* ; *Nat. C.* ; *Nux. V.* ; *Phos.* ; *Plat.* ; *Sec.* ; *Sel.* ; *Spig* ; *Stram.* ; *Sul.* ; *Kali. Br.* ; *Vert A.*

**Stools** : Child weeps before stools : *Borax.* ; *Phos.* ; *Puls.* ; *Rhus. T* (Boericke)

Child weeps before stools : *Aeth.* ; *Chamo* ; *Cina.* ; *Borax.* ; *Phos.* ; *Sil.* ; *Sul.* (Kent)

**Strangers :** Great aversion to strangers: *Ambra.G.*  
*Kali. Phos.; Tuberc.; Anac.; Carb an.;*  
*Chamo.*

—Unreasonable terror of a child at a  
 medical examination or with strangers :  
*Tuberc.*

**Strangers :** Fear of: *Stram.*

Fear while teething : *Cupr M.*

Fear of strangers; hides himself behind  
 an almyrah or a screen or a picture when  
 a stranger comes in : *Bar C.*

**Streets:** Fear of crossing busy streets: *Acon.; Phos.;*  
*Kali Phos.*

**Striking :** in children : *Chamo.; Cina.*

**Stubborn:** Child stubborn, disobediant, longing-  
 for dainties, face pale or at times red,  
 restless all night : *China.*

**Stubborn Mood :** *Acon ; Arn.; Caps.; Dig.; Bry.;*  
*Dros.; Lyco.; Chamo ; Nit. Ac.; Phos.; Sil;*  
*Thuja.*

**Students:** Cannot concentrate their mind on their  
 work and prepare for an examination :  
*Aeth ; Kali Phos.; Nuc. V.*

(Blackwood)

**Study** : Child is not inclined to study. Study brings on sleep : *Mag. Phos.*

—Anxiety while reading: *Mag. Mur* ; *Sep.*

—Children whose brain is entirely exhausted by excessive learning and children with disposition to epilepsy : *Zinc Phos.*

—Interruption of sleep due to school troubles : *Kali Phos.*

—Difficult comprehension. School children cannot learn lessons : *Kali Sil.*

**Sugar** : Child is fond of it but diarrhoea results from eating ; *Arg. N.*

—Child does not drink water unless it is sweetened : *Sul.*

**Sympathetic** : Child is very sympathetic. Child cannot bear to see any other child crying; you will see the child very often crying because he thinks that you are hurting some other child : *Carls.* ; *Caust.*

—Child sympathetic to others : *Puls.*, *Nat. Mur.*; *Caust.*; *Carls.*; *Phos.*

**Talking** : Child wants to be continually talking to others about her pains : *Mag. Phos.*

Child is slow in learning to talk and walk : *Agar.*

—Child is slow in learning to talk :  
*Nat. Mur*

—Child is slow in learning to walk :  
*Calc. C.; Bar. C.; Caust.; Calc. Phos.;*

—Child takes great pleasure in talking :  
*Nat. Mur.*

**Taught** : Child cannot remember to be taught :  
*Bar. C.; Calc. C.; Phos.,*

**Temper** : of children : In case of temper of children think of *Stram.* and *Lyc.* (Recorder Dec. 1928)

—Child has a temper and the mother always looks in the father's direction when she speaks of it : *Chamo.; Staph.;*

*Aconite* is turmoil in circulation *Belladonna* is turmoil in brain and *Chamomilla* is turmoil in temper (Dr. Clarke, M.D.)

**Terrified** : Child wakes terrified. Knows no one. Screams with fright, Clings to those near :  
*Stram.; Calc. C.*

**Terrors** : Night terrors in children : *Kali Br.; Stram.; Valer.*

**Thieves** : Fear of thieves on waking after midnight : *Ign., Ars.; Lach.; Kali. Mur.*

**Think** : Child wants to think but cannot : *Sil.*

**Things** : Child, even if he wants a certain thing, will oppose it, if it is proposed by some one - obstinate to the extreme - it is devilishness: *Caps.*

—Child wants things which are not useful to him : *Ars. Sul, Fl.*

—Child wants something but knows not what : *Bry.*

—Child wants everything in sight one day and nothing the next day : *Cina*

—Child craves in mind the things he has an aversion to in the stomach. When he sees it he does not want it : *Bry ; Cina ; Chamo. ; Kreos ; Staph. ; Stram.*

**Throat** : Child must grasp throat everytime it coughs : *Acon. ; Iod. ; Bell. ; All. C.*

**Throw** : Child will throw things at you the moment you enter the room : *Cina.*

**Thumb-Sucking** : *Calc. Phos.*

**Timid** : "When children are timid, give *Aconite* in the evening and *Bell.* in the morning"  
(Hering)

In ailing, whining, fretful children who are fearful and timid especially of dogs : consider *Tuberc.*

(Recorder— July, 1931)

**Train or Close Places, Dread of :** *Succin. Cimic.; Nat. Mur.*

**Traffic :** Fear of coming traffic; Unless she fixes her eyes very carefully on some subject she will walk out into the road and under it : Fear of approaching vehicles. *Phos.*

**Touch :** Disposition to touch different things : *Bell.; Thuja.; Sulph.*

—Child will not be touched or looked at; angry at every little attention. Child will not be touched without whining. Child cries when being touched but wants to be carried about. Will not let you feel the pulse : *Ant. T.*

—Child cannot bear to have anyone near him : *Cupr. Met.; Cina.*

—“Do not forget *Arnica*, especially in those children who seem to have an aversion to being touched and scream out every time mother takes hold of leg or arm. Look into the history a little and you will see that there is a soreness, and

if you strip the child you may observe dusky spots which give an added indication of *Arnica*." (Kent)

**Toys :** *Arsenicum Child* : "Child is inordinately tidy. A small girl with a number of dolls keeps these dolls in a most astonishingly tidy condition. Even the small boy normally breaks his toys and leaves them lying about the floor. Puts them away and is distressed not because the toy is broken but because it is in a mess."

(Dr Borland)

*Chamomilla Child* : Child is never satisfied with anything it is doing. It never puts away its toys in a cup board. It just chunks it down. It picks up something else and if you tell it to put the first toy in the cupboard it is liable to yell :"  
says Dr. BORLAND.

*Baryta Carb. Child* : Child does not want to play but just sits about interested in nothing showing decided tendency to absent-mindedness and idiocy, Averse to strangers and wants to flee away from there. Does not want a new man or stranger. (Opposite of Tuberc)

*Bryonia Child* : Child wants a toy and when it is given it throws it on the face of somebody. It wants this and that; is never satisfied; always wants something new—a new toy which it throws away the moment it gets and then calls for something else. Compare *Cina*; *Chamo.*; *Kreos.*; *Staph.*

*Sulphur Child* : Child has an astonishing money sense. Quite a small child has a definite sense of value. His toys are the best that could be; his family is the best that ever was; the child's motor car is the last word in motors. Child plays with rags with pleasure.

**Tunnels** : (closed places) Fear of : *Nat. M.*

**Undress** : "I won't undress. I won't undress  
I will hit you. I will tell my Dady"  
*Puls.*; *TuberC.*

**Vehicles** : Fear of : *Anth.*; *Hydroc. ac*; *Phos.*

**Walk** : Children late in learning to walk : *Bar C.*;  
*Caust*; *Calc. C.*; *Calc. Phos. Sil.*

Children late in learning to talk or walk :  
*Agar.*

**Water** : Fear of : great anxiety on hearing running water : *Bell*; *Canth.*; *Hyos.*; *Lyss.*; *Stram.*

**Weeping** : For the child who makes a pretence of weeping but without tears. *Staph* 30 or 200 is almost certainly the remedy.  
(Dr. Foubister)

From oversensitiveness in children  
*Kali Phos.*

When addressed ; *Staph.*

If touched, in children : *Ant. T.*; *Ant C.*; *Cina.*

After rage : *Arn.*; *Bell.*

Vehimently (child) : *Rheum.*

When will is not done (child bronchitis)  
*Cina.*

Children : *Bell.*; *Chamo*; *Psor.*

New born when taking hold of or carried.  
*Cina.*

Until child gets something to eat :  
(Hydrocephalous child) : *Bell.*

Incessantly, Child, intestinal spasm : *Op.*

” ” in croup : *Samb.*

” ” in dysentery : *Merc. cor.*

With drawing up of knees, and in pain (child) : *Psor.*


At night (children) : *Arund.*; *Bor.*; *Lac. C.*  
*Psor.*; *Rheum.*

Difficult dentition : *Phyto.*

At every nursing : *Puls.*; *Calc. Phos.*

**Whining** : Child will not allow itself to be touched without whining or crying :  
*Ant C.*; *Ant. T.*





## PERSONALITIES OF NAUGHTY CHILDREN

"In handling any case where the patient has a marked characteristic defect be it jealousy, vengeance, temper, obstinacy or what not, use that as a symptom and your chronic remedy will often change the life of the whole family."

(Recorder Feb. 1929)

### TUBERCULINUM

1. Attacks of rage and temper come on without any warning. She suddenly throws herself down in the street, kicks her legs, shouts and screams. Sullen, bad tempered mite, never a smile on her face. She never plays with anybody. She gives vent to terrible storms of temper, kicking and howling and nobody, not even her father can control her. She will not do anything she is told. *Tuberculinum* 30 several weekly doses makes her good natured. (Dr. D Shepherd, M.D.)

2. Another symptom that always makes me give *Tuberculinum* to a young child is this: I offer the baby over a year old, an unmedicated tablet of sugar; if the child refuses to take it even though you coax it and say 'Have a sweet': and when you put the sweet on the child's tongue, it becomes immediately obstreperous, refuses to swallow

it and it spits it out; his mother tries him and he clinches his teeth. and if she manages to push the sweet in, he still ejects it violently. one is pretty certain that *Tuberculinum* is the remedy and that after a few doses. the child will become lamb like and lose the tendency to these symptoms."

(Dr. D. Shepherd, M.D.)

3 "Unreasonable terror of a child at the medical examination and with strangers"- *Tuberc; Puls.*

(Dr. D. Shepherd, M.D.)

4. "Think of *Tuberculinum* in children who take cold easily even though X-Ray of the chest and other physical signs are negative for tuberculosis. Many a pre-tubercular patient has been restored to health with this remedy".

(Robert Lowell wood, M.D.)

5. Children with a history of tuberculosis in their family with sudden brain storms will react well to *Tuberculinum*. They may require other remedies later on. but for a time they do well on this remedy and some seem to require nothing but *Tuberculinum*, to turn them into strong healthy children with a normal amount of naughtiness which is easily controllable.

(Dr. D. Shepherd, M.D.)

6. "For ailing, whining, fretful children, who are fearful and timid especially of dogs, consider *Tuberculinum*. (H. A. Roberts)

7. "Always keep up *Tuberculinum* in mind when treating sore throat with frequent tonsillitis and enlargement of tonsils. (T. K. Moore)

8.  $\frac{1}{2}$  *Tuberculinum* produces a fearful aggravation  $\rightarrow$  *Calc. C. or Calc. Phos* in a lower potency may check the effect. (Recorder Nov. 1928)

9. "If *Tuberculinum Bovinum* be given in 10 M; 50 M and C. M. potencies, two doses of each potency at long intervals, all children and young people who have inherited tuberculosis may be immuned from their inheritance and their resiliency will be restored. It cures most cases of adenoids and tuberculous glands of the neck". (Kent)

#### NATRUM MURIATICUM

1. *Natrum Mur* child is late in learning to walk, late in learning to talk, a pale child with a greasy, waxy, shining skin; emaciated, weak, thin, eats well, yet does not put on any flesh; wants to be left alone; if anybody talks to him he will turn his face to the wall; he weeps and sheds tears when reprimanded or looked at; the more he is sympathi-

zed, the more he cries; he cries with annoyance sympathy makes him worse, hates being fussed over, he gets angry, bellows and shrieks with anger; backward, slow in learning; a fearful dunce; awkward and clumsy; always letting things drop; always stumbling when walking; frightens of burglars; startles at noise; on suddenly hearing a door open; craves for salt- a dunce at school.

(D. Shepherd)

2. "I have wondered and I am pretty well satisfied in my own mind that if our friends had a homoeopathic conception of the mental symptoms of their patients, there would not be half the number of people in our insane hospitals that there are nor would there be half the number of juvenile delinquents. The homoeopathic doctor who studies his case can obviate and prevent the development of these mental characteristics that lead not only children but men and women astray and make criminals of them.

(A. H. Wolcombe).

3. "Listening to this remedy Nat Mur., with its specific and striking effects on the mentality and emotions, one wonders if the world would not be better off, if everybody in the world would not be benefited by a potency of *Nat. Mur.*, because we are in such a state of disorder and confusion and uncertainty, I would not wonder what a dose of

*Nat. Mur.* to everyone of us would not help us all to get into a better state." (Grimmer)

4. "For Juvenile delinquents and a lot of other things we see these days, it (*Nat. Mur.*) probably would be a most possible asset. (Grimmer)

5. "*Nat. Mur.* should always be thought of when the exciting causes of the disease have been psychic in character, thus the ill-effects of grief, anger, fright mortification, shall always lead us to consider the remedy. Quite naturally *Aconite*, *Ignatia*, and *Staphisagria* come to mind also in this condition" (Dr Rabe)

6. "If you do not get enough symptoms in a case, look for atrophic spots on nose, face, ears, and orbits and study *Nat. Mur.* (Bellokosgy).

7. "Never think of *Nat. Mur.* without considering the possibility of *Sepia*". (D. M. Borland)

8. "Think of the amount of crude salt taken daily to excess by a *Nat. Mur.* patient and yet the marvellous curative effect of that drug in the potencies on a *Nat. Mur.* Patient! Sir John weir  
— (Problems of Homoeopathic Education)

#### S I L I C E A

1. "I am thinking of a little boy : he looked a freak and was freakish mentally. This white,

almost the colour of a chalk. transparent, enormous head, especially the forehead and the crown drawn up into a peak. a hydrocephaloid head— a child resembling in type to a scrofula of the older physician, combined with rickets, large prominent belly, weak legs, especially ankles, constitutionally he was rickety, and feeble as well, timid, retiring, inclined to shirk everything but when you spoke to him he became cross and cried and obstinate and head strong; the more kindly he was spoken the more he cried, always hanging on to his mother's skirts. "I won't do as you tell me to"; mouth tightly shut, a sullen attitude and then quiet weeping. Hated to be touched, had fits of temper, quarrelled with elder brother." (D. Shepherd)

2. "Never think of *Silicea* without considering the possibility of *Sanicula*".

(D. M. Borland)

### STRAMONIUM

1. "*Stramonium* child is a great trial and anxiety to his parents, cruel, spiteful, jealous, suspicious, pinches and torments cats and dogs, pinches and hurts his sister by squeezing her, a wanderer, tries to run away from home, bites his nails naughtily, fits of temper, shouts and screams bites, calls people all sorts of names, insolent, and rude when spoken to, very silly and siggly, laughs

inordinately at times about nothing, fits of being affectionate and then kissing everybody, likes new things, makes himself very busy, not shy with strangers, fear of being alone, fear of a mirror, fear of going near water; fear of thunderstorm, very bad at school, no good at arithmetics, periods of 'being blank' at school; irresponsible, spiteful, smacks the face of his sister, impulsive. drags and pulls her hair out; has screaming fits when he does not get things he wants, rude and rough at school, kicks other children sudden storm of rage. Hates contradiction, screams when thwarted, no sense of right or wrong, spiteful, shouts like mad when contradicted; afraid of feathers, of spiders".

(Dr. D. Shepherd, M.D)

### LYCOPODIUM

1. "In case of temper of children, think of *Stramonium* and *Lycopodium*.

(Recorder. Dec. 1928)

2. Crying out of children before and during the act of micturition is a ranking symptom of *Lycopodium*.

(G. Royal)

3. Boy with exceedingly good mind but difficult to manage at school because he was so absent minded. It was difficult for him to concentrate. He had a very decided inferiority complex. He

was apt to be cross and fussy in the mornings teasing his younger brother and sisters abnormally at times and teasing grown ups of the family too when he could. But the inferiority complex, the lack of confidence, I think was what led me to think of this remedy.

(G. Stevens)

4 Dr. Peterson regarded *Silicea* and *Lycopodium* very similar saying that clinically *Lycopodium* had a lot of *Silicea* in it. If one failed he would often think of the other."

(Geoffery Brown)

5. *Lycopodium*: "General symptoms: Gets irritated and annoyed and angry specially when asked questions which he considers silly. Prefers his own company; is better alone; hates sympathy; hates being asked how he is; sullen; then flares up suddenly; likes walking; walks for miles without speaking to anybody; somewhat indifferent to his family; the weather does not affect him except in close thundery conditions; has vertigo, worse rushing about, swaying, from left to right; cannot take bananas but has a craving for apples. Obstinate person with a very logical mind and somewhat contemptuous of those he considers fools. Yet personally lacking in self confidence".

(Dr. D. Shepherd, M.D.)

## C I N A

1. "If I get a yawning child coming in and picking its nose, I always explore the possibility of its being a *Cina* and very often it is so."

(D. M. Borland)

2. "If you are wanting to sooth down a *Cina* child, don't go and stroke its head; otherwise you will know that you have got a *Cina* child—hyperaesthesia of the head.

(D.M. Borland)

3. "When the child has taken all it can hold yet cries for the bottle or empties its stomach by spitting it up and vomiting the food and then reaches whining and crying for more, think of *Cina*".

(D.M. Borland)

4. "The routine of giving *Cina* for worms need not go into your notes for if you are guided by symptoms the patient will be cured and the worms will go"

(Kent)

5. "When there are papillae on the tip of his tongue, the child has worms, *Cina* is the remedy."

(H.R.E. Edwards, Recorder, Oct. 31)

6. "The constant rubbing of the nose, the extreme ill-humour, the naughty child that nothing pleases for any length of time, the ravenous hunger, the restless sleep, the bed wetting, and odd

posture in sleep like *Medor*. on hands and knees, the extreme sensitiveness of mind and body, the child that cannot be approached or touched or have its hair combed. This is *Cina*.

(Philip E. Krichbaum, M.D.)

7. "It is of value for strabismus depending upon worms, especially when the child has a pale sickly look and blue rings around the eye."

(Hering).

8. "Give *Cina* only on the wane of the moon."

(Recorder Oct. 1931)

9. "It is especially in children that we find the most frequent call for this remedy and the child who needs it, is a little devil, as far as the temper is concerned. That I may not seem to exaggerate. I quote the symptoms: 'Children become fretful, cannot be pleased, cannot be quieted by any persuasion; proof against all caresses and and though very weak when sick, they are very cross and obstinate and strike everybody.'"

(Pierce)

10. "Extreme ill-humour and naughtiness in children; they strike at you; nothing pleases them, or not for any length of time; gritting the teeth during sleep; wetting the bed (when accompanied by picking of the nose, great hunger, restless sleep

etc); tossing all about the bed when asleep; crying out, as if in delirium. (Guernsey)

### TARANTULA HISP

1. "*Tarantula* is a remedy for crafty, cunning maniacs—patients who are full of mischief, and prone to sudden fits of destructiveness, such as knocking down pictures or sweeping bric-a-brac from a mantle piece or pounding a piano or a helpless child" (Talcott)

2. "I have had a chance to watch *Tarantula* fairly closely and I want to add to what Dr. Roberts said about the sudden, sly, destructive tendency, a tendency to change one's disposition altogether from a sweet wholesome rational person to some one who is so terribly self-centered and selfish and who wants nothing but to have everyone standing around waiting on him and even to interfere with the nurse going on or off duty, because of some imaginary ailment like feigning a swoon or something to oblige that person to stay near. (Dr. Green).

### STAPHISAGRIA

1. "*Staphisagria*, *Chamomilla*. *Nux V.*, *Cina*. *Colocynth* stand very close to each other for cross, ugly, irritable subjects and there are very few cases that one or other will not fit." (Nash)

2. "Cross, ugly, scrawny, pot-bellied children subject to colic, worse after food or drink, extreme hunger even when the stomach is full of food."

(Nash)

3. "For removing the habit of masturbation in children".

(Gallavardin.)

4. For the child who makes a pretence of weeping but without tears, *Staphisagria* is almost certainly the remedy.

(Dr. Foubister, M.B.CH.B B.C.H.)

#### CHAMOMILLA

1 *Make up of Chamomilla*: It has an ugly, cussed temperament; it is nervy; is easily angered and capricious, cannot be spoken to, won't be touched; is obstinate, self-willed, easily chagrined. The outstanding feature is hypersensitiveness to pain, over-sensitive, snappy with pain, suffers intensely from the slightest ache. The pains and tempers are worse after 9 O'clock at night and from 9 O'clock until midnight. Sometimes 9 O'clock in the morning. *Chamomilla* anger and irascibility always reminds me of a sudden April shower and April storm, it is short and sharp while it lasts and aggravating but it is over soon and the sun shines in between. The baby and the toddler with his tooth-ache and his colic will forget all about his

pain and his anger as soon as it is over and will be all smiles and will be amenable, especially if he gets some Chamomilla". (Dr. Shepherd).

#### I G N A T I A

If you have a child with a highly developed nervous system, a highly strung, sensitive, bright, precocious child who is doing very well at school and who is being pushed—be it a boy or a girl and the nervous system is getting over-taxed, you are very liable to get Ignatia indications.

(Dr. D. M. Borland)

#### S A N I C U L A

Mentally there is instability of purpose, constantly changing work; impossible to keep his mind on one subject even in conversation; undertakes many things completes none. Starts to do something and forgets what it was. (Kali Phos. starts to do something, drops it to try something else, then returns to the first task.)

(Dr. Margaret Duglass webster, M.D.)

#### B A R Y T A C A R B

The Mind is stunted. Seeks solitude. Avoids company especially that of strangers. His memory is dull, cannot remember, cannot learn, wants light work, a least admonition at school will make him





## BY THE SAME AUTHOR

---

PRICE

- 1) Conquer the Internal Enemy -- Anger  
19 PP Re. 1—00
- 2) 1001 Human Desires and Aversions  
-- Loves & Hates in Biochemistry  
37 PP Re. 1—00

*Can be had from :*

Faiz Homoeopathic Publishing House ,

49, Subhas Road, KAKINADA.

Andhra Pradesh (India)



# UNPUBLISHED WORKS BY THE SAME AUTHOR

---

APPROXI.  
MATELY.

1	4000 Gold Nuggets in Homoeopathy	600 pages
2	Kali Phos— a Brain sharpener	30 „
3	Nat. Mur— a Heroic Remedy	50 „
4	How to look young in old age	50 „
5	How to put a stop to alcoholic habit	50 „
6	Peace of Mind and Homoeopathy	200 „
7	Problems of Sleep and Dreams	50 „
8	1001 Human Desires and Aversions in Homoeopathy—Remedy- wise	400 „
9	1001 Human Desires and Aversions in Homoeopathy—Rubric-wise	400 „
10	Cause and Cure in Homoeopathy	350 „
11	Influence of Coffee on Human Mind and Body	30 „
12	Advocates of High and Low Potencies	50 „
13	On the Art of Facile Prescribing	50 „
14	Advance Study in Biochemistry	150 „
15	It is often well to know when not to give a remedy	40 „

etc.      etc.      etc.

