

3

616.24
Lung

INNER CHEST AND LUNGS.



Symptoms which have been recognised as "Characteristics" or "Key Notes" are designated by a Star (*), and the most prominent "Special Symptoms" are indicated by a degree (°).

Accession No. 6871

K105.

Date 02 - 01 - 2017

INNER CHEST AND LUNGS.

(Symptomatology)

**Abrotanum*.—

*Pressing sensation remains in affected side, impeding free breathing—Pleurisy. Cold air causes raw feeling.

**Aconitum*.—

*Hæmoptysis, the blood comes up with an easy hawking, hemming or slight cough; anxiety, palpitation, quick puls, stitches in chest from excitement, wine, or exposure to dry, cold air. Stitches in chest with cough, cannot lie on right side, only on back; dry, hacking cough—pleurisy. °Lancinating through chest, with dry heat, difficult breathing, often violent chill. Pressure, weight and burning under sternum.

Agaricus.—

°Jerking stitches through right lung. Oppression of chest in region of diaphragm, with drawing pains. Tension in lower part of chest, during motion and when sitting, taking away his breath.

Ailantus.—

°Excessive soreness and tenderness of lungs; feeling as if air cells were stuck together; tired feeling in lungs. Stitching and aching in chest under clavicle.

Burning in right, aching in left lung. Sensation of fullness and smothering before expectoration.

Aloe.—

°Congestion to chest; dry cough; bloody expectoration. Front of chest feels sore on deep inspiration
Weakness of chest.

Alumina.—

°Violent, oppressive pain in chest, worse at night. Chest feels constricted, worse from sitting bent or stooped; better on straightening up or walking. Congestion of blood to chest and head, with redness of face and one ear; caused by suppressed hæmorrhoidal flux. Shooting stitches right to left in afternoon; worse on going down stairs. Talking increases soreness of chest, lifting aggravates or produces soreness in left chest. Riding in a carriage gives pain in chest.

Ambragrisea.—

°Sensation of pressure deep in right chest, also in left chest, or in upper part of chest. Sensation of rawness in chest. Itching in chest and thyroid gland.

Ammonium Carb.—

Burning in chest. Stitches in right chest when stooping; when walking; when rising up in bed. Stitches in left chest, prevent lying on left side. Lower part of chest most affected.

Ammonium Mur.—

°Pressure and stitches in chest, as if a morsel of

food had lodged there. Painful tension below right breast. Bruised pain in lower right chest. Burning in small spots of chest. Beating, like a pulse, at a small spot in left chest, only when standing, mornings.

***Anacardium.—**

°Dull pressure, as from a plug in right side of chest. Sharp stitches in præcordial region, extending thence to small of back.

***Antimonium Crud.—**

*Pain in chest, with heat. Burning and sticking in chest. Stitches in chest. Oppression and pressive pains in chest, more right.

***Antimonium Tart.—**

*Much rattling of mucus in chest. Chest seems full of phlegm, without ability to expectorate it. Œdema of lungs. Broncho-pneumonia. °Anxious, with oppression of chest, and rising of warmth from the heart. So warm about the heart that she must let the arms sink down, with general weakness. Full feeling of chest. Constriction of chest.

***Apis Mel.—**

*Hydrothorax—after pleurisy. Burning, stinging pains throughout the entire front of chest. °Sensation of soreness as if bruised or beaten. Dull, aching pain in left side of chest, near middle of sternum, with sensation of fullness in chest and short breath. Stitches in left side of chest.

***Apocynum.—**

*Sense of oppression about epigastrium and chest

***Aranea Diad.—**

*Hæmorrhage from lungs.

***Argentum Met.—**

*Great weakness in chest; worse left side. °Stitches in right side of chest, from within outwards; he can neither inhale nor exhale without feeling it.

Argentum Nit.—

°Stitching pain in region of fifth rib, left side, with frequent blood-spitting. Bursting pain after going up-stairs; has to press with both hands. Aching, tensive pain in chest in various places.

***Arnica Mont.—**

*Hæmorrhage, after mechanical injuries; slight spitting of black, thick, viscid blood, or bright-red, frothy blood, mixed with mucus and coagula. Pleurisy after mechanical injuries; must continually change position, bed feels so hard. Pneumo-thorax, from external injuries. °Burning or rawness in chest. Chest sore when coughing, sputum blood-streaked; cannot raise the loosened mucus. Pressive pain in (right) chest at small spot, not increased by motion, touch or inspiration. Stitches in (left) chest, worse from dry cough, from motion or external pressure.

***Arsenic Alb.—**

*Constriction of chest, with great anxiety and restlessness, evenings; when going up-hill. Catarrh on

chest, great suffocation; child tosses about in agony. Gangrene of lungs, with green, ichorous, sputum. °Tightness of chest, as if bound with a hoop. Stitches in upper right chest. Stitches in left chest only during inspiration. Stitching pain in sternum from below, when coughing. Chilliness in chest evenings. Burning in chest.

Arum Triph.—

°Lungs feel sore. Soreness in left lung, and upper arm, with pressing in forehead. Stitches in right lung and under the scapula.

***Asafoetida.—**

*Spasmodic tightness of chest, as if the lungs could not be fully expanded. °Pressure and burning under sternum, often with cough. Compression of chest, as from a heavy weight. Pressing stitches in chest. Burning in chest runs through both arms, and through lower limbs down into toes. Single, violent stitches from within outwards, at short intervals, renewed when chest is touched.

Asarum.—

°Stitches in right or both lungs during inhalation. Sharp pressure in region of last ribs. Pain around both lungs, as if constricted by a thin wire.

***Asclepias Tub.—**

*Breathing painful, especially at base of left lung. Sharp pains shooting from left nipple downward, with stiffness of left side of neck. Sharp, cutting pain behind the sternum, aggravated by drawing a long breath, or moving arm. Spaces between ribs,

close to sternum, are sensitive to pressure, and the pain, which is acute, quick and darting, shoots over to the right side. Pain in chest relieved by bending forward. Acute pleuritic pain in right side, with dry, hacking cough, and scanty mucous expectoration. °Pain in chest low down on diaphragm.

***Asterias Rub.—**

*Drawing pain toward inner portion of chest, from before backward; under left breast, pain extends over whole inner portion of arm to end of little finger. °Fullness and pain in chest, with anxiety.

Aurum Met.—

°Shooting pains in chest, after palpitation. Dull stitches in both sides of chest, with heat in chest and dyspnoea; increased by inspiration. Persistent, dry catarrh on chest, early in morning, on waking; with great difficulty he raises a little phlegm, and this only after rising from bed.

Baptisea.—

°Tightness of chest; constriction. Pain in right lung; less in left, with soreness.

Baryta Carb.—

°Sensation of soreness in chest, when coughing.

Belladonna.—

°Noise and rattling in bronchial tubes. Pressive pain in chest, with shortness of breath, and at same time between shoulders, when walking or sitting. Pressure in right chest; causes anxiety. Constriction across chest, as if pressed inwards from both sides.

Burning in right chest. Stitches in apex of right lung.

Benzoic Acid.—

°Pneumonia, asthenic forms, great weakness, difficult breathing increasing every hour. Stitches in chest, especially on breathing deeply; evening. Pain about third rib, right side, midway between sternum and side; increased by breathing. Pain in left side about sixth rib, increased by deep inspiration and bending to either side.

Berberis Vul.—

°Stitches in and around clavicle, also pulsation and burning. Pressure behind left nipple. Rawness and soreness in chest as if from catarrh. Stitches in chest; increased by deep inspiration, with short, dry cough. Tearing in chest, particularly left side. Cutting contraction in chest to abdomen, compels one to bend over.

***Bismuth Met.**—

*Crampy, pressive pain through chest in region of diaphragm, when walking. °Boring and burning in chest; backache.

***Borax.**—

*Sticking in chest, with every cough and deep inspiration. °Tightness in chest. Stitches in chest when yawning, coughing or breathing deeply. Stitches in right side of chest in region of nipple, with every paroxysm of cough.

Bromium.—

°Affections begin in bronchi and ascend to larynx. Sensation of weakness and exhaustion in chest. Pressure in upper part of chest. Sharp stitches in right side of chest, especially when walking rapidly. Cutting pains running upwards—phthisis. Right lung most affected. Paralytic, drawing pain through left chest, towards scapula and into left arm. Hepatization of lower lobes, in pneumonia.

***Bryonia—**

*Intense sticking pains, or stitches in chest; cannot bear to move or draw a deep breath. Constriction of chest; felt the need of breathing deeply, which caused pain in chest. Stitch in upper part of chest, through shoulders, on inspiring. Chest very sensitive, with stitches in left side on inspiration. Sensation of heaviness beneath sternum, extending toward right shoulder, impeding respiration; deep inspiration was difficult; oppression of right side of chest, with very fine, extremely severe stitches in right axillary gland. Stitches in sternum on coughing; was obliged to hold chest with hand. Sharp pain in infra-mammary region; worse during inspiration. Stitching pain in region of diaphragm, worse from motion or coughing. Sharp stitching pain in chest, below right nipple, extending outward, only on expiration. Short but violent stitches in right side of chest, so that he must hold the breath and can not cry out. Tearing stitches in left side of chest extend from behind forward, better during rest, worse during motion and on deep inspiration.

***Cactus.—**

*Congestion to chest, which prevents lying down; palpitation. Sensation of great constriction in middle of sternum, as if the parts were compressed by iron pinchers, with oppression of breathing. Much rattling of mucus. °Hæmoptysis with marked arterial excitement; convulsive cough. Bronchitis with palpitation of heart. Continual rattling of mucus; oppressed breathing; cannot lie in a horizontal position; attacks of anxiety and suffocation. Feeling of constriction in chest, impeding speech

***Calcareæ Carb.—**

*Chest painfully sensitive to touch, and on inspiration. Sore pain in chest on inspiration. °Oppression of chest, as if too full. Stitches in left side of chest, on inspiration. Stitches in chest and sides of chest, when moving; from deep inspiration and from lying on affected side. Sore pains in chest, worse during inspiration. Much mucus in chest. Abscesses forming in lungs.

Calcareæ Phos.—

°Aching in chest, with soreness to touch. Sharp pain about sixth rib, right side; later on left, about fourth and fifth ribs, coming and going; takes the breath; worse with deep breath during day. Contraction of chest and difficulty of breathing, evening till 10 P.M.; better lying down, worse getting up. (Consumption, to lessen emaciation.—Schuessler.)

Calcareæ Sulph.—

°(Consumption. Empyema, pus forming in cavity of lung or pleura.—Schuessler.)

Camphora.—

°Mucus in air passages. Influenza, when during the stage of invasion the patient feels cold and chilly; body and mind seem in a depressed condition. Stitches from shoulders into chest, in left side of chest when walking. Sensation of coldness extends from pit of stomach over whole sternum. Congestion of chest.

Cantharis.—

°Stitches in chest, more on right side, or first left then right; in lower right chest, extending toward the middle of sternum and axilla. Burning in chest. Exudation within pleura.

Capsicum.—

°Pain in chest and back; heat. Throbbing pain in chest. Drawing in one or both sides of chest up to neck.

Carbo Ani.—

°Sensation of coldness in chest. Burning in (right) side of chest. Pneumonia, right lung, suppuration beginning; green sputum. Pleurisy, lingering; skin livid, emaciation, hectic; or typhoid symptoms. Sharp burning stitches in chest.

***Carbo Veg.**—

*Sensation of weakness and fatigue in chest. Burning in chest, as from glowing coals; rawness, soreness. °Congestion of chest and head. Burning under sternum; rattling of large bubbles; dyspnoea; cold knees in bed. Bronchial catarrh; hoarse, mucous rales; chest and ribs feel as if bruised.

Oppressive tearing in left chest. Pressive pain in upper right chest through to scapula. Hæmoptysis, burning in chest, paroxysms of violent cough, hoarse; face pale; skin cold; slow, intermittent pulse; wants to be fanned.

***Caulophyllum.—**

°Spasmodic affection of chest and larynx. °Spasmodic, intermittent pains in chest, with amenorrhœa.

Causticum.—

°Soreness in chest. Tightness of chest; must frequently take a deep breath. Stitches in chest, below arms, extending to pit of stomach, with anxiety. Rattling in chest.

Cepa—

°Chest laden with mucus. Pains here and there through chest. Stitches with burning in middle of left side of chest, when taking deep breath.

Chamomila.—

°Constriction in upper part of chest. Chest painful when coughing. Stitches shoot from abdomen into middle of chest, as from flatulence. Sudden stitches and darts through chest, extorting screams; dyspnœa, taking away voice and threatening suffocation.

***Chelidonium Maj.—**

*Stitches beneath right ribs. °Stitches in left chest on inspiring. Pains in chest and back. Oppression of chest, clothing seemed too tight. Spasmodic pressure behind middle of sternum/awoke him at night; extending into bronchi; with sensation of

constriction in them. Stitches in chest; worse right side. Deep-seated pain in whole right side of chest.

Cicuta.—

°Great heat in chest. Cold sensation in chest.

Cimicifuga.—

°Severe pain in left chest, below fifth or sixth rib. Pain in right side of chest; must lie quietly on back, and press with hand; breath short; slight cough.

Cina.—

°Stitches in left side. Burning stitches in chest.

Cinchona.—

°Loud, coarse rales, great debility, anæmia, œdema of legs. Pneumonia after hæmorrhages, bleeding, or with bilious symptoms, or incipient gangrene. Pressure in chest as from rush of blood, violent palpitation; bloody sputum; sudden prostration. Stitches in right chest up to axilla, prevents bending forward and breathing; stitches in left chest; stitches under sternum; worse during deep breathing and sudden movements. Phthisis of drunkards; suppuration of lungs. Cannot bear percussion or even auscultation, chest so sensitive. Hæmoptysis, with subsequent suppuration of lungs; stitches in chest, worse from slight touch.

Cistus.—

°Feeling of rawness from chest to throat. Fullness in chest.

Clematis.—

°Oppression of chest. Aching in chest. Left side of chest seems most affected. Stitching pains in chest.

Cocculus.—

°Contractive tension of right side of chest, taking the breath. Cramps in chest, also hysteria. Audible rumbling in left side of chest, as if from emptiness, especially noticeable when walking.

***Coccus Cact.**—

*Rawness in air passages, causing cough. °Oppression and soreness in chest. Stitches and sticking pains in sides of chest.

Colchicum.—

°Dull stitches in posterior part of chest during expiration. Violent cutting pain in chest, interrupting breathing. Stinging in region of heart, with oppression. Spitting blood after injuries.

Colocynthis.—

°Stitching pains in right or left side of chest.

Conium Mac.—

°Sharp thrusts directly through chest, from sternum to spine, while sitting. Violent stitches in right chest about nipple, on every inspiration; while walking; worse from hard pressure with hand.

Crocus.—

°Heaviness in chest, must frequently take a deep breath. Dull stitches in left chest.

Croton Tig.—

°Feels as if he could not expand lungs. Feeling of fullness in both sides of chest, with burning stitches in left side, and toward both scapulæ.

Cuprum Met.—

°Shooting pains in sides of chest, must cry out.

Cyclamen.—

°Pressure in middle of sternum. Stitches in left side of chest, later in right. Tearing stitches, with oppression and shortness of breath, during motion and rest. Stitches about the apex of heart.

Digitalis.—

°Peculiar, seemingly rheumatic pains, and catarrhal affections of lungs, with serous exudation. °Passive congestion of lungs, depending on a weakened, dilated heart. Great weakness in chest, can't bear to talk. Emphysema in complication with heart disease; feels better while lying perfectly quiet, in horizontal position.

Drosera.—

°Constriction of chest and hypochondria. Severe stitches in chest, when sneezing or coughing; must press on chest with hands for relief. Burning sensation in center of chest. Violent, oppressive, stitching pain across chest, passing off during motion.

***Dulcamara.**—

*Rheumatic pleuritis and pleuro-pneumoma, with tough, difficult, discoloured sputa. Hydro-thorax;

worse in wet weather. °Bronchitis; offensive smelling night-sweats. Tuberculosis in scrofulous subjects; also worse in changes from warm to cold; sputa tough, green; cough moderate; stitches here and there in chest; diarrhœa. Phthisis mucosa. Mucus on chest, must cough long before raising it; suffocative catarrh. Hæmoptysis bright-red; tickling in larynx; worse at rest; caused by a cold, or protracted, loose cough. Pain in left chest, as if lungs moved in waves.

Eupatorium Perf.—

- °Soreness in chest; worse from inspiration. Pain and soreness behind sternum; heart feels as if in too small a place. Oppression in middle of sternum; feels as if something was pressing against his heart;
- °palpitation. Pain through right nipple when breathing. Deep-seated pain in left side and right shoulder.

Ferrum Met.—

- °Stinging, stinging in chest. Feeling of dryness in chest. Slight heaviness in upper part of lungs, making breathing rather difficult; sore feeling below clavicle and left nipple; cannot take a long breath. Slight, dull, heavy pain across upper part of chest, rendering breathing uneasy. Sticking and bruised sensation in chest. Constricting spasm of chest. Flying pains in chest; blood-spitting; persons who flush easily and get epistaxis, dyspnœa, palpitation.

Ferric Phos.—

- °(Inflammation of lungs, first stage, until free perspiration is established. Congestion of lungs, with debility and oppression. Pleurisy, fever, pain,

stitch in side, catch in breath, and short cough. Pleuro-pneumonia, the chief remedy at first stage. —Schuessler.)

Fluoric Acid.—

°Upper part of chest seems most affected
Hydrothorax.

Gambogia.—

°Pressure in middle of chest. Pain in chest as if it were all raw.

Gelsemium.—

°Congestive pneumonia, with suffering under the scapulæ, caused by checked sweat. Short paroxysms of pain in superior part of right lung, on taking a deep breath; pulse slow, full.

Glonoinum.—

°Chest feels as if laced. Sinking feeling in head and chest, as from working in hot room. Congestions alternately to chest and head. Numb sensation moving upwards in chest, and down left arm.

Graphites.—

°Cramps in chest. Pains in chest. Pain in middle of chest, with cough, irritation, rawness and soreness. Stitching pains in chest.

Guaiacum.—

°Pleuritic stitches; left side, worse from breathing deeply, especially in phthisis pulmonalis. Intense pain in upper part of chest, from motion of head; expectoration of fetid pus.

***Hamamelis.—**

*Hæmoptysis, tickling cough, with taste of blood or of sulphur; dull, frontal headache; tightness of chest; cannot lie down, because of difficult breathing, from congestion; fullness in head, mind calm.
 °Stitches in the lower part of lungs. Sensation of constriction across chest, increased by a long or deep breath.

Hepar Sulph.—

°Sensation of drops of hot water, in left chest. Soreness in chest. Weakness of chest; cannot talk from weakness. Spasmodic constriction of chest, after talking. Tenacious mucus in chest.

Hydrastis.—

°Rawness, soreness and burning in chest. Bronchitis of old, exhausted persons; thick, yellow, tenacious, stringy sputa. Phthisis; to relieve goneness in stomach, emaciation, loss of appetite.

Hyoscyamus.—

°Tight feeling across chest, as from over-exertion, running. Spasms of chest, arrest of breathing, must lean forward. Exhausted from long talking; body, and especially chest, weak: green sputum; weak pulse. Stitches in left side of chest. Hæmoptysis, bright-red, with spasms, also in drunkards. Pneumonia; cerebral symptoms, delirium, sopor; dry, fatiguing night cough, or rattling in chest.

Hypericum.—

°Anxiety in chest, in forenoon, with short breath,

Accession No. 6871

Date 02.01.2017

dizziness and bitter belching. Stinging in left chest, worse when moving. Cutting in upper chest, then in lower left.

Ignatia.—

°Stitches in chest, from flatulent colic. Spasmodic constriction of chest.

Iodium.—

°Sensation of weakness in chest. Sharp, quick, piercing pains. Tendency to bronchial and pulmonary congestion and hæmorrhage.

Ipecacuanha.—

°Infantile pneumonia; respiration rapid, difficult; surface blue; face pale. Rattling of large bubbles; fever, but face rather pale; coughing and gagging, Hæmorrhage from lungs; worse from least exertion; frequent hacking, with expectoration of blood-streaked mucus. Fine rattling noises in chest, spasmodic cough; nausea—œdema pulmonum.

Iris Ver.—

°Pain in left side of chest as if ribs were pressing against lungs.

Kali Bichrom.—

°Pain from back to sternum; or, from mid-sternum darting to between shoulders,

***Kali Carb.**—

*Cutting pain in chest in evening, after lying down. Stitches in chest on inspiration. °Spasms of chest. Chest feels weak, faint, from walking fast. Pain

through lower third of right chest to back. Pressure in middle of chest, with gulping of watery phlegm; stricture of œsophagus. Pressure, heaviness, anxious feeling. Pain as if lower lobe of right lung were adhering to ribs. Phthisis; acts on lower part of right lung; faint spells; sputum contains pus-globules, Blood and albumen. Pneumonia, with stitches through right chest; hepatic inflammation; right lung hepatized; worse when lying on right side. Infantile pneumonia, much rattling in both sides during resolution. Pleurisy; stitches in left chest, with violent palpitation, dry cough: worse 3 A.M.

Kali Chlor.—

°(Cold in chest, with thick white or yellowish expectoration; tongue as in II; stuffy in head: white, non-transparent, or yellowish discharge. Cough in consumption, with thick, white sputa; tongue as in II: loud, noisy stomach-cough; protruded appearance of eyes; itching at anus; croupy, hard, very persistent hoarseness. Lung disease; if expectoration is whitish, thick, or yellowish, white and slimy. Tongue with white fur at back. Inflammation of lungs; second remedy. Pleurisy; second remedy, will complete the cure; second stage; for plastic exudations—Schuessler.)

Kali Iod.—

°Stitches through sternum to back, or deep in chest, while walking. Phthisis pituitosa, with purulent sputum; exhausting night-sweats and loose stools. Pneumonia in the beginning when disease localizes itself; also with hepatization so extensive as to

cause cerebral congestion and serous exudation; face red, pupils large; urine suppressed; one side as if paralyzed. Œdema pulmonum, with pneumonia, or secondary to Bright's disease; sputum like soapsuds; green.

Kali Sulph.—

(Bronchitis, if the mucus distinctly yellow and slimy, thin, or watery matter, and profuse. Inflammation of lungs with characteristic expectoration.—Schuessler.)

Kalmia.—

°Pain in chest, as from a sprain. Shooting through chest above heart into shoulder—blades, with pain in left arm.

Kreosotum.—

°Stitches in left chest, just over heart; across chest, during morning till noon; first in left, then in right chest, inter-rupting breathing; also under scapula. Pain in chest, better from pressure. Anxious feeling of heaviness in chest.

Lachesis.—

°Oppressive pain in chest, as if full of wind, better from eructations. Pain in chest, as from soreness. Burning in chest. Stitches in left chest, with dyspnœa. Pneumonia, hepatization, mostly of left lung; great dyspnœa on awaking. Dropsy of chest; awakens with suffocating spells; liver swollen; scanty, dark urine; palpitation—after scarlatina.

Lachnantes.—

°Stitches like knives in quick succession, in right side of chest below mammæ; while at rest, and when moving, in afternoon. Severe pain in chest with cough, delirium, circumscribed red cheeks; fever worse, 1 to 2 A.M.—typhoid pneumonia. Stitches left side of chest. Full feeling in chest, must inhale deeply.

Laurocerasus.—

°Spasm of chest. Threatening paralysis of lungs. Veins of hands distended. Pleurisy of drunkards; pulse soft, but quick.

Ledum Pal.—

°Congestion of chest, with hæmoptysis. Burning soreness in chest; soreness under sternum. Stitches in chest. Suppuration of lungs. Hæmoptysis alternating with rheumatism.

***Lilium Tig.**—

*Sharp and quick pain in left side of chest, with fluttering of heart. °Full feeling of chest, with distended abdomen. Constricted sensation in left side of chest, extending to right, with sharp pains running up to throat, clavicle, left axilla and scapula; better from changing position.

Lithium Carb.—

°Pressure in middle of chest, from within outward, both sides.

Lobelia Inf.—

°Pressure on chest; left chest above nipple. Spas-

modic contraction or diaphragm. Pain in lower chest; mostly left side. Burning feeling in chest, passing upward. Pain in chest, with the breathing, while sitting after dinner; disappears while moving about.

Lycopodium.—

°Continuous pressure in chest; raw feeling internally. Catarrh on chest of infants, rattling on chest, which seems full of mucus. Pneumonia, with raising of mouthfuls of mucus at a time, of a light rust color, stringy and easily separated. Neglected pneumonia, especially with continuing hepatization and purulent sputum. Typhoid pneumonia. Stitches in left chest, also during inspiration. Paralysis of lungs. Hydrothorax.

Magnesia Carb.—

°Oppression of chest, with sensation of constriction. Sensation of soreness in chest, or in region of heart.

Magnesia Mur.—

°Sudden heaviness on chest, with oppression of breathing at dinner. Tension and constriction of chest. Congestion of blood to chest from bathing in sea.

Magnesia Phos.—

°(Angina pectoris, breast-pang, for the neuralgic spasms; give remedy in hot water. Constriction of chest and throat, with dry, spasmodic, tickling cough, —Schuessler.)

Manganum Acet.—

°Stitches in chest and sternum, running up and down.

Beating in chest. Warm contraction, extending from middle of abdomen to chest, with nausea. Bruised pain in upper chest, when stooping; better by raising head.

Mephites.—

°Pain in chest (lower left rib) when touching it: more when coughing and sneezing.

***Mercurius.**—

*Stitches in chest, right side, extending through to back, on sneezing and coughing. °Burning in chest extending to throat. Acts on lower part of right lung; stitches through to back. Rush of blood to chest. Stitches in chest through to right scapula; pneumonia, with bilious symptoms. Sensation of dryness in chest. Suppuration of lungs after hæmorrhages, or after pneumonia.

Mercurius biniod.—

°Awoke from a transient feeling a great soreness in whole breast. Constriction across chest. Catching pain under right breast, oppressing the breathing.

***Mercurius cor.**—

*Stitches shoot through chest (right side). °Hæmoptysis.

Mezereum.—

°Stitches in right side of chest, worse drawing a long breath. Cramp-like contraction over both chest and back.

Miliefolium.—

°Oppression of chest, frequent blood-spitting; pierc-

ing pains, stinging, bruised feeling; worse under left shoulder-blade—phthisis pulmonalis.

Muriatic acid.—

°Stitches in chest and at heart, when taking a long breath and on violent motion; burning stitches. Tension and pain on sternum. Bursting pain in chest; pain as if beaten.

Natrum carb.—

°Stitches in chest. Burning soreness in right chest; loose cough but no sputum; coldness between scapulæ.

Natrum mur.—

°Sensation and pain in chest, as from tension. Stitches in chest and sides; shortness of breath, especially during a long inspiration. Pain like a cutting cramp through left chest to scapula. (Œdema of lungs, acute; serous, frothy secretions. Pleurisy when during and after its course serous effusion has taken place. Inflammation of lungs if there is much loose, rattling phlegm, clear and frothy, coughed up with difficulty, and when it has not been absorbed by the use of Kali chlor. Bronchitis, acute inflammation of the trachea, with frothy and clear, starchy phlegm; loose and rattling, sometimes coughed up with difficulty; chronic, bronchial catarrh, with above symptoms.—Schuessler.)

Natrum sulph.—

°Stitching pain running up from abdomen to left side of chest. Pneumonia; inexpressible agony; slowly coagulating blood. Piercing pain in left chest.

Nitric acid.—

°Uneasiness in chest. Congestion to chest, with anxiety, heat and palpitation. Cramp-like pains in chest. Stitches in chest, right side. Chest sore when coughing or breathing. Soreness at lower end of sternum. Pain suddenly abates, yet pulse becomes smaller and quicker—pneumonia. Pleurisy of old or cachectic people. Lungs attacked, rattling breathing, loose cough; sputum brown; pulse irregular—typhus. Threatened paralysis of lungs—typhus.

Nux moschata.—

°Weight and pressure on chest; worse on falling asleep at night, or waking from a siesta. Stitches in chest, tightness, spitting of blood. Full feeling
•in upper part of chest, preventing a deep breath.

Nux Vomica.—

*Roughness, rawness and irritation in chest. Pressure in chest, as from a heavy load. Sensation of something torn loose in chest. Congestion to chest, with heat and burning. Hæmoptysis from anger; suppressed hæmorrhoidal flow; debauchery; especially in drunkards.

Oleander.—

°Dull stitches in left chest, continuing during inhalation and exhalation. Sensation of emptiness and coldness in chest.

Opium.—

°Tension and constriction of chest. Heat in chest. Blood thick, frothy, mixed with mucus; great oppression; burning about heart, tremor, feeble voice;

anxious sleep, with starts; legs cold, chest hot; especially for drunkards.

Oxalic acid.—

°Sudden lancinating in left lung, depriving him of breath. Rheumatic pains in left lung, better lying down. When breathing, stitches in chest and above hip. Dull, heavy, sore pain in chest. Pain in middle of chest, through to back.

***Phosphorus.**—

*Broncho-pulmonary catarrh, with dilatation or fatty degeneration of heart. Pneumonia, dryness of air passages; excoriated feeling in upper chest; great weight on chest or tightness; chest sore, bruised; well-developed, co-existing bronchitis; hepatization, especially of lower half of right lung. Latter part of the period of deposit, and early part of absorption. Congestion of chest, with anxiety and oppression. Heaviness in chest as if a weight were lying on it. Tuberculosis in the tall, slender, or rapidly growing; repeated hæmoptysis; great debility; frequent attacks of bronchitis. Tubercles, with hectic fever. °Stitches in left chest, better lying on right side. Burning, piercing soreness and tension in chest. Congestion to chest; anxiety; worse from any emotion; cramp between scapulæ. Capillary bronchitis; pulmonary œdema. Pleuritis; late stage; heart dilated; purulent infiltration. Threatened paralysis of lungs, prostration, viscid sweat; small pulse, face sunken, rattling in trachea.

***Phosphoric acid.**—

*Pain in chest as from weakness. °Burning in

whole chest, with 'pressure. Weak feeling in chest, from talking, coughing, or sitting too long; relieved by walking. Spasm in chest and diaphragm, sudden and unexpected, must sit bent. Loud rattling and whistling in chest, with but little cough.

Phytolacca—

°Pains and suffocative feeling in throat and lungs. Aching pains in chest and side, with cough. Pain through mid-sternum, with cough.

Platinum.—

°Cramp-pain in left chest, gradually increasing and decreasing in intensity.

Plumbum.—

°Stitches in chest and sides. Suppuration of lungs. Circumscribed pulmonary mortification; also cheesy pneumonia. Copious Muco-serous or purulent expectoration.

Podophyllum.—

°Catarrh of chest during dentition.

Psorinum.—

°Phthisis pulmonalis. Burning, pressing in chest. Pain in chest; great anxiety by spells. Hydrothorax, Feeling, especially under sternum, as of ulceration of chest. Chest symptoms better when lying down. Sharp pain, right side, opposite tenth rib. Pains in right side, worse from motion, laughing, coughing; with sweat.

Pulsatilla.—

°Phthisis florida, suppurative stage; chlorotic girls. Soreness in chest, under clavicles. Pain in chest, as if ulcerated. Stitches in chest only when lying, particularly at night. Sticking in chest, worse from deep breathing, or coughing. Paroxysms of burning in chest. Obstinate bronchial catarrh. Congestion to chest and heart at night, with anxious dreams.

Ranunculus bulb.—

°Stitches in chest; increased by moving, stooping or inspiration. Chest feels sore and bruised, worse from contact and motion. Small, sore-spot, as from subcutaneous ulceration—After pneumonia. Adhesions of lungs—after inflammation.

Rhododendron.—

°Shooting through left chest to back, and right side.

Rhus tox.—

°Stitches in chest; worse when at rest, and while sneezing and breathing; also when sitting crooked. Tingling in chest, with tension in intercostal muscles; worse at rest. Pneumonia with typhoid symptoms, often from reabsorption of pus, also with tearing cough and restlessness; quiet makes pain dyspnoea worse. Hæmoptysis from over-exertion, blowing wind instruments; blood bright; pain in lower part of chest; renewed from least mental excitement.

Rumex.—

°Aching over anterior portion of both lungs. Burning, sticking, or burning-stinging pain in left chest, near heart; worse from deep breathing and lying

down in bed at night—rheumatism. Burning, shooting pain in right chest. Sharp pain near left axilla. Soreness behind stomach when breathing.

Ruta.—

°Gnawing pain in chest. Phthisis after mechanical injuries of chest.

Sabadilla.—

°Pain and oppression of chest during apyrexia. Stitches in side of chest, especially when inspiring or coughing. Pleuritis, great paralytic debility. Complains of coldness with hot flushes intervening—pleuritis.

Sanguinaria.—

°Sharp piercing, midway between sternum and right nipple. Pain in right chest to shoulder; can with difficulty place hand on top of head. Stitches on lower part of left breast to shoulder. Cramps in chest. Burning in chest, also stitching; he lies on back; sputum is tough, rust-coloured and difficult; pulse quick and small; face and limbs cold, or hands and feet burning hot, and cheeks circumscribed red and burning, worse in afternoon, extreme dyspnoea—pneumonia. Breath and sputa smell bad, even to patient; belches before and after cough; after cough, heat, then gaping; circumscribed red cheeks; diarrhoea; night sweats; pain in legs.

Sarsaparilla.—

°Stitches from back through to chest, with every motion.

Secale cor.—

°Cramph in chest. Spasmodic shocks from right half of chest into right arm and right leg. Pains over nearly all the front of chest, worse from coughing and motion.

***Sepia.—**

*Oppression of chest morning and evening. °Sensation of emptiness in chest. Great pressure on chest, more left side. Stitch in left side of chest and scapula when breathing or coughing. Sensation of soreness in middle of chest. Chest symptoms relieved by pressing on chest with hand.

Silicea.—

°Lungs feel sore. Stitches in chest and sides through to back. Excruciating, deep-seated pains in chest. Pain under sternum. Inflammation of lungs resulting in suppuration. Dropsy of chest, also in stone-cutters. Empyema after pleurisy. Congestion to chest, body chilly.

Spigelia.—

°Constriction in chest, with anxiety, and difficult breathing. Stitches in chest, worse from least movement, or when breathing. Sensation of tearing in chest. Trembling feeling, worse from any movement. Can lie only on right side, with head high—hydrothorax.

***Spongia.—**

*Tuberculosis beginning in apex of (left) lung. Burning, sore pain in chest and bronchi, with rawness in throat when coughing. °Congestion in chest

from least movement or over-exertion; dyspnoea, nausea, faintish weakness. Burning soreness, rawness and heaviness in chest. Constrictive, spasmodic pain through chest and larynx. Stitches in both sides of chest.

***Squilla.—**

*Stitches in chest, especially when inhaling and coughing; in sides of chest—pleurisy. °Pains in chest are worse in morning. Especially suitable in pneumonia and pleurisy, after blood-letting. Heaviness of chest, congestion of blood to chest.

***Stannum.—**

*Sensation of great weakness and emptiness of chest. Sensation of great soreness in chest. °Tension across upper part of chest, with emptiness in lower. Chest so weak he cannot talk; empty feeling in chest. Hæmoptysis with tendency to copious expectoration. Phthisis mucosa, with the characteristic cough, weakness and sputa; profuse sweats. Stitches in left side of chest, when breathing or lying on that side. Great sore feeling in chest.

Staphisagria.—

°Soreness and rawness in chest, especially when coughing.

Sticta.—

°Oppression of chest and feeling of a hard mass there; hard, racking cough, excited by inspiration.

Stramonium.—

°Pain in breast, cough and other peri-pneumonic symptoms, during recovery from meningitis.

***Sulphur.**—

*Exudation after pneumonia. Weakness of chest, when talking. Stitches in chest, extending to back or left scapula; worse from breathing, from motion and when lying on back. °Congestion of blood to chest. Feeling of a lump of ice in right chest. Stitches through chest extending into left scapula, worse lying on back and during least motion. Pain in chest, from over-lifting, or after inflammation of lungs. Burning in chest, rising to face. Pain as if chest would fly to pieces, when coughing or drawing deep breath.

Sulphuric acid.—

°Stitches in chest about heart. Sensation of great weakness in chest. Burning in left side of chest up to throat. Shooting, stinging, now in scapula, again in arm-pit or in chest. Profuse hæmorrhage from lungs; tuberculosis. Ulcerations of different parts of lungs.

Tabacum.—

°Tightness across upper part of chest, with angina pectoris.

Taraxacum.—

°Stitches in chest. Boring, digging in chest. Twitching in right intercostal muscles.

Terebinthina.—

°Hæmorrhage from lungs. Unbearable burning and tightness across chest, with great dryness of mucous membranes, or profuse expectoration.

***Theridion.—**

*Phthisis florida, in beginning. °Violent stitches high up in chest, beneath left shoulder, through into throat.

Thuja occ.—

°Spasm of lungs from drinking cold water. Stitches in chest from drinking anything cold.

Tuberculinum.—

°Said to cure many cases of tuberculosis; given in high potency.

Urtica urens.—

°Hæmoptysis, from violent exertion of lungs.

Ustilago.—

°Sharp tearing in left side, from of chest down to sixth or seventh rib, aggravated by breathing.

***Valeriana.—**

*Frequent jerks and stitches in chest, with sensation of something pressing out; worse in lower part of chest.

Veratrum alb.—

°Constant rattling of mucus, but cannot expectorate; sticky sweat about head; weak, frequent, irregular pulse; bronchitis of the aged. Capillary bronchitis. Acute bronchial catarrh in the emphysematous. Rattling in lungs, fear of suffocation; frothy, serous sputa; blue face; œdema of lungs. Stitches in sides of chest.

Veratrum vir.—

°Congestion of chest with rapid respiration, nausea, vomiting; dull burning in region of heart. Pneumonia, pulse hard, strong, quick; or, engorgement of lungs, with faint feeling in stomach; nausea, slow or intermittent pulse.

Viola od.—

°Oppression of chest, as from a weight, awakening her at night—hysteria.

Zincum met.—

°Pain in chest, as if cut to pieces, with constrictive sensation. Burning in chest. Coldness in chest. Stitches in left chest, and in heart, at every beat. Sensation of emptiness behind sternum.

Zingibar.—

Stitches through chest, pains in chest, pleuritic. Stinging pains after motion, also stinging, pressing in region of heart.

REPERTORY.

Catarrh—

*Ars., Aur., Berb., Carbo. v., Dig., Dulc., Lyc.,
Nat. m., *Phos., Pod., Puls., Vera. a.

Congestion—

Aloe, Alum., *Cact., Camph., Carb. v., Cinch., Dig.,
Ferr. phos., Gels., Glon., *Ham., Iod., Kali i., Led.,
Mag. m., Merc., Nit. a., Nux v., *Phos., Puls., Sil.,
Spong., Squill., Sul., Vera. a.

Cough—

◦ *Acon., Aloe., *Ascl. t., Berb., *Borax, Bry., Cact.,
Carb. v., Cham., Cimi., *Cocc. c., Dulc., Ferr. phos.,
Graph., *Ham., Hyos., Ipec., Kali c., Kali chlor.,
Mag. phos., Nit. a., Phyt., Rhus., Sabad., Sang.,
*Squill., Stann., Sticta., Stram.

Blood-spitting, hæmorrhages, hæmoptysis—

*Acon., *Aran., Arg. n., *Arn., Arum, Cact.,
Carb. v., Cinch., Colch., Dulc., Ferr., *Ham., Hyos.,
Ign., Iod., Ipec., Laur., Led., Merc., Merc. cor.,
Mill., Nit. a., Nux m., Nux v., *Phos., Stann.,
Sul. a., Terebi., Urtica u.

Empyema—

Canth., Sil.

Expectoration—

Aloe, *Ant. t., Arn., *Ars., *Ascl. t., Carb. an.,
Cinch., Dros., *Dulc., Guaiac., Hydras., Hyos., Ipec.,

EXPECTORATION (continued).

Kali chlor., Kali i., Kali s., Lyc., Nat. c., Nat. m.,
Nit. a., Opium, Sang., Stann., Terebin., Ver. a.

Hydrothorax—

Apis, Dulc., Fluor. a., Lach., Lyc., Nat. m., Psor.,
Sil., Spig., Sul.

Influenza—

Camph.

Inspiration—

Aloe, Ars., Asar., Borax, Bry., Calc. c., Chel., Con.,
Eup. perf., *Kali c., Lyc., Nat. m., Ranunc., Sabad.,
Squilla, Staph.

Mucus—

*Ant. t., *Cact., Calc. c., Camph., Carb. v., Ceba,
Dulc., Hep. s., Ipec., Kali i., Lyc., Nat. m., Sil.,
Ver. a.

PAINS—

Alum., *Ant. c., Asar., *Ascl. t., Aster, Bapt.,
Benz. a., Bry., *Calc. c., Caps., Ceba, Cham., Chel.,
Cimi., Dig., Eup. perf., Ferr., Gamb., Gels., Graph.,
Guaiac., Iris, Kali bi., Kali c., Kalm., Kroes., Lach.,
Laur., Lob., Meph., Merc. b. i., Mill., Mur. a.,
Nat. m., Oxal. a., *Phos., Phos. a., Phyt., Psor.,
Puls., Rhus., Rumex, Sabad., Sang., Secale, Sil.,
Squill., Stram., Sul., Zinc., Zing.

Aching—

Ail., Apis., Arg. n., Calc. ph., Led., Phyt., Rumex.

Acute—

*Ascl. t.

PAINS (continued).**Angina pectoris, chest pain—**

Mag. phos., Tabac.

Beaten—

Apis, Mill.

Boring—

Bism., Tarax.

Bruised—Am. m., Apis, Carb. v., Ferr., Mang., Mill., Phos.,
Ranunc.**Burning—**

Acon., Ail., Am. c., Am. m., Ant. t., *Apis, Arn.,
Ars., Asaf., Bell., Berb., Bism., Canth., Carb. an.,
*Carb. v., Cepa, Cina, Croc. t., Dros., Hydras., Lach.,
Led., Lob., Mang., Merc., Mur. a., Nat. c., Nux v.,
Opium, Phos., Phos. a., Psor., Puls., Rumex, Sang.,
*Spong., Sul., Sul. a., Terebin., Ver. v., Zinc.

Bursting—

Arg. n., Mur. a.

Constrictive—

Alum, Ant. t., *Ars., Asar., Bapt., Bell., Bry.,
*Cact., Cham., Chel., Dros., Ferr., Ham., Hep. s.,
Ign., Lil., Lob., Mag. c., Mag. m., Mag. phos.,
Merc. b. i., Opium, Spig., Spongia, Zinc.

Contractive—

Berb., Calc. ph., Cocc., Mang., Mez.

PAINS (continued).**Cramping—**

*Bism., Cocc., Graph., Mez., Nat. m., Nit. a., Phos.,
Plat., Sang., Secale.

Cutting—

*Ascl. t., Berb., Borax, Colch., Hyper., *Kali c.,
Nat. m.

Darting—

*Ascl. t., Cham., Kali bi.

Drawing—

Agar., *Aster., Brom., Caps.

Dull—

Apis, Colch., Croc., Ferr., Olean., Oxal. a.

Flying—

Ferr.

Gnawing—

Ruta.

Intermitting—

Caul.

Irritating—

Graph., *Nux v.

Jerking—

Agar., Valer.

PAINS (continued).**Lancinating—**

Acon., Oxal. a.

Neuralgic—

Mag. phos.

Oppressive—

Agar., Alum., Ant. c., Ant. t., *Apoc., Asaf., Bry.,
 Calc. c., Carb. v., Chel., Clem., Cocc. c., Colch.,
 Cyc., Dros., Eup. perf., Ferr. phos., Lach., Mag. c.,
 Mill., Opium, *Phos., Sabad., *Sepia. Sticta,
 Viola o.

Piercing—

Iod., Mill., Nat. s., Phos., Sang.

Pleuritic—

Abrot., *Ascl. t., Guaiac., Kali c., Zinc.

Pressive—

*Abrot., Acon., Ambr., Am. m., Anac., Ant. c., Arn.,
 Asaf., Asar., Bell., Berb., *Bism., Brom., Carb. v.,
 Chel., Cinch., Cyc., Gamb., Kali c., Lith., Lob., Lyc.,
 Nux m., Nux v., Phos. ac., Psor., Sepia, *Valer.,
 Zing.

Quick—

*Ascl. t., Iod., *Lil.

Raw—

Abrot., Ambr., Arn., Berb., *Carb. v., Cist., *Cocc. c.,
 Gamb., Graph., Hydras., Lyc., *Nux v., Spong.,
 Staph.

PAINS (continued).**Rheumatic—**

Dig., *Dulc., Led., Oxal. a., Rumex.

Sensitive—

Ail., Ascl. t., Bry., *Calc. ~~g.~~, Calc. ph., Cinch.

Sharp—

*Ascl. t., Brom., Bry., Calc. ph., Carb. ani., Con.,
Iod., *Lil., Psor., Rumex, Sang., Ustil.

Shooting—

Alum, *Ascl. t., Aur., Cham., Cupr., Ferr., Kalm.,
*Merc. cor., Rhod., Rumex, Sul. a.

Sore—

Ail, Alce, Alum., Apis, Arn., Arum, Bapt., Baryta,
Berb., Calc. c., *Calc. ph., *Carb v., Caust., Cocc. c.,
Eup. perf., Ferr., Graph., Hep. s., Hydrastis, Lach.,
Led., Mag. c., Merc. b. i., Nat. c., Nit. a., Oxal. a.,
*Phos., Puls., Rananc., Rumex, Sepia, Sil., *Spongia,
Stann., Staph.

Spasmodic—

Asaf., *Caul., Chel., Ferr., Hep. s., Hyos., Ign.,
Ipec., Kali c., Laur., Lob., Mag. phos., Phos. a.,
Secale, Spong., Thuj.

Sticking—

Ant. c., *Borax, *Bry., Cocc. c., Ferr., Puls.,
Rumex.

PAINS (continued).**Stinging—**

*Apis, Colch., Ferr, Hyper., Mill., Rumex, Sul. a., Zing.

Stitches—

*Acon., Agar., Al., Alum., Am. c., Am. m., Anac., Ant. c., Apis., Arg. m., Arg. n., Arn., Ars., Arum., Asaf., Asar., Aur., Bell., Benz. a., Berb., Borax, Brom., *Bry., Calc. c., Camph., Canth., Carb. an., Caust., Cepa, Cham., *Chel., Cina, Cinch., Clem., Cocc., Colch., Coloc., Con., Croc., Crot. t., Cyc., Dros., Dulc., Ferr. phos., Graph., Guaiac., Ham., Hyos., Ign., *Kali c., Kali i., Kreosote, Lach., Lachn., Led., Lyc., Mang., Merc., Merc. cor., Mez., Mur. a., Nat. c., Nat. m., Nat. s., Nit. a., Nux m., Olean., Oxal. a., Phos., Plumb., Puls., Ranunc., Rhus, Sabad., Sang., Sars., Sepia., Sil., Spig., Spongia, *Squill., Stann., *Sul., Sul. a., Tarax., Therid., Thuja, *Valer., Ver. a., Zinc, Zing.

Tearing—

Berb., Carb. v., Cyc., Spig., Ustil.

Tenderness—

Ail., Arn., Cinch.

Tension—

Agar., Am. m., Arg. n., Cocc., Mag. m., Mur. a., Nat. m., Opium, Phos., Rhus., Stann.

Throbbing—

Cupr.

PAINS (continued).**Tingling—**

Rhus.

Ulcerative—

Psor., Puls., Ranunc. 6

PARTS.—**Air cells and capillaries—**

Ail., Phos., Ver. a.

Axilla—

Bry., Canth., Cinch., Lil., Rumex, Sul.

Bronchi, air passages—

*Ant. t., Bell., Brom., Cact., Camph., Carb. v., Chel.,

*Cocc. c., Dulc., Hydras., Iod., Kali s., Nat. m.,

*Phos., Puls., *Spong., Ver. a.

Clavicles—

Ail., Berb., Ferr., Lil., Puls.

Diaphragm—

Agar., *Ascl. t., *Bism., Bry., Lob., Phos. a.

Larynx—

*Caul., Dulc., Spong.

LUNGS.—

Agar., Ail., Ant. t., *Aran., *Ars., Arum., Asar.,

*Asaf., Ascl. t., Bapt., Bell., Brom., Calc. c.,

Carb. an., Cinch., Crot. t., Dig., Dulc., Ferr.,

LUNGS (continued).

Ferr. phos., Gels., Guaiac., Ham., Iod., Ipec., Iris,
 Kali c., Kali chlor., Kali i., Lach., Laur., Lyc., Merc.,
 Mills., Nit. a., Oxal. a., *Phos., Phyt., Plumb., Psor.,
 Ranunc., Rumex, Sil., *Spongia, Thuja., Urtica u.,
 Ver. v.

Abscesses of—

Calc. c., Sul. a.

Emphysema—

Dig., Sil., Ver. a.

Gangrene—

Ars., Cinch.

Hæmoptysis—

See "Blood-spitting".

Hepatization—

Brom., Kali c., Kali i., Lach., Lyc., *Phos., Ver. v.

Œdema—

*Ant. c., Cinch., Ipec., Kali i., Nat. m., Phos., Ver. a.

Paralysis—

Brom., Laur., Lyc., Nit. a., Phos., Sil.

Phthisis—

Brom., Calc. ph., Calc. s., Cinch., Dulc., Guaiac.,
 Hydras., Kali c., Kali i., Mill., Psor., Puls., Ruta.,
 Stann., *Therid.

LUNGS (continued).**Pleuro-pneumonia—**

Ferr. phos.

Pneumonia. inflammation—

*Ant. t., Benz. a., Brom., Carb. an., Cinch., *Dulc., Ferr. phos., Gels., Hyos., Ipec., Kali c., Kali chlor., Kali i., Kali s., Lach., Lachn., Lyc., Merc., Nat. m., Nat. s., Nit. a., *Phos., Plumb, Ranunc., Rhus., Sang., Sil., Squill., Stram., *Sul., Ver. v.

Rales—

Carb. v., Caust., Cinch.

Suppuration—

Carb. an., Cinch., Kali i., Led., Lyc., Merc., Phos., Plumb., Puls., Sil., Sul. a.

Tuberculosis—

Calc. s., Dulc., *Phos., *Spong., Sul. a., Tuberculinum.

Mammæ and nipples—

Asc. t., Bry., Con., Eup. perf., Ferr., Lach., Lob., Sang.

Muscles—

Ascl. t., Rhus., Tarax.

Pleuræ—

Abrot., Acon., Apis, *Arn., Ascl. t., Calc. c., Canth., Carbo. an., *Dulc., Ferr. phos., Kali c., Kali chlor., Laur., Nat. m., Nit. a., Phos., Sabad., Squill.

LUNGS (continued).**Ribs—**

Arg. n., Asar., Ascl. t., Benz. a., Calc. ph., Carbo. v.,
*Chel., Cimi., Iris., Kali c., Meph., Psor., Ustil.

Scapulæ—

Arum., Brom., Carb. v., Crot. t., Gels., Kalm.,
Kreos., Lil., Merc., Mill., Nat. c., Nat. m., Phos.,
Sapia, *Sul., Sul. a.

Side, Left—

Ail., Alum., Ambr., Am. c., Am. m., Apis, *Arg. m.,
Arg. n., Arn., Ars., Arum., *Ascl. t., Aster., Aur.,
Bapt., Benz. a., Berb., Bism., Brom., Calc. c.,
Calc. ph., Camph., Carb. v., Cepa, Chel., Cimi, Cina,
Cinch., Clem., Cocc., Croc., Crot. t., Cyc., Dulc.,
Eup. perf., Ferr., Guaiac., Hep. s., Hyos., Hyper.,
Iris, Kali c., Kreosote, Lach., Lachn., *Lil., Lob.,
Lyc., Meph., Nat. m., Nat. s., Olean., Oxal. a.,
Phos., Plat., Rhod., Rumex, Sang., Sepia, *Spong.,
Stann., Sul., Sul. a., Ustil., Zinc.

Side, Right—

Acon., Agar., Ail., Ambr., Am. c., Am. m., Anac.,
Ant. c., Arg. m., Arn., Ars., Arum, Asar., *Ascl. t.,
Aur., Bapt., Bell., Benz. a., Borax., Brom., Bry.,
Calc. ph., Canth., Carb. an., Carb. v., Chel., Cimi.,
Cinch., Cocc., Con., Gels., Hyper., Kali c., Kreos.,
Lach., Lachn., Lil., *Merc., *Merc. cor., Mez.,
Nat. c., Nit. a., *Phos., Psor., Rumex, Sang., Secale,
Sul., Tarax.

Sternum—

Acon., Apis., Ars., Asaf., *Ascl. t., Benz. a., Bry.,

LUNGS (continued).

*Cact., Camph., Canth., Carb. v., Chel., Cinch., Con.,
Cyc., Eup. perf., Gamb., Kali bi., Kali i., Led.,
Mang., Mur. a., Nit. a., Phyt., Psor., Sang., Sil.,
Zinc.

Thyroid gland—

Ambr.

Trachea—

Nat. m., Phos.

Pleurisy—

Abrot., Acon., *Apis., *Arn., Calc. s., Canth.,
Carb. an., Dig., *Dulc., Ferr. ph., Guaiac., Kali c.,
Kali chlor., Laur., Nat. m., Nit. a., Phos., Sabad.,
Sil., Squill.

Pneumo-thorax—

*Arn.

Rattling—

*Ant. t., Bell., *Cact., Camph., Carb. v., Caust.,
Hyos., Ipec., Kali c., Lyc., Nit. a., Phos., Phos. a.,
Ver. a.

SENSATIONS.—

Ail., Am. m., Anac., Ars., *Asaf., Asar., *Bry., Cact.,
*Carb. v., Croc. t., Dulc., Eup. perf., Ferr., Glon.,
Hep s., Iris., Lach., Lachn., Merc., Nit. a., Nat. m.,
Nux v., *Phos., Psor., Ranunc., Sepia, Spig., Staph.,
Sticta, Sul., Valer.

SENSATIONS (continued).**Cold—**

Camph., Carb. an., Cic., Kali chlor., Nat. c., Olean.,
Sul., Zinc.

Dryness—

Ferr., Merc., Phos., Terebin.

Empty—

Cocc., Olean., Sepia, *Stann., Zinc.

Exhausted—

Brom., *Carb. v., Hyos.

Full—

Ail., Ant. t., Apis., Aster., Calc. c., Cist., Croc. t.,
Ham., Lach., Lachn., Lil., Lyc., Nux m.

Heat—

•Acon., *Ant. c., Ant. t., Aur., Caps., Cic., Nit. a.,
Nux v., Opium.

Heavy—

Bry., Croc., Ferr., Kali c., Kreos., Mag. m., Nux v.,
Oxal. a., *Phos., Spong., Squill.

Itching—

Ambr.

Numb—

Glou.

Plug—

Anac.

SENSATIONS (continued).**Rough—**

*Nux v.

Tight—

Ars., *Asaf., Bapt., Borax, Caust., *Ham., Hycs.,
Nux m.; *Phos., Tabac., Terebin.

Weak—

Aloe, Ant. t., *Arg. m., Benz. a., Brom., *Carb. v.,
Cinch., Dig., Hep. s., Iod., Kali c., *Phos. a.,
Spongia, *Stann., *Sul., Sul. a.

Weight—

Acon., Asaf., Nux m., *Phos., Viola o.

Sweats—

Dulc., Gel., Kali i., Phos., Psor., Sang., Stann.,
Ver. a.



IMPORTANT COLLECTIONS

Aggravations-Ameliorations.....	Dey		Rs. 2-00
Appetite and Thirst.....	Dey	Rs. 2-00
Diabetes.....	Dey	Rs. 2-00
Female Organs.....	Dey	Rs. 2-50
Inner Chest & Lungs.....	Dey	Rs. 2-00
Menstruation, & Dysmenorrhea (Complications of).....	Dey	Rs. 2-00
Sleep and Dreams.....	Dey	Rs. 2-00
Urinary Organs.....	Dey	Rs. 2-00