

# Cancer

**EDITOR:** You will remember that in our previous issue we printed the article on cancer by Dr Pankaj Bhatnagar. Now we have the concluding part of the article: treatment and cure of cancer with detailed note on the Indian herbs prepared as Homoeopathic Medicines used for treatment and cure of cancer.

**AUTHOR:** Many senior Homoeopaths have written to

me and respected Dr Diwan Harish Chand has raised the question of "Guru Chela" parampara indicating interalia the need for the list of remedies used for the treatment and cure of cancer. In due reference to his wishes, I am enclosing the list of the remedies for treating cancer.

Medicines prepared by herbs homoeopathically from mother tincture to higher potencies.



Adrak (fresh)	Amrita	Arbia Areca	Amaltas
Bhilawa	Black Pepper	Bilwa	Daruhaldi
Deodhar	devdudmbhi	Eucalyptus	Gajpipali
Guduchi	Hing	Indrajow	Jyotishmati
Jamun	Khair	Kaljiri	Khus
Khubkala	Lotus	Lucca Coccus	Nilofar
Paan	Pathani	Pishhun	Podina
Sambholu	Senha	Korpoor	Yasthi
Haldi	Amla	Gulab	Saunth
Rosan	Gainda		

Homoeopathic Medicines used by Dr Pankaj Bhatnagar for the treatment of cancer cases. [Homoeopathically prepared from mother tincture to higher potencies].

<i>Abies-nigra</i>	<i>Abrotanum</i>	<i>Acetic-acid</i>	<i>Aconite-nap</i>
<i>Aesculus</i>	<i>Aletris-far</i>	<i>Allium-cepa</i>	<i>Allium-sativa</i>
<i>Aloes</i>	<i>Alumina</i>	<i>Anacardium</i>	<i>Anthracinum</i>
<i>Ant-crud</i>	<i>Ant-tart</i>	<i>Apis-mel</i>	<i>Arg-met</i>
<i>Arg-nit</i>	<i>Ars-alb</i>	<i>Ars-brom</i>	<i>Ars-iod</i>
<i>Aster-ruben</i>	<i>Aspido-sperma</i>	<i>Aurum-mur-nat</i>	<i>Baryta-c</i>
<i>Benz-acid</i>	<i>Berb-vulg</i>	<i>Bismuth</i>	<i>Borax</i>
<i>Bromium</i>	<i>Bryonia</i>	<i>Calc-carb</i>	<i>Calc-flour</i>
<i>Calc-iod</i>	<i>Camphora</i>	<i>Causticum</i>	<i>Carbolic-acid</i>
<i>Carbonium-sulph</i>	<i>Cardus-mar</i>	<i>Caulophyllum</i>	<i>Chamomilla</i>



**DR PANKAJ BHATNAGAR DHMS (Delhi)**  
C-97, Krishna Nagar,  
Delhi-110051

<i>Chelidonium</i>	<i>China</i>	<i>Chionanthus</i>	<i>Cistus-canadensis</i>
<i>Cocculus-indica</i>	<i>Coffea</i>	<i>Colchicum</i>	<i>Collin-sonia</i>
<i>Condurango</i>	<i>Conium</i>	<i>Damiana</i>	<i>Eucalyptus</i>
<i>Euphorbia</i>	<i>Euphrasia</i>	<i>Eupt-per</i>	<i>Ferr-phos</i>
<i>Flouric-acid</i>	<i>Graphites</i>	<i>Gelsemium</i>	<i>Hamamellis</i>
<i>Helleborus</i>	<i>Helonias</i>	<i>Hepar-sulph</i>	<i>Hydrangea</i>
<i>Hydrastis</i>	<i>Hypericum</i>	<i>Ignatia</i>	<i>Ipecac</i>
<i>Kali-ars</i>	<i>Kali-bich</i>	<i>Kali-carb</i>	<i>Kali-iod</i>
<i>Kreosote</i>	<i>Lacithium</i>	<i>Lapis-a</i>	<i>Lobelia</i>
<i>Lycopodium</i>	<i>Mag-phos</i>	<i>Merc Sol</i>	<i>Millefolium</i>
<i>Nat-mur</i>	<i>Nat-phos</i>	<i>Nux-vomica</i>	<i>Ocimum</i>
<i>Paeonia</i>	<i>Passiflora</i>	<i>Phosphorus</i>	<i>Phos-acid</i>
<i>Phytolacca</i>	<i>Physostima</i>	<i>Pinus-c</i>	<i>Piper-nig</i>
<i>Pulsatilla</i>	<i>Rhus-tox</i>	<i>Sabal-ser</i>	<i>Sanguinaria</i>
<i>Sepia</i>	<i>Silicea</i>	<i>Sinapes Nig</i>	<i>Spigelia</i>
<i>Sulphur</i>	<i>Sulphur-iod</i>	<i>Symphytum</i>	<i>Syzgium</i>
<i>Terebinthina</i>	<i>Thalaspia</i>	<i>Thuja</i>	<i>Thyrodinum</i>

*Uran-nit*

*Vitex-nirgundi*

*Wyethia*

*Zingiber*

**FACTS MENTIONED BELOW ARE ON THE BASIS OF CLINICAL EXPERIENCE SPANNING OVER 25 YEARS.**

**I CATEGORY :**

Any neoplasm / tumor in which Biopsy / FNAC is not carried out, cure rate is very high. Any type of tumor – Benign or malignant where Biopsy / FNAC is done , then it starts growing / spreading very fast, natural spread of tumor is a slow process in most of the cases.

**CO-ORDINATING EDITOR: INTERNATIONALLY, TISSUE DIAGNOSIS IS THE ONLY ACCEPTED MEANS OF DIAGNOSIS.**

**II CATEGORY :**

Cases in which surgery is done but no chemotherapy/ radiotherapy given cure rate is high.

**III CATEGORY:**

If surgery and radiotherapy has been done, the cure rate is moderate.

**IV CATEGORY:**

In cases where both surgery and chemotherapy has

been done, the cure rate is lower than in category III  
**V CATEGORY:**

In cases where chemo, radio and surgery have been done, the cure rate is almost nil. Only palliation is appreciable with least adverse effect.

However malignancy with metastasis or otherwise is established by means other then Biopsy/FNAC, cure rate is very high.

**PROBABLE CAUSES FOR NEOPLASM/ CA**

- 1 Continued exposure to chemical irritants and pollutants in any form.
- 2 Continued use of stimulants and alcoholic beverages.
- 3 Abuse or gross misuse of strong medicines or antibiotics.
- 4 Use off chemical fertilizers, pesticides, insecticides, etc.
- 5 Excessive radiation in any form like X-rays, CT Scan, MRI, etc.
- 6 Declining of Ozone layer which results in the entry of ultraviolet Rays to earth.
- 7 Continued use o preservatives or edible colours.

**INDIAN HERBS PREPARED INTO HOMOEOPATHIC MEDICINES AS PER  
HOMOEOPATHIC PHARMACOPOEIA OF INDIA – USED FOR TREATMENT, CURE OF  
CANCER AND ITS VARIED CONDITION(S).**

**1 ZINGIBER (ROOTS)-1X**

Useful for CA Bones and GIT.

Details given in HMM.

**2 HARAD Q**

Acts as a purgative and as an anti-cancer drug in all types of cancer.

It is nectar according to Indian system of Medicine.

**3 ARABIA ACACIA ( BABOON LEAVES) – 1 X TO 3 X**

It has the power of Shrinkage of mucous membrane and so reduces the swelling of urinary tract.

Useful for CA hard and soft palate, CA larynx, CA Pharynx and CA lungs.

**4 AMALTAS Q**

It is useful in CA Lungs. If it is mixed with (i) Eucalyptus Q (ii) Belladonna Q (iii) Camphor Q its inhalation gives immediate relief in Dyspnoea ( in fact this can be a substitute for nebulisation to relieve respiratory distress and spasm).

It also reduces excessive secretion of phlegm.

**5 BHILAVA (ANACARDIUM) (FRUIT JUICE) – 1X TO 6X**

Useful for CA wounds.

Details given in Homoeopathic Materia Medica.

**6 BLACK PEPPER (FRUIT) 1X TO 6X**

It acts as a stimulant of mucous membrane of oral cavity, oesophagus, lungs etc.

**7 BEL ( LEAVES) Q**

Useful in CA oesophagus, CA stomach, CA intestines CA colon, CA rectum. Its fruit pulp is highly energetic for the patient esp given when diarrhoea/dysentery occurs.

**8 DARUHALDI (BARK) Q**

Useful in Renal cell CA, CA Urinary bladder and CA prostate. It has power to increase urine output and hence action diuretic.

Also useful for haematuria and retention of urine.

**9 DEVDAR (LEAVES) Q**

It is very useful during dropsy, urinary tract cancer, swelling of cancer wounds and lymph node metastasis. Applied externally on wounds, it helps in healing of the wound.

**10 TULSI (WHOLE PLANT)**

Useful in CA throat, CA Larynx and Pharynx and CA Lungs.

It helps in relieving the pain of cancer and reduces the swelling.

**11 EUCALYPTUS ( LEAVES) Q**

External application, inhalation.

Useful in respiratory distress and spasm by inhalation. Also used in CA wounds with maggots and helps in healing the wound faster.

If used with pine (leaves) Q, Sheesham (leaves) Q it helps in faster healing by external application.

**12 GAJPIPLI (FRUIT) Q**

Used in bronchitis, cough, CA Lungs (with or without pleural effusion)

Enlargement of liver & spleen, ascitis due to obstruction of spleen and liver.

If applied on breast during lactation, it opens ducts of lacteal glands (hence can be used for pain and swelling of breast).

**13 GUDUCHI (LEAVES) Q**

Used as a tonic for different types of blood cancer. It reduces the painful condition of bony metastasis.

**14 HING Q TO 3X**

Useful for CA oesophagus, CA stomach and CA intestines.

Can also be used as an expectorant in cough, bronchitis and dyspnoea.

In Ca lungs, it is highly effective and reduces the size of cancer growth.

It may cause vomiting in few cases that, too, in beginning but is a good sign of improvement.

**15 INDRAJOW (SEEDS) Q**

It is useful in vaginal cancers, as it reduces the pain and discharge.

Useful for CA Uterus and CA Cervix.

If applied in Vagina ( by tampon) it shrinks the wall of vagina after delivery.

**16 JYOTISHMATI (MAL KANGANI FRUITS) Q TO 1X**

Useful after neurosurgery, if the patient has lost its memory.

Useful also for memory loss due to enlarged brain tumor.

It cures comatose condition.

Also effective for depression.

**17 SYZYGium JAMBALANUM ( JAMUN SEEDS) Q**

Details given in Homoeopathic Materia Medica.

**18 KHAIR ( GUM) – KATHA Q TO 1X**

Useful in oral cancers as it heals the ulcerated mucous membrane of oral cavity, oesophagus and stomach. Also relieves CA tonsils and pharynx, hoarseness of voice.

**19 KALJIRI ( SEEDS) Q**

( Internal and external use)

It reduces metastatic swelling of lymph nodes if applied externally and also reduces the swelling of axillary lymph nodes in CA breast by external application.

It increases the milk and discharge from the breast and hence gives relief in painful condition of breast (whether CA or otherwise). Helps in fast healing.

**20 KHUS ( ROOTS) ANANTHERUM Q**

External application in skin cancer).

Details given in Homoeopathic Materia Medica.

**21 KHUBKALA (SEEDS) Q**

Acts as a tranquilizer. Gives relief and relaxes the mental condition of the patient.

**22 LOTUS ( FLOWER PETALS) BLUE/PURPLE Q**

Acts as a wound healer, blood purifier. Has a cooling property if applied externally on wounds and hence useful in burning pain of wound and swollen part.

**23 LUCCACOCUS (PEEPAL GUM)**

Acts as a blood purifier.

Useful in different types of blood cancer and CA GIT.

**24 BANFASA ( LEAVES) Q**

Highly useful in CA Lungs, CA throat, Relieves the cough & swelling of chest.

Helps in evacuating phlegm through stools. Also acts as a mild tranquilizer.

**25 PAAN ( DESI) (LEAVES) Q TO 3X**

Used as antiseptic, in catarrhal affection, bronchitis.

CA Respiratory Tract.

Also useful for foul smelling ulcer/CA wounds by external application. Reduces swelling of CA breast if applied externally.

**26 LODHRA (BARK) 1X TO 6X**

Useful for all types of blood cancer and also for thalassemia and spleen disorders. The results are remarkable.

**27 PISHUN (KESAR) Q OR 1X**

Highly effective in CA ovary, CA cervix, CA uterus etc.

Can stop the excessive bleeding from uterus immediately.

Also useful even in cancer (IVth Stage) with metastasis

to various organs etc.

**28 PUDINA (LEAVES) Q**

Useful in painful condition of CA stomach, duodenum.  
Relieves the burning pain, vomiting and nausea.

**29 NIRGUNDI (leaves) Q or 1x**  
(external and internal use)

Useful for CA Testes, penis and prostate.  
Has power to reduce splenic enlargement due to blood cancers, thalassemia and other types of blood disorders.

It also has power to kill maggots by external application.

**30 CINA (leaves) Q to 3x**

Details given in Homoeopathic Materia Medica.

**31 CAMPHOR Q**

Details given in Homoeopathic Materia Medica.  
Useful for CA stomach – nausea and vomiting or diarrhoea.

**32 SUPARI ( Arabia Areca) Q**

Useful in CA mouth and throat.

**33 YASHTHI (bark) Q**

It has power to regenerate tissues.  
It also reduces the cough, hoarseness of voice. It acts as an expectorant.

**34 HALDI ( roots) Q**

Useful in blood cancers, skin diseases related with malignancy.  
Also has the power to reduce swelling and acts like a wound healer

**35 AMLA ( fruit) Q**

It has regenerative power, useful in all types of cancer.  
Destroyed cells are replaced by healthy cells in cancer.

**36 ALLIUM SATIVA (Reason Garlic) Q to 3x**  
Details given in Homoeopathic Materia Medica.

Useful in CA GIT.

Used in painful condition of wound and neuralgic condition.

If mixed with glycerin, it gives immediate relief in painful condition of oral cavity.

**37 GAINDA ( Merrigold) ( Flower leaves) Q**

It has the power to stop bleeding of the wounds immediately if applied externally.

**38 SHEESHAM (leaves) Q**

Useful for burning pains of CA wounds.

Also acts as a blood purifier.

It helps in healing of ulcers and ulcerated mucous membrane.

**39 PINUS L (Pine leaves)**

Useful in wounds where maggots appear.

Q drops of pinus L are put on a wound having maggots, all maggots shall come out easily. On the same wound if pinus L Q, eucalyptus Q, Sheesham Q, bell Q and paan Q are applied thrice daily, it helps healing faster.

**40 GAMBHARI ( flower) Q**

Useful for CA oesophagus and CA stomach.

It acts also as a tonic. Also used for different types of blood cancers.

**41 NEEM ( leaves) Q**

Used for blood cancer, CA wounds with metastatic lymph nodes.

**42 KACHNAAR ( flowers) Q**

Useful in CA metastatic lymph nodes with wounds either in neck, axilla, groin or retroperitoneal region.

