

Every available authority on Botanic Medicine has been consulted in the compilation of this valuable work.

**PRESCRIBER &
CLINICAL REPERTORY
OF
MEDICINAL
HERBS**

by Captain F. HARPER-SHOVE

“A vast amount of really useful & practical information . . . even a novice cannot fail to make an accurate selection of the proper remedies in any given case”—*MEDICAL TIMES*.

500 Herbal Remedies with their Uses

The object of this work is to give, under suitable headings, the leading symptoms demanding a particular herb, or herbs, together with an appendix showing the dosage to be prescribed in each case.



“A landmark as it is unique in being the first Repertory to be published for Herbalists.”—

Health from Herbs
Mag.

8/6
6




262

PRESCRIBER AND CLINICAL
REPERTORY OF MEDICINAL HERBS

PRESCRIBER AND
CLINICAL REPERTORY
OF
MEDICINAL HERBS

BY
CAPTAIN F. HARPER-SHOVE



HOMŒOPATHIC PUBLISHING COMPANY
12 WARWICK LANE, E.C.4

PRINTED IN GREAT BRITAIN BY HEADLEY BROTHERS
109 KINGSWAY, LONDON, W.C.2 AND ASHFORD, KENT

CONTENTS

	PAGE
PREFACE	vii
EXPLANATION OF TYPES, SIGNS AND ABBREVIATIONS	ix
NOTES ON PRESCRIBING AND DOSAGE	xi
LIST OF HERBAL REMEDIES, ABBREVIATIONS, AND DOSAGE	I
MIND	25
HEAD	33
EYE	40
EAR	45
NOSE	47
FACE	49
MOUTH	51
THROAT	55
STOMACH	60
ABDOMEN	68
LIVER	74
SPLEEN	77
RECTUM	78
URINARY	85
GENITALIA	99
RESPIRATION	117
CHEST	131

								PAGE
BACK	140
EXTREMITIES	142
SKIN	147
SLEEP	157
FEVER	159
GENERAL	164
CONTRA-INDICATIONS	197

PREFACE

OWING to the great difficulty of memorizing the therapeutic action of some three thousand herbs forming the complement of the Herbal Dispensatories in general use, practitioners fall into the habit of prescribing a limited number of favourites which they have found by experience to answer the requirements of the majority of their patients with considerable success. It is believed that many of their failures could have been obviated had they possessed a knowledge of the virtues of other herbs more specifically indicated by the symptoms of the patient.


The standard works on Specific Medication advise the use of one or more remedies for the treatment of a given disease, but it has been found in practice that it is not always possible at the onset, owing to the non-appearance of the "correct" symptoms, to diagnose with accuracy the particular complaint. It is, however, quite easy to recognize the prevailing symptoms at the time, and to proceed forthwith to treat the patient without loss of valuable time awaiting a classification.

The object of this work is to give, under suitable headings, the leading-symptoms demanding a particular herb, or herbs, together with an appendix showing the dosage to be prescribed in each case.

For international reasons the botanical, instead of the common or local, names of herbs have been employed. Every available authority on Botanic Medicine has been consulted in the compilation of this work, and the author hopes that, in submitting it for publication, it may prove of value to his colleagues of the healing profession. He desires to express his gratitude and indebtedness to all who have contributed to the production of this book, particularly Messrs. Potter & Clarke, the well known manufacturing chemists, for their kind encouragement and the use of their valuable library for reference.

F. HARPER-SHOVE.

20th May, 1938.



EXPLANATION OF TYPES, SIGNS, AND ABBREVIATIONS

TYPES.

Abbreviated names of herbs printed in ordinary type, such as *Aln. ser.*, *Seren. ser.*, are intended for internal administration *per ora*.

Those printed in *italics*, such as *Acon.*, *Bell.*, etc., being of a more potent, or poisonous nature, must be treated with caution with respect to dosage; the maximum dose of the fluid extract being less than 30 mins.

SIGNS.

Those enclosed in *ordinary curved brackets* are intended for *external use only*.

Those enclosed in *square brackets* are intended for use only as gargles, washes, rectal, vaginal or nasal injections, etc.

ABBREVIATIONS.

(*oint.*) denotes " ointment ".

(*poult.*) „ " poultice ".

(*lin.*) „ " liniment ".

(*s.d.*) „ " in small doses ".

(*Amer.*) „ " American Dispensatory ".

(*hot*) „ given as " hot infusion ".

(*H*) „ " in homœopathic doses ", or not found in usual dispensaries, such as *Apis.mel.* (*H*)

+ Combinations of herbs, which have proved of special benefit, are joined together by this *plus* sign.

(*subcut.*) „ " subcutaneous injection ".

(*suppos.*) „ " suppository ".

NOTES ON PRESCRIBING AND DOSAGE

The remedies prescribed in this work are entirely of vegetable origin, prepared from the roots, bark, leaves or seeds of the herbs in the form of:—

Infusions, made by grinding or bruising the roots, leaves, etc., and pouring boiling or cold water, according to the particular herb, over the drug, allowing it to stand for fifteen to twenty minutes with an occasional stir and then straining off the clear liquid. The usual quantity of herb is 1 oz. to 1 pint of water. The dose varies from one tablespoonful to a wineglass.

Fluid Extracts are the most popular preparations, being prepared in a concentrated fluid form of one fluid ounce of the crude drug to one fluid ounce of spirit.

Tinctures are spirituous preparations generally made in the strength of 1 or 2 oz. of the drug to 1 pint of pure or diluted spirits of wine.

Homœopathic Mother Tinctures are prepared, amongst other methods, by expressing the juice of the freshly-gathered plants, or parts thereof, and mixing the juice so obtained with an equal quantity of absolute alcohol. The mixture is then succussed, allowed to stand for some time, and finally filtered. Five to twenty minims, according to the active principles present, are added to four ounces of water, and teaspoonful doses administered.

Alkaloids. N.B.—It is important to note that in no case whatsoever, in this work, are the **ALKALOIDS**, such as aconitine, digitalin, hyoscine, pilocarpine, etc., recommended for prescription, nor is any reference made thereto.

Dosage. It must be clearly understood that the "doses" mentioned in the following pages are intended merely for general guidance, and represent the average range of quantities which is considered suitable *for adults* when administered by the mouth. The maximum doses mentioned may, as a rule, be repeated three or four times in twenty-four hours.

The purchase of preparations from a reputable firm or qualified herbalist only is of paramount importance. For general information, the author has obtained all his remedies for many years from Messrs. Potter & Clarke, Ltd., 60-64 Artillery Lane, E.1, and from Messrs. A. Nelson & Co., Ltd., 73 Duke Street, Grosvenor Square, W.1.

LIST OF HERBAL REMEDIES, ABBREVIATIONS, AND DOSAGE

<i>Abbrev.</i>	<i>Name.</i>	<i>Tinc.</i>	<i>Dose.</i> <i>Flid. Ext.</i>
Abel.	Abelmoschus moschatus.
Abies	Abies Canadensis
Abr.	Abrus precatorius.
Acac. C.	Acacia Catechu
Acac. sen.	Acacia Senegal
Acer f.	Acer rubrum
Achill.	Achillea millefolium
Acon.	<i>Aconitum Napellus</i>
Acor. C.	Acorus Calamus
Act. rac.	Actaea racemosa
Adhat.	Adhatoda Vasica
Adian.	Adiantum Capillus-Veneris
Adon.	<i>Adonis vernalis</i>
Aegle	Aegle Marmelos
Aego.	Aegopodium Podagaria
Aesc. H.	Aesculus Hippocastanum.
	Fruit	..	5-20 mins.
	Bark
Aeth.	Aethusa Cynapium.
Agrim.	Agrimonia Eupatoria
Agro.	Agropyrum repens
Ail.	<i>Ailanthus glandulosa</i>
Ajug. Ch.	Ajuga Chamaecypitys

<i>Abbrev.</i>	<i>Name.</i>	<i>Tinc.</i>	<i>Dose.</i> <i>Fld. Ext.</i>
Ajug. rep.	Ajuga reptans	..	½-I drm.
Alch. arv.	Alchemilla arvensis	..	½-I drm.
Alch. v. . .	Alchemilla vulgaris	..	½-I drm.
Alet. . . .	Aletris farinosa	..	½-I drm.
Alis. . . .	Alisma Plantago	..	½-I drm.
Alk. . . .	Alkanna tinctoria.	..	½-I drm.
All. cep.	Allium Cepa . .	(Juice, 5-30 mins.)	
All. sat.	Allium sativum	..	½-I drm.
Aln. gl.	Alnus glutinosa	..	½-I drm.
Aln. r. . .	Alnus rubra	½-I drm.
Aln. ser. . .	Alnus serrulata	..	½-I drm.
Aloe	Aloe Chinensis	½-2 drms.	5-30 mins.
Aloy. . . .	Aloysia citriodora	..	½-I drm.
Alp.	Alpinia officinarum	..	½-I drm.
Alsid. . . .	Alsidium Helminthocorton	..	½-I drm.
Alst. con.	Alstonia constricta	(Powder, 10-60 grs.)	
Alth. off.	Althaea officinalis. (Leaves)	..	4-40 mins.
Alth. ros.	Althaea rosea.	..	½-2 drms.
Amar. . . .	Amaranthus hypochondriacus	..	½-I drm.
Anac. Pyr.	Anacyclus Pyrethrum	..	20-30 mins.
Anag. . . .	Anagallis arvensis	..	1-5 mins.
Anam. . . .	Anamirta paniculata	..	½-I min.
And. Ar.	Andira Araroba	..	(Ointment)
And. in.	Andira inermis	..	½-I drm.

Anem. hep.	..	Anemone hepatica	1-1 drm.
Aneth.	..	Anethum graveolens. (Dillwater)	1-8 drms.
Angel.	..	Angelica Archangelica. Herb	1/2 drm.
		Root	1/2-1 drm.
Anis.	..	Anisa stellata	(Oil, 1-10 mins.)
Ant. dio.	..	Antennaria dioica	1-1 drm.
Anth. C.	..	Anthemis Cotula	1-1 drm.
Anth. n.	..	Anthemis nobilis. Flowers	1-1 drm.
Anth. Pyr.	..	Anthemis Pyrethrum	1-1 drm.
<i>Anth. od.</i>	..	<i>Anthoxanthum odoratum</i>	(Oil, 1/2-3 mins.)
Api. gr.	..	Apium graveolens	20-30 mins.
Api. pet.	..	Apium petroselinum. Root	2-6 mins.
		Seeds	(Oil, 1/2-2 mins.)
Apoc. and.	..	Apocynum androsaemifolium	5-30 mins.
Apoc. can.	..	Apocynum cannabinum	1-1 drm.
Apoc. pub.	..	Apocynum pubescens	1-1 drm.
Aral. n.	..	Aralia nudicaulis	10-30 mins.
<i>Aral. quin.</i>	..	<i>Aralia quinquefolia</i>	5-30 mins.
Aral. rac.	..	Aralia racemosa	5-30 mins.
Arct. L.	..	Arctium Lappa. Root	(Decoct. 1/2-1 drm.)
		Seed	5-15 mins.
Arec. C.	..	Areca Catechu	1-1 drm.
Arill.	..	Arillus Myristicæ	1-1 drm.
Arist. l.	..	Aristolochia longa	10-30 mins.
Arist. ret.	..	Aristolochia reticulata	1-4 drms.
Arist. serp.	..	Aristolochia Serpentaria	(Powder, 5-20 grs.)
			(Powdered root, 1/2-1 drm.)
			1-1 drm.
			1-1 drm.

<i>Abbrev.</i>	<i>Name.</i>	<i>Tinc.</i>	<i>Dose.</i> <i>Fld. Ext.</i>
Arn.	Arnica montana. Root	..	20-30 mins.
	Flowers	..	10-30 mins.
Art. el.	Artanthe elongata	½-1 drm.
Art. Abr.	Artemisia Abrotanum	½-1 drm.
Art. Abs.	Artemisia Absinthium	½-1 drm.
Art. C.	Artemisia Cina ..	(Seeds, 10-30 grs.)	½-1 drm.
Art. v.	Artemisia vulgaris
Arum mac.	Arum maculatum ..	(Powdered root, 10-30 grs.)	..
Arum t.	Arum triphyllum ..	(Powdered root, 10-30 grs.)	..
Asafet.	Asafetida (Ferula foetida)	½-1 drm.
Asar. Can.	Asarum Canadense ..	(Powder, 20-30 grs.)	..
Asar. Eur.	Asarum Europaeum ..	(Powder, 10-12 grs.)	..
Asclep. cur.	Asclepias Curassavica.
Asclep. inc.	Asclepias incarnata ..	(Powder, 15-60 grs.)	..
Asclep. pr.	Asclepias procera ..	(Powder, 3-12 grs.)	..
Asclep. t.	Asclepias tuberosa	½-1 drm.
Aspar.	Asparagus officinalis	(Syrup, 4-8 drms.)
Asp. od.	Asperula odorata	½-1 drm.
Asp. F.	Aspidium Filix-mas	1-4 drms.
Asp. Q.	Aspidosperma Quebracho-blanco	15-30 mins.
Ast. gum.	Astragalus gummifer ..	(Mucilage, 20-60 grs.)	..
Aven.	Avena sativa	10-30 mins.
Ball. n.	Ballota nigra	½-1 drm.
Bapt.	Baptisia tintoria	15-30 mins.

<i>Abbrev.</i>	<i>Name.</i>	<i>Tinc.</i>	<i>Dosé.</i> <i>Flid. Ext.</i>
Car. Pap.	Carica Papaya	(Papain, 1-5 grs.)	5-30 mins.
Carth. t. . .	Carthamus tinctorius.	$\frac{1}{2}$ -1 drm.
Car. C. . .	Carum Carvi	5-30 mins.
Car. pet.	Carum petroselinum. Root and Seeds	5-60 mins.
Cary. . .	Caryophyllus aromaticus	(Oil, 1-5 mins.)	$\frac{1}{2}$ -1 drm.
Casc. sag.	Cascara Sagrada (Rhamnus Purshiana)	$\frac{1}{2}$ -2 drms.
Cass. . .	Cassia acutifolia, or angustifolia. Leaves or Pods	10-30 mins.
Cast. ves.	Castanea vesca, dentata, or vulgaris	1-30 mins.
Caul. th.	Caulophyllum thalictroides	
Cean. Am.	Ceanothus Americanus	
Cel. sca.	Celastrus scandens	(Decoct., 2-4 ozs.)	
Cent. Cy.	Centauria Cyanus.	$\frac{1}{2}$ -1 drm.
Cent. n. . .	Centauria nigra	$\frac{1}{2}$ -1 drm.
Cer. ser.	Cerasus serotina	
Cer. sil.	Ceratonía siliqua.	2-10 mins.
<i>Cer. gr.</i> . .	<i>Cereus grandiflorus</i>	
Cet. Isl. . .	Cetraria Islandica	(Decoct., 1-4 ozs.)	
Cham. lut.	Chamaelirium luteum	$\frac{1}{2}$ -1 drm.
Chel. m.	Chelidonium majus	$\frac{1}{2}$ -1 drm.
Chel. gl.	Chelone glabra	$\frac{1}{2}$ -1 drm.
<i>Chen. ant.</i>	<i>Chenopodium anthelminticum</i>	(Powder, 5-10 grs.) (Oil, 2-10 mins.)	
Chen. ol.	Chenopodium olidum	$\frac{1}{2}$ -1 drm.
Chim. umb.	Chimaphila umbellata	$\frac{1}{2}$ -1 drm.
Chion. v.	Chionanthus Virginica	5-30 mins.

Chond. cr.	Chondrus crispus. (Decoct.)	3-2 drms.
Chond. t.	Chondrodendron tomentosum
Chrys. cin.	Chrysanthemum cinerariaefolium.	1-1 drm.
Chrys. L.	Chrysanthemum Leucanthemum	1-2 drms.
Chrys. Par.	Chrysanthemum Parthenium
Cich.	Cichorium Intybus.
Cinic. rac.	Cimicifuga racemosa, or actaea racemosa, or Macrotys actaeoides	1-1/2 drm.
Cinch.	Cinchona Calisaya	1-1 drm.
Camph.	Cinnamomum Camphora	1-1 drm.
Cinn. cass.	Cinnamomum Cassia.	(Spirit, 5-20 mins.)
Cinn. Zey.	Cinnamomum Zeylanicum	1-1 drm.
Citr. Col.	Citrillus Colocynthis	5-10 mins.
Cit. Lim.	Citrus Limonum
Citr. v.	Citrus vulgaris	1-1 drm.
Clad. pyx.	Cladonia pyxidata	1-1 drm.
Clav. pur.	Claviceps purpurea
Cocc. pal.	Cocculus palmatus	10-30 mins.
Cochl. a.	Cochlearia armoracia	10-30 mins.
Cochl. off.	Cochlearia officinalis.	1-1 drm.
Coff.	Coffea arabica.	1-2 drms.
Cola v.	Cola Vera	10-30 mins.
Colch. aut.	Colchicum autumnale	10-30 mins.
Collins.	Collinsonia Canadensis	1-1 drm.
Comb. Sun.	Combretum Sundaicum.	10-40 mins.
Comm. Myrr.	Commiphora Myrrha	1-10 mins.
		15-60 mins.
		5-30 mins.

Abbrev.	Name.	Leaves	Seeds	Herb	Flowers	Tinc.	Dose.
<i>Con. mac.</i>	<i>Conium maculatum.</i>						<i>Fid. Ext.</i>
<i>Con. m.</i>	Convallaria majalis.					1-1 drm.	5-10 mins. 2-5 mins. 10-30 mins. 1-1 drm.
<i>Conv. Sca.</i>	Convolvulus Scammonia						
<i>Cop. L.</i>	<i>Copaifera Langsdorffii</i>					(Powdered root, 3-12 grs.) (Oil, 5-20 mins.)	
<i>Cop. tri.</i>	Coptis trifolia						1-1 drm. 15-30 mins. 5-30 mins. 1-1 drm.
<i>Corall.</i>	Corallorhiza odontorhiza						
<i>Cori. sat.</i>	Coriandrum sativum						
<i>Corn. F.</i>	Cornus Florida						
<i>Corn. ser.</i>	Cornus sericea.						
<i>Cory. Can.</i>	Corydalis Canadensis						
<i>Crat. Oxy.</i>	<i>Crataegus Oxycantha</i>						
<i>Croc. sat.</i>	<i>Crocus sativus</i>					5-15 mins.	
<i>Crot. El.</i>	Croton Eleuteria					1-1 drm.	
<i>Crot. Tig.</i>	<i>Croton Tiglium</i>					(Oil, 1-1 min.)	
<i>Cuc. P.</i>	Cucurbita Pepo					(Infus., 1 oz. to 1 pint)	
<i>Curc. Z.</i>	Curcuma Zedoaria						10-30 mins. 1-1 drm.
<i>Cusc. Ep.</i>	Cuscuta Epithymum						
<i>Cusp. f.</i>	Cusparia febrifuga						5-30 mins. 1-2 drms.
<i>Cyn. off.</i>	Cynoglossum officinale						
<i>Cyp. art.</i>	Cyperus articulatus					10-30 mins.	
<i>Cyprrip. pub.</i>	Cyripedium pubescens						1-1 drm. 1-1 drm.
<i>Cyt. sco.</i>	Cytisus scoparius						

<i>Daph. Mez.</i>	..	<i>Daphne Mezereum</i>	2-10 mins.
<i>Dat. Stram.</i>	..	<i>Datura Stramonium.</i>	Leaves	1-3 mins.
	..		Seeds	1-2 mins.
	$\frac{1}{2}$ -1 drm.
<i>Dauc. C.</i>	..	<i>Daucus Carota</i>	$\frac{1}{2}$ -1 min.
<i>Delph. Con.</i>	..	<i>Delphinium Consolidida</i>	$\frac{1}{2}$ -1 drm.
<i>Delph. Staph.</i>	..	<i>Delphinium Staphisagria.</i>	(Ointment)	1-3 mins.
<i>Dicen.</i>	..	<i>Dicentra Canadensis</i>	$\frac{1}{2}$ -1 drm.
<i>Digit.</i>	..	<i>Digitalis purpurea</i>
<i>Diosc.</i>	..	<i>Dioscorea villosa</i>
<i>Dol. pi.</i>	..	<i>Dolichos pruriens</i>	(Powder, 10-30 grs.)	..
<i>Dor. Am.</i>	..	<i>Dorena Ammoniacum</i>	(Powder, 5-15 grs.)	..
<i>Dor. Con.</i>	..	<i>Dorstenia Contrayerva</i>	(Infus., 1 oz. to 1 pint)	..
<i>Drac. foet.</i>	..	<i>Dracontium foetidum</i>	$\frac{1}{4}$ -1 drm.
<i>Drim. Win.</i>	..	<i>Drimys Winteri</i>	(Infus., 1 oz. to 1 pint)	..
<i>Dros.</i>	..	<i>Drosera rotundifolia</i>	10-20 mins.
<i>Dry.</i>	..	<i>Dryopteris Felix-mas</i>	1-4 drms.
<i>Echin.</i>	..	<i>Echinacea angustifolia</i>	$\frac{1}{4}$ -1 drm.
<i>Ech. v.</i>	..	<i>Echium vulgare</i>	(Infus., 1 oz. to 1 pint)	..
<i>Elet.</i>	..	<i>Elettaria Cardamomum</i>	$\frac{1}{2}$ -1 drm.
<i>Emb.</i>	..	<i>Embelia Ribes</i>
<i>Eph.</i>	..	<i>Ephedra Sinica</i>	1-4 drms.
<i>Epig.</i>	..	<i>Epigaea repens</i>	10-30 mins.
<i>Epil.</i>	..	<i>Epilobium angustifolium, or palustre</i>	(Infus., 1 oz. to 1 pint)	..
<i>Equis.</i>	..	<i>Equisetum arvense</i>	$\frac{1}{4}$ -1 drm.
<i>Erech.</i>	..	<i>Erechtites hieracifolia</i>
<i>Erig.</i>	..	<i>Erigeron Canadense</i>	(Oil, 5-10 mins.) (Oil, 2-5 mins.)	$\frac{1}{4}$ -1 drm.

<i>Abbrev.</i>	<i>Name.</i>	<i>Tinc.</i>	<i>Dose.</i> <i>Fld. Ext.</i>
Eriod.	Eriodictyon glutinosum	..	½-1 drm.
Eryng. cam.	Eryngium campestre	..	10-30 mins.
Eryng. mar.	Eryngium maritimum	..	10-30 mins.
Eryth. Cen.	Erythraea Centaurium	..	½-1 drm.
Eryth. Chil.	Erythraea Chilensis	..	½-1 drm.
Eryth. Am.	Erythronium Americanum.	..	
Eryth. guin.	Erythrophleum guineense	(Infus., ½ oz. to 1 pint)	
Eryth. Coc.	Erythroxyton Coca	..	½-1 drm.
Eucalyp.	Eucalyptus globulus	..	½-1 drm.
Eug. arom.	Eugenia aromatica	(Oil, 3-10 mins.)	
Eug. cary.	Eugenia caryophyllata	(Oil, 1-5 mins.)	5-30 mins.
Eug. Ch.	Eugenia Chequen	(Oil, 1-5 mins.)	5-30 mins.
Eug. Jam.	Eugenia Jambolana	..	1-2 drms.
Euony. ..	Euonymus atropurpureus	..	1-2 drms.
Eupat. can.	Eupatorium cannabinum	..	½-1 drm.
Eupat. per.	Eupatorium perfoliatum	..	½-1 drm.
Eupat. pur.	Eupatorium purpureum	..	½-1 drm.
Euph. pil.	Euphorbia pilulifera	..	½-1 drm.
Euph. off.	Euphrasia officinalis	..	10-30 mins.
Fab. Imb.	Fabiana Imbricata	..	½-1 drm.
Fer. foet.	Ferula foetida	..	½-1 drm.
Fer. gal. ..	Ferula galbaniflua	..	½-1 drm.
Fer. sum.	Ferula sumbul	..	½-1 drm.
Ficar. ..	Ranunculus Ficaria	(Powder, 5-20 grs.) (Emuls., 10-30 grs.)	10-60 mins.
		(Infus., 1 oz. to 1 pint)	

Fig. Car.	Ficus Carica.	(Oil, 1-5 mins.)	5-30 mins.
Foen.	Foeniculum dulce	(Infus., 1 oz. to 1 pint)	$\frac{1}{2}$ -1 drm.
Frag. ves.	Fragaria vesca	$\frac{1}{2}$ -1 drm.
Fran. gr.	Frankenia grandifolia	(Powder, 20-60 grs.)	$\frac{1}{2}$ -1 drm.
Fras. Car.	Frascera Carolinensis	$\frac{1}{2}$ -1 drm.
Frax. ex.	Fraxinus excelsior	$\frac{1}{2}$ -1 drm.
Frax. Orn.	Fraxinus Ornus.	$\frac{1}{2}$ -4 drms.
Fuc. ves.	Fucus vesiculosus	$\frac{1}{2}$ -1 drm.
Fun.	Fumaria officinalis	$\frac{1}{2}$ -1 drm.
Gal. Ap.	Galium Aparine	$\frac{1}{2}$ -1 drm.
Gal. off.	Galega officinalis	(Powder, 5-20 grs.)	5-30 mins.
Galip. off.	Galipea officinalis	$\frac{1}{2}$ -1 drm.
Gal. ver.	Galium verum	(Infus., 1 oz. to 1 pint)	5-10 mins.
Garry.	Garrya Fremontii	(Powder, 10-30 grs.)	$\frac{1}{2}$ -1 drm.
Gault.	Gaultheria procumbens	(Oil, 5-15 mins.)	$\frac{1}{2}$ -1 drm.
Gels.	<i>Gelsemium nitidum</i> , or <i>sempervirens</i>	5-10 mins.
Gen. tinc.	Genista Tinctoria.	$\frac{1}{2}$ -1 drm.
Gent.	Gentiana lutea, or campestris	$\frac{1}{2}$ -1 drm.
Geran. mac.	Geranium maculatum	$\frac{1}{2}$ -1 drm.
Geum	Geum urbanum	$\frac{1}{2}$ -1 drm.
Gill. t.	Gillenia trifoliata.	$\frac{1}{2}$ -1 drm.
Glech.	Glechoma hederacea	1-4 drms.
Glycyrr.	Glycyrrhiza glabra	$\frac{1}{2}$ -1 drm.
Gnaph. r.	Gnaphalium religiosum	1-2 drms.
Gossy.	Gossypium herbaceum	5-20 mins.
Grat.	<i>Gratiola officinalis</i>	5-20 mins.

Abbrev.	Name.		Tinc.	Dose.
Grind. cam.	Grindelia camporum	10-30 mins.
Guaia.	Guaiaacum officinale, or sanctum	15-60 mins.
Guar.	<i>Guarea Rusbyi</i> , or <i>trichilioides</i>	8-20 mins.
Haemat.	Haematoxylon Campechianum	..	(Decoct., $\frac{1}{2}$ -2 ozs.)	2-4 drms.
Hag.	Hagenia Abyssinica	15-30 mins.
Hamam.	Hamamelis Virginiana. Leaves	5-15 mins.
Hed.	<i>Hedera Helix</i> . Leaves	$\frac{1}{2}$ -1 drm.
Helian. can.	Helianthemum Canadense	2-10 mins.
Helian. an.	Helianthus annuus	..	(Oil, 10-15 mins.)	$\frac{1}{2}$ -1 drm.
Hell. n.	<i>Helleborus niger</i>	$\frac{1}{2}$ -1 drm.
Helon.	Helonias dioica, or lutea	$\frac{1}{2}$ -1 drm.
Hemid.	Hemidesmus Indicus	..	(Syrup, $\frac{1}{2}$ -1 drm.)	$\frac{1}{2}$ -2 drms.
Hep.	Hepatica triloba	$\frac{1}{2}$ -1 drm.
Hern.	Herniaria glabra	..	(Infus., 1 oz. to 1 pint)	5-20 mins.
Hier.	Hieracium Pilosella	$\frac{1}{2}$ -1 drm.
Hipp. v.	Hippocastanum vulgare.	Fruit	..	15-60 mins.
		Bark	..	$\frac{1}{2}$ -1 drm.
Hord.	Hordeum distichon	..	(Infus., 2 ozs. to 1 pint)	15-60 mins.
Humul.	Humulus Lupulus	$\frac{1}{2}$ -2 drms.
Hydrang.	Hydrangea arborescens	$\frac{1}{2}$ -2 drms.
Hydras.	Hydrastis Canadensis	15-60 mins.
Hyoec.	<i>Hyoecyanus niger</i>	2-10 mins.
Hyper.	Hypericum perforatum	$\frac{1}{2}$ -1 drm.
Hyss.	Hyssopus officinalis	$\frac{1}{2}$ -1 drm.

<i>Ignat.</i>	..	<i>Ignatia amara</i>	5-10 mins.	1-3 mins.
<i>Ilex aq.</i>	..	<i>Ilex Aquifolium.</i>
<i>Ilex Par.</i>	..	<i>Ilex Paraguayensis</i>	½-1 drm.
<i>Illic.</i>	..	<i>Illicium verum</i>	(Oil, 1-10 mins.)
<i>Impat.</i>	..	<i>Impatiens aurea.</i>	1-2 drms.
<i>Imper. Os.</i>	..	<i>Imperatoria Ostruthium</i>	½-1 drm.
<i>Inul. Hel.</i>	..	<i>Inula Helenium</i>
<i>Ipom. Pur.</i>	..	<i>Ipomaea Purga, or Jalapa</i>	½-1 drm.	..
<i>Iris foet.</i>	..	<i>Iris foetidissima</i>	(Tinc., ½-1 drm.)
					(Powder, 5-30 grs.)
<i>Iris lut.</i>	..	<i>Iris lutea, or aquatica, or Pseudacorus</i>	½-1 drm.
<i>Iris v.</i>	..	<i>Iris vesicolor</i>	1-3 drms.	..
<i>Jacar. Car.</i>	..	<i>Jacaranda Caroba</i>	(Powdered leaves, 15-60 grs.)
<i>Jacar. pro.</i>	..	<i>Jacaranda procera</i>	(Powdered leaves, 15-60 grs.)
<i>Jateor.</i>	..	<i>Jateorbiza Calumba</i>	½-1 drm.	10-30 mins.
<i>Jeff. diph.</i>	..	<i>Jeffsonia diphylla</i>	10-60 mins.	..
<i>Jugl. cin.</i>	..	<i>Juglans cinerea</i>	1-2 drms.
<i>Jugl. n.</i>	..	<i>Juglans nigra. Leaves</i>	1-2 drms.
<i>Junip. com.</i>	..	<i>Juaiperus communis</i>	(Oil, 1-5 mins.)	..	½-1 drm.
<i>Junip. sab.</i>	..	<i>Juniperus Sabina</i>	(Oil, 1-3 mins.)	..	5-15 mins.
<i>Kalm.</i>	..	<i>Kalmia latifolia</i>	10-30 mins.
<i>Kram.</i>	..	<i>Krameria triandra, or argentea</i>	½-1 drm.	10-60 mins.
<i>Lach.</i>	..	<i>Lachnanthes tinctoria</i>	1-5 mins.
<i>Lact. v.</i>	..	<i>Lactuca virosa</i>	10-60 mins.
<i>Larix Am.</i>	..	<i>Larix Americana</i>	½-1 drm.
<i>Larix Eur.</i>	..	<i>Larix Europaea</i>

Lysim.	..	Lysimachia vulgaris.	1-1 drm.	10-30 mins.
Macrot.	..	Macrotys actaeoides	1-1 drm.	1-1 drm.
Magn.	..	Magnolia acuminata, or glauca, or tripetata, or Virginiana	1-1 drm.	2-4 drms.
	..	Mallotus Philippinensis	1-1 drm.	1-2 drms.
Mall.	..	Malva sylvestris	1-1 drm.	1-1 drm.
Mal. syl.	..	Maranta arundinacea.	1-1 drm.	1-1 drm.
Maran.	..	Marsdenia Condurango	1-1 drm.	1-1 drm.
Mars. Con.	..	Marrubium vulgare	(Syrup, 2-4 drms.)	1-1 drm.	1-1 drm.
Marr. v.	..	Matricaria Chamomilla	1-1 drm.	1-1 drm.
Matric.	..	Melaleuca Cajeputi, or Leucadendron	(Oil, 1-10 mins.)	1-1 drm.	1-1 drm.
Melal.	..	Melilotus officinalis	1-1 drm.	1-1 drm.
Melil. off.	..	Melissa officinalis	1-1 drm.	1-1 drm.
Melis. off.	..	Menispermum Canadense	1-1 drm.	1-1 drm.
Menis. Can.	..	Mentha piperita	(Oil, 1-3 mins.)	1-1 drm.	1-1 drm.
Menth. pip.	..	Mentha pulegium	(Oil, 1-3 mins.)	1-1 drm.	1-1 drm.
Menth. pul.	..	Mentha sativa, or aquatica	(Infus., 1 oz. to 1 pint)	1-1 drm.	1-1 drm.
Menth. sat.	..	Mentha viridis, or crispa, or spicata	(Oil, 1-3 mins.)	1-1 drm.	10-40 mins.
Menth. vir.	..	Menyanthes trifoliata	1-1 drm.	1-1 drm.
Meay. tri.	..	Mitchella repens	1-1 drm.	1-1 drm.
Mitch.	..	Monarda punctata	(Oil, 2-10 mins.)	1-1 drm.	1-1 drm.
Mon. punc.	..	Monsonia ovata	1-1 drm.	1-1 drm.
Mons.	..	Myrica cerifera	1-1 drm.	1-1 drm.
Myric. cer.	..	Myristica fragrans	(Powder, 5-20 grs.)	1-1 drm.	10-30 mins.
Myr. fr.	..	Myristica officinalis	1-1 drm.	10-30 mins.
Myrist. off.	..	Myroxylon Piceirae	1-1 drm.	(Balsam, 5-15 mins.)

Abbrev.	Name.	Tinc.	Dose.
Myrox. T.	Myroxylon Toluifera	½-1 drm.
Myrr. od.	Myrrhis odorata.
Myrt. com.	Myrtus communis	(Powdered leaves, 10-30 grs.)
Nect. C.	<i>Nectandra Coto</i>
Nep. Cat.	Nepeta Cataria	(Infus., 1 oz. to 1 pint)
<i>Nux Vom.</i>	<i>Strychnos Nux Vomica</i>	5-15 mins.
Nymph.	Nymphaea odorata	½-1 drm.
<i>Ocim.</i>	<i>Ocimum basilicum</i>	1-3 mins.
Oenan. ph.	Oenanthe Phellandrium	½-1 drm.
Oenoth. b.	Oenothera biennis	1-3 mins.
Ol. Eur.	Olea Europaea	½-1 drm.
Ol. Tereb. R.	Oleum Terebinthinae Rect	15-20 mins.
Oph. v.	Ophioglossum vulgatum.
Orch. mas.	Orchis mascula, masculata, or latifolia.
Orig. v.	Origanum vulgare
Osm.	Osmunda regalis	(Infus., 1 oz. to 1 pint)
Oxal. ac.	Oxalis Acetosella.
Paeon. off.	Paeonia officinalis
<i>Panax</i>	<i>Panax quinquefolium</i>	5-15 mins.
Pariet.	Parietaria officinalis	½-1 drm.
<i>Passif.</i>	<i>Passiflora incarnata</i>	10-20 mins.
Paull.	Paullinia Cupana, or sorbilis	10-30 mins.
Ped. Mur.	Pedaliium Murex	½-1 drm.
Penth.	Penthorum sedoides	½-1 drm.

Petas. v.	..	Petasites vulgaris	½-1 drm.
Petro. sat.	..	Petroselinum sativum.	..	Root and Seeds	..	½-1 drm.
<i>Peuc. gr.</i>	..	<i>Peucedanum graveolens</i>	(Oil, 1-5 mins.)	
Peum. b.	..	Peumus Boldus	10-30 mins.
Phys. alk.	..	Physalis Alkekengi	½-2 drms.
<i>Phys. ven.</i>	..	<i>Physostigma venenosum</i>	1-3 mins.
Phytol.	Phytolacca decandra.	..	Berries	..	½-1 drm.
	..	Root	15-30 mins.
Pic. ex.	..	Picraena excelsa	15-30 mins.
Piloc.	..	Pilocarpus Jaborandi	10-30 mins.
Pim. off.	..	Pimenta officinalis	½-1 drm.
Pimp. anis.	..	Pimpinella Anisum	(Oil, 2-5 mins.)	½-1 drm.
Pip. ang.	..	Piper angustifolium	(Oil, 2-4 mins.)	
Pip. cub.	..	Piper Cubeba	½-1 drm.
Pip. meth.	..	Piper methysticum	½-1 drm.
Pip. n.	..	Piper nigrum	(Confect., 1-2 drms.)	
<i>Pisc. Lry.</i>	..	<i>Piscidia Erythrina</i>	5-20 mins.
Plant. m.	..	Plantago major	½-1 drm.
Plant. ova.	..	Plantago ovata, or Ispaghula (seeds, 1-4 drms.)	5-30 mins.
Podo.	..	Podophyllum peltatum	½-1 drm.
Pol. rep.	..	Polemonium reptans	(Infus., 1 oz. to 1 pint)	10-20 mins.
<i>Poly. sen.</i>	..	<i>Polygala Senega</i>	1-2 drms.
Polyg. mul.	..	Polygonatum multiflorum	(Infus., 1 oz. to 1 pint)	½-1 drm.
Polyg. er.	..	Polygonatum erectum	½-1 drm.
Polyg. bis.	..	Polygonum bistorta	½-1 drm.
Polyg. Hyd.	..	Polygonum Hydropiper 2-4 drms.	1-2 drms.

Abbrev.	Name.	Dose.	Fld. Ext.
Polym. U.	Polyrrania Uvedalia
Polyp. v.	Polypodium vulgare
Polyp. off.	Polyporus officinalis
Polyt. Jun.	Polytrichum Juniperinum ..	(Powder, 3-60 grs.)	..
Pop. can.	Populus canadensis
Pop. tre.	Populus tremuloides
Pot. rep.	Potentilla reptans
Pot. tor. . .	Potentilla Tormentilla
Prim. ver.	Primula veris
<i>Prun. vul.</i>	<i>Prunella vulgaris</i>
Prin. ver.	Prinos verticillatus
Prun. L. . .	Prunus Lauricerasus ..	(Water, ½-2 drms.)	..
Prun. Per.	Prunus Persica
Prun. ser.	Prunus serotina
Prun. v.	Prunus vulgaris
<i>Psyc. Ipec.</i>	<i>Psychotria Ipecacuanha</i>
Ptel. t. . .	Ptelea trifoliata
Pter. M.	Pterocarpus Marsupium
Pulm. off.	Pulmonaria officinalis
<i>Puls.</i>	<i>Anemone Pulsatilla</i>
Punic. . .	Punica Granatum
Pyr. ros.	Pyrethrum roseum.
Pyr. auc.	Pyrus Aucuparia
Pyr. Cyd.	Pyrus Cydonia.
			(Bernes) 10-30 mins.

<i>Querc. L.</i>	<i>Quercus Lusitanica</i>	1-1 drm.	5-20 mins.
<i>Querc. R.</i>	<i>Quercus Robur</i>	1-1 drm.	1-1 drm.
<i>Quil.</i>	<i>Quillaja Saponaria</i>	1-1 drm.	2-8 mins.
<i>Ran. F. .</i>	<i>Ranunculus Ficaria.</i>		
<i>Rham. c.</i>	<i>Rhamnus cathartica.</i>		1-2 drms.
<i>Rham. F.</i>	<i>Rhamnus Frangula</i>		5-60 mins.
<i>Rham. Pur.</i>	<i>Rhamnus Purshiana</i>		10-30 mins.
<i>Rheum. .</i>	<i>Rheum officinale, or palmatum</i>	1-4 drms.	
<i>Rheum. r.</i>	<i>Rheum rhaponticum</i>	(Powdered root, 5-60 grs.)		
<i>Rhus arom.</i>	<i>Rhus aromatica</i>		1-1 drm.
<i>Rhus gl. .</i>	<i>Rhus glabra. Bark and Berries</i>		1-2 drms.
<i>Rhus l. .</i>	<i>Rhus toxicodendron</i>		5-20 mins.
<i>Rib. n. .</i>	<i>Ribes nigrum</i>		1-2 drms.
<i>Ricin. c. .</i>	<i>Ricinus communis</i>	(Oil, 1-4 drms.)	
<i>Rosm. off.</i>	<i>Rosmarinus officinalis</i>	(Oil, 1-3 mins.)	
<i>Rubia .</i>	<i>Rubia tinctoria</i>	(Powdered root, 10-30 grs.)	
<i>Rub. Id.</i>	<i>Rubus Idaeus</i>		1-2 drms.
<i>Rubus v.</i>	<i>Rubus villosus. Leaves</i>		1-1 drm.
	<i>Root</i>		1-2 drms.
<i>Rumex ac.</i>	<i>Rumex acetosa.</i>		
<i>Rumex acet.</i>	<i>Rumex Acetosella</i>	1-1 drm.	
<i>Rumex aq.</i>	<i>Rumex aquaticus</i>		1-1 drm.
<i>Rumex cr.</i>	<i>Rumex crispus</i>		1-1 drm.
<i>Rusc. .</i>	<i>Ruscus aculeatus</i>		1-1 drm.
<i>Ruta gr. .</i>	<i>Ruta graveolens</i>		1-1 drm.
<i>Sab. ser.</i>	<i>Sabal serrulata</i>		10-25 mins.

<i>Abbrev.</i>	<i>Name.</i>		<i>Tinc.</i>	<i>Dose.</i> <i>Fld. Ext.</i>
Salix a.	Salix alba	½-I drm.
Salix nig.	Salix nigra	½-I drm.
Salv. off.	Salvia officinalis	½-I drm.
Salv. scl.	Salvia scabra
Samb. Eb.	Sambucus Ebulus	½-I drm.
Samb. n.	Sambucus nigra	½-I drm.
Sang.	Sanguinaria Canadensis	I 0-30 mins.
Sanic.	Sanicula Europaea	½-I drm.
Santal.	Santalum album	I-2 drms.
Sant. Ch.	Santolina Chamaecyparissias	..	(Oil, 5-20 mins.)	..
Sapon.	Saponaria officinalis	½-I drm.
Sarr. pur.	Sarracenia purpurea	½-I drm.
Sassa.	Sassafras officinale	½-I drm.
Scab.	Scabiosa succisa	½-I drm.
Schoen. off.	Schoenocaulon officinale (H.)
Scill.	Scilla maritima	I-10 mins.
Scol.	Scolopendrium vulgare	..	(Infus., 2 ozs. to 1 pint)	..
Scroph. aq.	Scrophularia aquatica.
Scroph. n.	Scrophularia nodosa
Scutell.	Scutellaria lateriflora, or galericulata, or integrifolia
Semp.	Sempervivum tectorum	..	(Spec. Tr. 2-10 mins.)	..
Senec. aur.	Senecio aureus	½-I drm.
Senec. Jac.	Senecio Jacobaea	½-I drm.
Senec. mar.	Senecio maritimus.

Senec. v.	Senecio vulgaris	(Infus., $\frac{1}{2}$ -1 drm.)	10-25 mins.
Seren. ser.	<i>Serenoa serrulata</i>	$\frac{1}{2}$ -1 drm.
Serp.	Serpentaria	$\frac{1}{2}$ -1 drm.
Sesa ind.	Sesamum indicum.	10-30 mins.
Sieg.	Siegesbeckia orientalis	$\frac{1}{2}$ -1 drm.
Silph. lac.	Silphium laciniatum	$\frac{1}{2}$ -1 drm.
Silph. per.	Silphium perfoliatum	(Powder, 20 grs.)	$\frac{1}{2}$ -1 drm.
Sim. off. ..	Simaruba officinalis	$\frac{1}{2}$ -1 drm.
Sisym.	Sisymbrium officinale	$\frac{1}{2}$ -1 drm.
Smil.	Smilax medica, or ornata, or officinalis	2-4 drms.
Solan. Car.	Solanum Carolinense	20-60 mins.
Solan. dul.	Solanum dulcamara	$\frac{1}{2}$ -2 drms.
Solan. ins.	Solanum insidiosum	(Powdered root, 5-30 grs.)	$\frac{1}{2}$ -1 drm.
Solid.	Solidago Virgaurea or odora	$\frac{1}{2}$ -1 drm.
Sorg.	Sorghum saccharatum, or vulgare.	$\frac{1}{2}$ -1 drm.
Spig.	Spigelia Marilandica	$\frac{1}{2}$ -1 drm.
Spir. U.	Spiraea Ulmaria	$\frac{1}{2}$ -1 drm.
Stach. bet.	Stachys betonica	$\frac{1}{2}$ -1 drm.
Stach. pal.	Stachys palustris.	$\frac{1}{2}$ -1 drm.
Stat.	Statice Caroliniana, or limonium	..	(Decoct., 1 oz. to 1 pint)	..	$\frac{1}{2}$ -1 drm.
Stell. m. ..	Stellaria media.	10-30 mins.
Stict. pul.	Sticta pulmonaria	1-3 mins.
Stil.	Stillingia sylvatica	1-3 mins.
Stram.	<i>Datura Stramonium</i>	1-3 mins.
Stroph.	<i>Strophanthus Kombe</i>	1-3 mins.
Strych. Ign.	<i>Strychnos Ignatii</i>	1-3 mins.

Abbrev.	Name.	Dose.
		<i>Fld. Ext.</i>
		<i>Tinc.</i>
..	<i>Strychnos Nux Vomica</i> ..	5-15 mins.
..	Styrax Benzoin. (Compound) ..	1-1 drm.
..	Ferula Sumbul ..	1-1 drm.
..	Swertia Chirata ..	1-1 drm.
..	Symphytum officinale ..	1-2 drms.
..	Symplocarpus foetidus. ..	
..	<i>Tamus communis</i> ..	1-5 mins.
..	Tanacetum vulgare ..	1-2 drms.
..	Taraktogenos Kurzii (Oil, 5-10 mins., increasing to 1-1 drm.) ..	1-2 drms.
..	Taraxacum officinale ..	1-2 drms.
..	Teucrium Chamaedrys ..	1-1 drm.
..	Teucrium Scordium ..	1-1 drm.
..	Teucrium Scorodonia ..	1-1 drm.
..	Thuja occidentalis ..	15-60 mins.
..	Thymus Serpyllum ..	1-1 drm.
..	Thymus vulgaris ..	1-1 drm.
..	Tiarella cordifolia ..	1-1 drm.
..	Tilia Europaea ..	5-30 mins.
..	Trifolium pratense ..	1-2 drms.
..	Trigonella Foenum-graecum ..	
..	Trillium erectum, or pendulum ..	1-1 drm.
..	Tsuga Canadensis ..	
..	Turnera aphrodisiaca ..	
..	Tussilago Farfara ..	

Ulm. f.	Ulmus fulva.	5-15 mins.	1-10 mins.
Urg. Scill.	<i>Urginea Scilla</i>	$\frac{1}{2}$ -1 drm.
Urt. d.	Urtica dioica	15-30 mins.
Usti. May.	Ustilago Maydis	$\frac{1}{4}$ -1 drm.
Uva U.	Arctostaphylos Uva-Ursi	$\frac{1}{2}$ -2 drms.
Vacc. Myr.	Vaccinium Myrtillus	$\frac{1}{4}$ -1 drm.
Valer.	Valeriana officinalis	1-2 mins.
<i>Verat. v.</i>	<i>Veratrum viride</i>	$\frac{1}{2}$ -1 drm.
Verbas.	Verbascum thapsus	$\frac{1}{2}$ -1 drm.
Verben.	Verbena officinalis, or hastata	$\frac{1}{2}$ -1 drm.
Veron. bec.	Veronica Beccabunga	(Infus., 1 oz. to 1 pint)	
Veron. off.	Veronica officinalis	$\frac{1}{2}$ -1 drm.
Vibur. Op.	Viburnum Opulus	$\frac{1}{2}$ -2 drms.
Vibur. pr.	Viburnum prunifolium	$\frac{1}{2}$ -1 drm.
Vinc. m.	Vinca major	1-2 drms.
Viol. od.	Viola odorata	$\frac{1}{2}$ -2 drms.
Viol. t.	Viola tricolor	$\frac{1}{2}$ -2 drms.
Visc. alb.	Viscum album	$\frac{1}{4}$ -1 drm.
Vitis	Vitis hederacea, or quinquefolia	$\frac{1}{2}$ -1 drm.
Xanth.	Xanthoxylum Americanum, or Fraxineum, Bark	$\frac{1}{2}$ -1 drm.
	Berries	10-30 mins.
Zea May.	Zea Mays	$\frac{1}{2}$ -2 drms.
Zing.	Zingiber officinale	10-20 mins.
		$\frac{1}{4}$ -1 drm.



MIND

Aberration	from intracranial congestion or obstruction, with epistaxis, vertigo, and tinnitus, due to intracranial miliary aneurism	Clav. pur.
Agitation	nervous, anti-menstrual in feeble and excitable women with tardy or imperfect flow	Nep. Cat.
Brain Fag	in students, etc.	Cola v.
Comatose	state	Bell.
Danger	apprehension of, with depression and cardiac disorders	Cer. gr.
Death	apprehension of, with cardiac disorders	Cer. gr.
Debility	and exhaustion anæmic advanced stages of acute diseases, in exhausting discharges or loss of fluids general marked, and depression, with feeble pulse and repressed secretions nervous, in old people, with irritation and unrest, tendency to spasms, lumbar uneasiness and pain —, with cold extremities —, especially in women sexual with liver troubles after fevers — indigestion, colds, weak kidneys, in atonic patients	Gent., <i>Nux Vom.</i> Lyc. v. Cinch. Gent. Caps. Leon. Ignat. Leon. Arn. Chel. gl. Tsuga.

MIND

Debility	with gastro-intestinal, and weak digestion	Anth. n.
Delirium	active, from slight causes acute, of acute mania with destructiveness alcoholic busy, muttering or singing furious, raging and destructive in atonic patients in sthenic patients menopause, at nervous disorders, from —— ——— (furious) tremens, face pale and sunken, violent delirium, suspicious, twitching of every muscle	Aeth. <i>Stram.</i> <i>Caps.</i> <i>Hyosc.</i> <i>Stram.</i> <i>Passif.</i> <i>Verat. v. + Gels.</i> Cyprip. pub. <i>Hyosc.</i> <i>Bell.</i> <i>Hyosc., Cann. sat.</i>
Depression	and gloom over reproductive wrongs and disturbances and irritability, with melancholy and sadness with disposition to look on black side of things due to worry or imaginary wrong marked nervous marked, with insomnia nervous with mental disorders ——, tendency to delirium, cares little if recovers or dies ——, and prostration in anæmic patients	<i>Puls.</i> <i>Puls.</i> Valer. Asafet., <i>Puls.</i> , <i>Cann. sat.</i> <i>Cann. sat.</i> <i>Cann. sat.</i> Bry. Xanth.
Despondency	and dizziness and moroseness, with ovarian or uterine irritation and nervousness, sadness, and disposition to weep for no reason or whilst asleep, unnatural fear	Menth. pip. <i>Delph. Staph.</i> <i>Puls.</i>
Destructive- ness		<i>Hyosc.</i>

Dread	of simple ordeals and trials of life	<i>Gels.</i>
Dreams	lascivious	<i>Salix. nig.</i>
Drowsiness	dizziness and depression with liver pains dullness and tendency to coma	<i>Lept. Bell.</i>
Epilepsy		<i>Ignat., Ail., Symp. foet., Imper. Os., Conv. m., Stram., Con. mac., Gal. ver., Visc. alb., Valer., Paeon. off., Passif., Oenan. ph., Croc. sat., Art. v.</i>
	hystero- masturbation, from menstrual	<i>Solan. Car. Jacar. Car. Solan. Car.</i>
Exaltation	of function	<i>Gels.</i>
Excitability		<i>Hyosc., Gels., Acon., Chrys. L.</i>
	of insanity	<i>Hyosc.</i>
Excitement	mild maniacal morbid with physical debility nervous and unrest nervous and excessive motility with or without pain slight, causes heart to beat rapidly but feebly undue sexual	<i>Con. mac. Puls. Gels. Con. mac. Digit. Gault.</i>
Exhaustion	and depression and prostration after all febrile diseases nervous, in women due to menstrual troubles —, of anæmic or chlorotic women —, from overwork sudden with loss of appetite and diges- tive affections	<i>Paull. Aven. Puls. Sumb. Panax. Eryth. Coc. Panax.</i>

MIND

Fear	of impending danger or death	<i>Acon., Puls.</i>
Fearlessness	and restlessness	<i>Stram.</i>
Feeble	with voracious appetite	Jacar. pro.
Fright		<i>Acon.</i>
Garrulousness		<i>Hyosc.</i>
Gloom	and depression	Cola v.
	—— over tardy and insufficient menstruation (fullness and weakness in back and hips)	<i>Puls.</i>
Great Indignation		<i>Acon.</i>
Hallucinations		<i>Cann. sat.</i>
Hypochondriasis		<i>Ignat., Nux Vom., Cimic. rac., Hyosc., Valer.</i>
	due to reproductive atony with despondency and outbursts of passion, sex wrongs	<i>Hell. n.</i>
	with dyspepsia, in women	<i>Delph. Staph. Cyrip. pub.</i>
Hysteralgia		Beton.
Hysteria		<i>Asafet., Chen. ol., Camph., Chrys. Par., Cola v., Fer. gal., Gal. ver., Gent., Leon., Ruta gr., Sumb., Til., Matric., Scutell., Valer., Gels., Hyosc., Hyper., Caul. th., Ignat., Puls.</i>
	general	Caul. th. + Scutell.
	chronic hysterical fits	Art. v.
	despondency, outbursts of passion, sex wrongs, with enfeebled circulation, with faintness, with globus	<i>Delph. Staph. Cer. gr. Pop. tre. Anth. n.</i>

Hysteria	inability to control muscular action menstrual debility, from moral causes or pain, when due to pelvic atony and anæmia uterine or ovarian irritation weeping, and passing large quan- tities of clear urine and suppressed menses	Scutell. Menth. pul. Sang. Gossy. <i>Delph. Staph.</i> Puls.
Illusions	<i>Cann. sat.</i>	
Insanity	<i>Hell. n., Hyosc., Bell., Stram., Paeon. off.</i>	
Intellect	confusion of	Aeth.
Irritability	<i>Ignat., Scutell., Cyrip. pub., Rheum.</i>	
	cerebral despondency with uterine troubles, with disturbed, if dyspepsia, of fretfulness, peevishness, impa- tience, and discontent nervous —, accompanying other com- plaints	<i>Stram.</i> Helon. Bry. Nep. Cat.
	—, brain exhaustion from overwork, or feverish excite- ment with atony, insomnia	Matric. Cyrip. pub.
	—, chorea, spasms, epilepsy	<i>Gels., Pisc. Ery.,</i>
	—, excitement, flatulence and gastric trouble	<i>Rhus t.</i> <i>Passif.</i>
	—, excitement and palpitation	Paeon. off.
	—, feverishness, with	Asafet.
	—, —, without, but with	<i>Con. mac.</i>
	mania and wandering	<i>Gels.</i>
	—, headache, hysteria, with	<i>Hyosc.</i>
	Symp. foet., Nep. Cat.	


MIND

Irritability	nervous, headache, hysteria, and sex excitability —, palpitation, and indigestion —, restlessness, etc. — —, apprehension, with gastric trouble restlessness in painful and exhaustive diseases unrest and insomnia	Cypris. pub. Lyco. v. Scutell. Matric. <i>Delph. Staph.</i> <i>Hyosc.</i>
Loquacious- ness	<i>Stram.</i> + <i>Hyosc.</i>	
Mania	<i>Hyosc.</i> , <i>Bell.</i> , <i>Gels.</i> , <i>Hell. n.</i> , <i>Stram.</i> , <i>Cann. sat.</i> , <i>Puls.</i> , <i>Paeon. off.</i>	
	acute and chronic, with lucid intervals acute cerebro-spinal meningitis, both with violent circulatory excite- ment, with hysterical, with alternate fits of weeping and laughter puerperal, believes going mad, tries to injure herself —, fears to be alone, anxious, believes going mad, violent mania with obscene thoughts, does not weep suicidal, suppressed deep grief, long drawn sighs, much sob- bing, longs for death —, despondency, all things seem black	Clav. pur. <i>Con. mac.</i> <i>Verat. v.</i> <i>Stram.</i> Cimic. rac. <i>Lill. tig. (H)</i> <i>Ignat.</i> Cimic. rac.
Melancholia	<i>Ignat.</i> , <i>Puls.</i> , Cimic. rac., <i>Cann. sat.</i> , <i>Hyosc.</i> , Cypris. pub.	
	hepatic congestion, with hysteria and nervous affections	Chel. m. <i>Hell. n.</i>

Neurasthenia	Cola v., Sumb.	
Nerve Force	function impaired low	Xanth. Xanth.
Nervous	disorders with melancholy and weakness —, epilepsy, chorea, etc. —, fevers and headache —, spasmodic from menstrual troubles exaltation, hyperaesthesia depression, irritation, irrit- ability, anxiety and anguish irritable conditions especially with spasms or pain unrest, fright, terror in sleep, insomnia	<i>Puls.</i> Visc. alb. <i>Lach.</i> Cimic. rac. <i>Bell.</i> <i>Cann. sat.</i> Diosc. <i>Hyosc.</i>
Nervousness	general attending and following illness or mental or physical exhaus- tion or teething debility and faulty nutrition of nerve centres in nervous women, from muscular excitation, with restlessness, and sedentary habits and mental over-exertion, from unrest attending gleet	Sang., Valer. Scutell. <i>Puls.</i> Scutell. <i>Con. mac.</i> <i>Puls.</i> Cyprip. pub.
Nymphomania	<i>Hyosc.</i> , <i>Stram.</i> , Humul., Salix. nig., Camph.	
	mild	Salix. nig.
Passion	sudden fits when menstruating violent outbursts with uterine or ovarian irritation	Matric. <i>Delph. Staph.</i>
Restlessness	<i>Stram.</i> , Til. marked, due to lack of secretion nervousness, and	Piloc. <i>Con. mac.</i>
Satyriasis	Salix nig.	

MIND

Sensitiveness	morbid, to pain and external impressions	Matric.
Tension	highly nervous and muscular	Gels.
Thoughts	difficult — with despondency libidinous	Bry. Eryth. Coc. Salix nig.
Tiredness	faculties sluggish and tired, thinking difficult and despondent	Eryth. Coc.
Torpor	in cerebro-spinal meningitis	Phys. ven.
Touchy	magnifies ailments	Gels.
Unrest	with debility with nervousness and vomiting	Hyosc. Rhus t.
Wanders	mind	Puls.
Weakness	with sense of epigastric depression	Gent.
Weeping	inclination to, with despondency, fear, unrest and irritability	Puls.



HEAD

Alopecia	Piloc.	
Anæmia	cerebral, with mental depression and despondency	Valer.
	—, from spasm of cerebral vessels	<i>Canth. sat.</i>
Apoplexy	<i>Crot. Tig., Bell., Acon., Verat.</i> <i>v., Rhus t.</i>	<i>Verat.</i>
	feeling as if imminent	<i>Bell.</i>
	pulse hard, carotids beating violently	<i>Acon.</i>
Brain	blood to	<i>Gels. + Verat. v.</i>
	congestion of	<i>Bell.</i>
	— simple	<i>Bry.</i>
	diseases	<i>Acon., Lach.</i>
	disorders of children with con- vulsions	<i>(All. sat.) (applied to feet)</i>
	disorders with giddiness, dull aching, fullness and drowsi- ness	<i>Bell.</i>
	exhaustion from overwork	<i>Panax.</i>
	hyperæmia of, and spinal centres	<i>Gels.</i>
	irritable	<i>Hyosc.</i>
	malnutrition and weakness of spinal cord	<i>Oenan. ph.</i>
	shock effects	<i>Arn.</i>
	small areas only affected with marked restlessness	<i>Rhus t.</i>
Cerebral	spinal disorders of children with convulsions	<i>(All. sat.) (applied to feet)</i>
Concussion	<i>Bell.</i>	
Congestion	<i>Bell., Puls., Crot. Tig., Clav.</i> <i>pur., Ipom. Pur.</i>	

HEAD

Congestion	cerebral, dry skin, extreme restlessness, when from cold or from violent emotion	<i>Acon.</i>
	—, delirium, eyes red and bloodshot, head hot, feet cool, face almost purple	<i>Bell.</i>
	—, hard, tense pulse, throbbing brain and carotids	<i>Verat. v.</i>
	—, with cardiac weakness or irregularities	<i>Cer. gr.</i> <i>Bell.</i>
	—, with dullness and coma	<i>Bell.</i>
	—, or medullo-spinal with dullness and coma	<i>Bell.</i>
Dizziness	<i>Puls.</i>	
Hair	tonic	Polym. U.
Hemicrania	mental depression and despondency, with	<i>Valer.</i>
	tearing pains and tender scalp, with, worse on motion	<i>Bry.</i>
Irritative	brain and nervous system with atony	<i>Passif.</i>
	—, and sympathetic nervous system	<i>Rhus t.</i>
Locomotor-Ataxia	<i>Nux Vom., Thuja, Phys. ven., Xanth.</i>	
Meningitis	cerebro-spinal	<i>Echin., Rhus t., Bry.</i>
	— —, acute	<i>Gels., Piloc., Echin., Phys. ven.</i>
	— — with dry, hot skin in sthenic cases	<i>Piloc.</i>
	— — with much excitation	<i>Gels.</i>
	— — with excitement in sthenic cases	<i>Verat. v.</i>
	— — with dullness and congestion	<i>Bell.</i>
	— — stage of effusion during	<i>Apoc. can.</i>

Meningitis	cerebro-spinal, redness of face, dull facies, eyes swollen, pupils dilated, throbbing carotids, pulse full and bounding	<i>Bell.</i>
	— —, after acute symptoms passed, alternate tonic and clonic spasms	<i>Cimic. rac.</i>
	— —, severe neuralgic pain in upper spine, headache as if iron band drawn around head, worse lying down, pain runs from occiput to forehead	<i>Gels.</i>
	— —, opisthotonos, severe spasms, small blotches on back, pain occipital and between scapulae	<i>Verat. v.</i>
	— — with septic condition underlying disease	<i>Echin.</i>
	— —, chilliness over back, alternate flushes of heat over whole body, headache and facial flushes, profound prostration	<i>Echin.</i>
	tendency to effusion and dropsy, eyes wide open and staring, insensible to light, head rolls from side to side, forehead wrinkled, urine scanty, cry encephalique	<i>Hell. n.</i>
Migraine	<i>Eryth. Coc., Cola v., Cann. sat., Pisc. Ery., Gels.</i>	
Neuralgia	(see also Facial). chronic	<i>Melil. off.</i>
Pain	atonic bilious and gastric, of dull heavy type with greasy taste and nausea	<i>Melil. off.</i> <i>Puls.</i>

HEAD

Pain

- as if nail driven into head, worse lying on affected side, terminating in vomiting and copious discharge of urine, in nervous and hysterical women *Ignat.*
- anæmic causes, from *Puls.*
- boiling, feels as if; bursting pain, great restlessness, full bounding pulse, pain worse on motion and after sunstroke *Acon.*
- biliousness, from *Podo., Chel. m.*
- catarrhal from acute colds *Solan. dul.*
- confusion, feeling of; face red, conjunctiva congested, throbbing carotids, pain worse on stooping or lying down *Bell.*
- congestive, from colds, rheumatic, menstrual *Cimic. rac.*
- , face intensely red with throbbing carotids, better for epistaxis *Melil. off.*
- debility or menstrual, of *Hyosc.*
- depressive *Cann. sat.*
- disordered digestion in children, due to *Asclep. t.*
- dissipation, due to *Paull.*
- dizziness and hyperacidity of stomach, with *Stram.*
- dull, heavy, throbbing, congestive preventing sleep *Bell.*
- exhaustion, from *Aven., Eryth. Coc.*
- , and *Corn. F.*
- extends from occiput over head, face pale, great distress, extremities cold and livid, headache of drunkards and women at climacteric *Clav. pur.*
- eyestrain, from *Gels.*
- , biliousness or nervous *Gels.*
- , eyeballs burn or ache *Ruta gr.*

Pain

feverishness, disturbed sight and hearing	Quinine, Cinch.
gastric acidity, due to	Phytol.
—— with nervous erethism and unsteadiness	<i>Stram.</i>
hay fever, with	Stict. pul.
idiopathic, with cold extremities	Melil. off.
left side and frontal	<i>Rhus t.</i>
malarial with irregular inter- mittence	Eup. per.
menses suppressed and chilblains	<i>Puls.</i>
menstrual	<i>Puls.</i> , Aven.
—— with cerebral anæmia	Paull.
—— with great nervous depres- sion	Camph., <i>Cann. sat.</i>
nervous	Scutell., Valer., Nep. Cat., Stach. bet.
——, with active circulation and throbbing pain	<i>Gels.</i>
——, debility, due to	<i>Passif.</i>
——, depression, due to	Aven.
——, nausea, with	Paull.
——, overwork, from	Aven.
——, or rheumatic, or from gastric acidity or debility	Phytol.
——, unrest, anæmia and weak circulation, with	<i>Hyosc.</i>
nervousness, not dependent on determination of blood to head	<i>Puls.</i>
pallor, weak circulation, with, worse on exertion	Paull.
periodic, head feels split open, worse on stooping over, cough- ing, or moving eyes; nausea and faintness when attempt- ing to sit up	Bry.
quinine, from, pyrosis	Corn. F.
rheumatic diathesis	<i>Puls.</i>
rheumatoidal with swollen joints or tearing muscular pain worse on heat	<i>Colch. aut.</i>

HEAD

Pain	right side and frontal	Bry.
	—— ———, occiput, shifting and ending over right eye	Sang.
	sick	Cit. Lim.
	——, and bilious	Iris v.
	——, with cough and muscular soreness	Stict. pul.
	——, gastric derangement, due to, with feeling of nausea	<i>Lobel.</i>
	——, nervous or debility or with fulness	<i>Passif.</i>
	——, with sluggishness of bowels	Casc. sag.
	stomach disorders from imperfect hepatic function, with throbbing, congestive	Chel. m.
	uterine irregularities, with violent with dizziness	<i>Bell.</i> <i>Puls.</i> Aeth.
	FRONTAL	
bruised feeling, with stiffness of ocular muscles	Cimic. rac.	
catarrhal disorders, sneezing, coryza and conjunctival hyperæmia or inflammation	Stict. pul.	
cold extremities and yellow skin, with	Lept.	
or left-sided with reddened tongue, sharp pulse and nervous tension	<i>Rhus t.</i>	
right side	Bry.	
VERTEX		
feeling of pressure, in women	<i>Cer. gr.</i>	
OCCIPITAL		
mental strain, overstudy, due to	Camph., (Camph.)	
neuralgia	Paull.	
worse on turning head	Stict. pul.	
Parasites	hair, in	(<i>Delph. Con.</i>)

HEAD

Phrenitis		Beton. off. + Cimic. rac. + Verben.
Sunstroke		<i>Gels., Verat. v., Bell., Acon.</i>
Scalp	eczema of	(Urt. d.)
Vertigo		<i>Crat. Oxy.</i>
	with noises in ears	Clav. pur.
Water on Brain		<i>Hell. n., Digit.</i>

EYE

Amaurosis	and failing sight black spots in vision, ophthalmia, and scrofulous (with glutinous secretions)	Arn. <i>Delph. Staph.</i>
Amblyopia	tobacco and alcoholic	<i>Strych. Ing., Piloc.</i>
Atrophy	optic nerve, of	Piloc.
Bloodshot	increased arterial tension, with	<i>Verat. v.</i>
Cataract	(Senec. mar.)	
Choroiditis	burning and dryness in eye severe pain in eyeball, shooting pain from right eye to occiput suppurative	<i>Bell.</i> Prun. spi. <i>Rhus t.</i>
Congestion	conjunctival	(Clav. pur.)
Conjunctivitis	catarrhal, from colds —, first stage, headache and pain in eyes —, much congestion, photophobia, acrid excoriating lachrymation causing eyelids to swell and ulcerate trachomic eyelids ulcerative	Matric. <i>Bell.</i> Euph. off. Thuja. (Eucalyp.)
Cornea	ulceration of, complicated with syphilis	Dicen.
Detachment	retinal	Piloc.
Discharges	catarrhal, acute mucus, sticky on cornea —, with heat and pain in frontal sinus	(Euph. off.) (Euph. off.) (Euph. off.)

Diseases	general	Salv. scl., Hydras., Lysim., Pyr. Cyd.	
	glaucoma		Piloc., (Piloc.)
	iritis, rheumatic		Bry., Piloc.
	— — — with swollen joints, and tearing muscular pains worse from heat		<i>Colch. aut.</i>
	myopia		<i>Phys. ven.</i>
	neuritis		Piloc.
	ophthalmic and conjunctival	Hydras., Lysim.	
	Exudation	plastic, of retina	Piloc.
	Floating	bodies in vitreous	Piloc.
	Goitre	ex-ophthalmic, due to func- tional heart disease	
—, tumultuous heart action, eyes prominent, dyspnœa and oppressed chest			Lyco. v.
Hæmorrhage	vitreous humour	Piloc.	
Hyperæmia	conjunctival, with coryza, fron- tal headache, and sneezing	Stict. pul.	
Inflammation	general	(Stell. m.), (Nymph.), (Sesa. ind.), Salv. scl., <i>Pisc. Ery.</i> , (Senec. Jac.)	
	acute		(Sassa.)
	catarrhal, chronic		Berb. v.
	—, of scrofulous children with inflamed eyelids		<i>Rhus t.</i>
	choroid, of		Piloc.
	conjunctiva, of		(Hyss.)
	— — —, with coryza, frontal headache and sneezing		Stict. pul.
	— — —, acute and subacute		(Hydras.), <i>Rhus t.</i>
	— — —, follicular	(Hydras.), (Clav. pur.)	
	— — —, granular		Phytol.
— — —, mild	(Calend.), Calend.		
cornea, of		(Clav. pur.)	
— — —, in early stages		(Piloc.)	

EYE

Inflammation	granular	(Thuja)
	mucoid, with abundant lachry- mation	(Euph. off.)
	phytenular, in early stages	(Piloc.)
	purulent	(Hamam.)
	sclerotic, of	Piloc.
Lachrymation	abundant with mucoid ophthal- mia	(Euph. off.)
	profuse from exposure to winds	<i>Puls.</i>
	sensation of sand, with	<i>Rhus t.</i>
Lids	chronic marginal inflammation	
	in weak children	(Hydras.)
	inflamed in scrofulous children	<i>Rhus t.</i>
	œdema with marked redness	<i>Rhus t.</i>
	pustules, hard, on inner surface	
		(Hydras.), (Thuja), Clav. pur.
	red and sore, with acrid, biting discharge	(Euph. off.)
	trachomic	(Thuja (<i>oint.</i>))
	tumours on	Thuja, (Thuja).
	twitching	<i>Puls.</i>
swollen under-	Apoc. can.	
wrinkled as if recently swollen	Apoc. can.	
Opacity	corneal	Piloc.
	—, in scrofulous patients	<i>Cann. sat.</i>
	vitreous	Piloc.
Ophthalmia		<i>Puls.</i> , <i>Delph.</i> <i>Staph.</i> , <i>Bell.</i> , <i>Rhus t.</i> , (Calend.), (Ham- am), (Hydras.)
	rheumatic, itching pains and diffused inflammation	<i>Acon.</i> + <i>Spig.</i>
	scrofulous	<i>Helian. can.</i>
Pain	burning, hot as ball of fire, feel strained, easily fatigued, pain in head and eyes worse from reading or close work	<i>Ruta gr.</i>
	deep-seated, heavy	<i>Puls.</i>
	excessive use of eyes, from	Piloc., (Piloc.).

Pain	eyeballs on movement	Kalm.
	—, severe, pain shoots from right eye to occiput	Prun. spi.
	glaucoma	Gels.
	left eye, in	<i>Rhus t.</i>
	neuralgia of eyeball	Pip. meth., <i>Pisc. Ery.</i>
	—, ocular	Pip. meth.
	—, sub-orbital	<i>Pisc. Ery.</i>
	—, and other pains in eyeballs worse from motion and warmth	<i>Rhus t.</i>
	orbits, of rheumatic origin	Cimic. rac.
	right eye, in	Bry.
	sand, feeling of	<i>Rhus t.</i>
	sore	(<i>Nymph.</i>), (<i>Acer r.</i>).
	—, weak, inflamed and catar- rhal	(<i>Euph. off.</i>).
soreness on movement	Bry.	
weak, from atony	<i>Ignat.</i> , <i>Senec. mar.</i>	
Paralysis	temporary, of motor-oculi nerve followed by headache	Paull.
Photophobia	<i>Bell. + (Bell.)</i> , <i>Rhus t.</i>	
	ophthalmia, catarrhal (scrofu- lous), and burning lachryma- tion	<i>Rhus t.</i>
Pressure	intra-ocular, increased	(<i>Piloc.</i>)
Pupils	contracted, with feeble pulse and cold extremities	<i>Phys. ven.</i>
	dilated, with rapid pulse and cold extremities	<i>Phys. ven.</i>
	—, with flushed face and debility	<i>Hyosc.</i>
Specks	black, before eyes when reading	<i>Delph. Staph.</i>
Strain	bruised feeling or headache	Cimic. rac.
	ophthalmia, conjunctivitis, pain in globe of eye, nervous, blindness, watery and inflamed	<i>Puls.</i>

EYE

Styes	recurrent, also gumminess	<i>Puls.</i> , (<i>Puls.</i>), Phytol.
	acute stage	<i>Puls.</i> <i>Puls.</i>
Tension	increased, arterial ——, ocular	<i>Verat. v.</i> <i>Piloc.</i>
Ulcer	corneal, superficial	(Hydras.)
Vision	defects, of an asthenopic character	<i>Cer. gr.</i>
	failing	<i>Arn.</i>
	weakened after over-use of eyes, from sexual excess, or abuse	<i>Puls.</i>
	weakness of	(<i>Euph. off.</i>)

EAR

Catarrh	acute, extending through Eustachean passages, with pain, headache, sneezing and coughing	(Euph. off.)
Deafness	general [Glycerin. + All. sat. (juice) + Ol. Prun. Amygd. (sweet)] catarrhal colds, from deficient aural secretions, due to diphtheria, following dry wax, etc. nervous partial, from pressure of swollen glands after scarlet fever or colds scarlet fever, following	Iodine. Bry. Piloc. Piloc. Piloc. Piloc. Bry. Piloc.
Discharges	fetid middle ear, from	[Echin.] Bapt.
Disorders	burning and itching, with eczema of external auditory canal inner ear, of syphilitic origin middle ear, early stages with free non-purulent secretions, and when complicated by follicular pharyngitis neuralgic, and rheumatoid	Sang. (Hydras.) Piloc. Collins. Cimic. rac.
Inflammation	general middle ear, acute and chronic (purulent or muco-purulent discharge or granulations contra-indicates)	(Calend.) Hydras.

EAR

Inflammation	middle ear, non-suppurating	Piloc.
	— —, purulent	Verbas. (oil), Hydras-
	— —, purulent, with yellow bland discharge, impaired hearing, and tinnitus aurium	<i>Puls.</i>
	— —, with little discharge and turgid tympanic membrane	(Clav. pur.)
Noises	humming, accompanying a cold singing, in	Corall. <i>Gels.</i> , <i>Lach.</i> , <i>Puls.</i> , [Anac. Pyr. + <i>Hell. n.</i>] [<i>Ignat.</i>]
	tinnitus aurium, due to functional heart disease	<i>Cer. gr.</i>
Otalgia	severe sticking pains in ear	Anth. n.
Otitis	[<i>Puls.</i>]	
Otorrhœa	chronic, bad smelling discharge	[<i>Eucalyp.</i>]
Pain	burning and itching	Sang.
	cold, wet, and exposure to winds, due to	<i>Puls.</i>
	colds, from	Verbas. (oil), <i>Puls.</i> , <i>Gels.</i> , Pip. meth., Plant. m., <i>Matric.</i>
	irritation of aural canal, due to hardened wax	(Hydras.)
	neuralgic	Pip. meth.
rheumatic origin	<i>Cimic. rac.</i>	
Wax	inspissated, to soften	(Hydras.)
	unhealthy	Piloc.

NOSE

Catarrh	<p style="text-align: right;"><i>Acon.</i>, [Hamam.], Solan. dul., [Echin.]</p> <p>acute, fluent coryza, with copious discharge of watery mucus, heat and pain in frontal sinus [Euph. off.]</p> <p>—, of infants <i>Asclep. t.</i>, <i>Euph. off.</i>, <i>Matric.</i></p> <p>—, with sense of rawness and moisture, and abundant discharge of thick, bland, inoffensive mucus or muco-pus <i>Puls.</i></p> <p>chronic, and post-nasal [Thuja]</p> <p>dryness, fullness, and irritation</p> <p style="text-align: right;"><i>Penth.</i>, [Penth.]</p> <p>fetid <i>Bapt.</i>, [Bapt.]</p> <p>inflammation with profuse secretion <i>Penth.</i>, [Penth.]</p> <p>mild [Tsuga]</p> <p>obstruction in infants <i>Samb. Eb.</i></p> <p>post-nasal, with dryness and congestion <i>Penth.</i>, [Penth.]</p> <p>raw, tender membranes, and irritable throat [Calend.]</p> <p>thick, tenacious mucus, and constant frontal headache [Hydras.], <i>Hydras.</i></p>
Coryza	<p style="text-align: right;"><i>Pol. rep.</i>, [Pop. can.]</p> <p>general <i>Zing.</i>, <i>Caps.</i></p> <p>acute <i>Acac. sen.</i></p> <p>inflamed</p> <p>sneezing, conjunctival inflammation, and frontal headache <i>Stict. pul.</i></p> <p>to promote diaphoresis <i>Nep. Cat.</i></p>
Discharge	<p>copious, watery, with lachrymation and frontal headache <i>Camph.</i></p>

NOSE

Discharge	thick, tenacious mucus, and constant frontal headache	Hydras., [Hydras.]
Disorders	chronic dryness, fullness and irritation and a purplish congested ap- pearance general tender swellings at nasal orifice	Penth. Penth., [Penth.] Sang. Thuja
Epistaxis	to check preceded by very red face, cranial congestion, throbbing carotids, blood clots hanging from nostrils	Lysim., Linar. el., Clav. pur., Lyco. v., Achill., Acac. C., Hamam., Thuja. [Geran. mac.], Melil. off.
Growths	ozæna —, free and fetid discharge	Phytol., Bapt., [Bapt.] [Eucalyp.]
Hay Fever	itching of nose and eyes with profuse acrid watery dis- charges, nose feels stopped up violent spasmodic sneezing and lachrymation, burning watery discharges from nose and eyes with profuse discharge	Aln. ser., Bell., Euph. off., Anth. od., [Anth. od.], Stict. pul. All. cep. Schoen. off. (H) Euph. off.
Polypus		[Sang.], [Thuja], [Berb. v. + Sang. (snuff)]
Rhinitis	sub-acute	Hydras., [Hydras.]
Sneezing		Camph.
Ulceration	fossae and throat mucosa from ozæna, or syphilis nasal and pharyngeal passages	[Tsuga] [Echin.] Phytol., Hydras., [Hydras.]

FACE

Discoloration	bluish, and resembling frost-bitten, or exposure to cold, swollen	Bapt.	
	dull, and apathetic, with dyspepsia and vomiting	Oenoth. b.	
	dusky, with dyspnoea, cough, jugular fullness and weak cardiac action	<i>Digit.</i>	
	flushed, right cheek	Bry.	
	—, with skin moist, pulse strong and vibratile	Asclep. t.	
	pale, anxious and livid, lips cyanotic	Asp. Q.	
	red, and bloated, deeply congested	<i>Stram.</i>	
	Eruptions	acne	Berb. aq., Arct. L., Iris v.
		blood impurities, with	Echin., Arct. L., Rumex cr.
		chafed or abraded	(Calend.)
dry character, of		Piloc.	
eczema, stubborn		(Urt. d.), Urt. d.	
freckles		Glech.	
inflammations, tumid, glistening, red, burning, irritable		<i>Rhus t.</i>	
scrofulous		Helian. can.	
symphilitic		Sang.	
Erysipelas			Bry., <i>Verat. v.</i> , (Camph. (<i>tinc.</i>)), <i>Rhus t.</i> , Bell., Ag-rim.
	burning, stinging, itching feeling of part, red, shiny appearance of skin with head symptoms	(Hamam.) + <i>Rhus t.</i> + Bell.	
	high fever, with	<i>Acon.</i>	
	resembling ordinary inflammation	<i>Verat. v.</i>	
	vivid, bright red, on upper part of face, with marked puffiness	<i>Rhus t.</i>	

FACE

Inflammation	sinusitis, acute, frontal swollen, bluish and resembling frost-bitten or exposure to cold	(Euph. off.) Bapt.
Pain	neuralgia <i>Pisc. Ery.</i> , <i>Acon.</i> , (Mon. punc.), <i>Strych. Ign.</i> , (Menth. pip.), Cyp- rip. pub., (Eug. arom.), Cimic. rac., (<i>Bell.</i>), (Camph. (<i>lin.</i>)), (Melal.), <i>Rhus t.</i> , (Anth. n.), <i>Passif.</i>	
	—, cold, induced by	Melil. off.
	—, caries teeth, from	<i>Con. mac.</i>
	—, flushed face and excite- ment	<i>Gels.</i>
	—, facial and neck	<i>Delph. Staph.</i>
	—, fifth cranial nerve, especi- ally from	Quinine.
	—, idiopathic, or reflex	Pip. meth.
	—, idiopathic with cold extremities and headache (chronic)	Melil. off.
	—, with nervousness and un- rest, to promote sleep	<i>Hyosc.</i>
	—, nervous depression, with	<i>Cann. sat.</i>
	—, rheumatic origin of (<i>Cimic. rac.</i>), <i>Cimic. rac.</i>	
	—, right side of head and face	Chel. m.
	—, side of face and head congested	<i>Bell.</i>
	—, spasmodic	<i>Con. mac.</i>
	—, superficial	(<i>Stram.</i>)
	—, toothache and headache, with	Plant. m.
	—, trigeminal, from cold, den- tal caries, or peridental inflam- mation	<i>Gels.</i>
	—, with debility	Melil. off.
	tic douloureux	<i>Pisc. Ery.</i>
	— —, with active circula- tion in head	<i>Gels.</i>

Twitching

Ignat.

MOUTH

Blisters	on	Phytol.
	small, on mucus surface of cheeks and tongue with soreness	Phytol.
Breath	fetor, with sordes of teeth and lips	Bapt.
	foul	Echin. + [Echin.]
	offensive	Cary.
Burns and Scalds		Acac. sen.
	sore feeling as if	Thuja
Dryness	glazed surfaces, with tissues of	Xanth. Ulm. f.
Gums	bleeding	Lysim.
	—, flabby and tender	[Berb. v.]
	—, and spongy	[Echin.], [Kram.]
	boils	[Fic. Car.]
	inflamed	Phytol.
	—, mercurial	Bapt., [Bapt.]
	painful	<i>Strych. N.V.</i> , Phytol.
	pyorrhœa alveolaris	[<i>Psyc. Ipec.</i>], [Echin.]
	sore	[Hamam.]
	— and tender	[Corn. F.]
	spongy	[Acac. C.], [Penth.]
	— and sore	[Commi. Myr.]
Lips	fissured	Thuja
	sore, pallid and with separated epidermis	Phytol.
Salivation	to check	<i>Bell.</i>
	ptyalism	[Commi. Myr.]
Soreness		Cean. Am., [Rub. Id.], Berb. v., [Cop. tri.], <i>Hyosc.</i>
	blisters small on mucus surface of cheeks and tongue, with	Phytol.

MOUTH

Soreness	mucus discharge profuse, with atony of circulation, with nursing and aphthous nursing relaxed uvula, with tender gums, with	[Myric. cer.] Bapt., [Bapt.] Aln. ser., [Aln. ser.] [Pter. M.] [Corn. F.]
Sputum	tenacious	Piloc.
Spotted	(thrush or aphthae)	Sang., Hydras.
Stomatitis	Echin., Berb. aq. aphthous ptyalism with	Hydras. Piloc.
Taste	bitter with nausea ; liver complaints changing, salty, bitter, sour	Lept. Puls.
Teeth	loose	Kram.
	CARIES	[Gault.]
	in apparently sound teeth with rheumatic origin, worse from warmth and warm liquid	Gels. Rhus t.
	DENTITION	
	fretful and peevish and worn out, during with convulsions with diarrhoea with nervous irritation with pain	Matric. Rhus t. Acon. Asafet. Matric.
	PAIN	
	general	Eug. arom., Xanth., Anac. Pyr., Plant. m., Passif., Cimic. rac., Gels., Caps., Pisc. Ery., [Menth. pip.] [Anth. n.], [Melal.]
	dental caries, not due to dentition, during exposed dental pulp, alveolar abscess, or peridental inflammation	Pip. meth. Matric. [Pisc. Ery.]

PAIN

Teeth	jumping from abscesses near dental pulp rheumatic, worse from warmth sensitive pulp	[<i>Puls.</i>] <i>Rhus l.</i> [<i>Plant. m.</i>]
Thirst	great, with fever and aching pains inability to drink, with	<i>Euph. perf.</i> <i>Lept.</i>
Tongue	blistered broad, pallid with impaired digestion, deficient circulation and innervation buttermilk, coating as if with creamy-white or white with greasy taste dry and harsh, salivary secretion suppressed, or scanty dry, sordes, dark hue to tissues full, broad, heavily coated with constant nausea and vomiting inflammation of, chill, burning and tingling sensation along dorsum of tongue which is swollen, dry, and red; great dryness of mouth, everything tastes bitter leucoplakia, syphilitic with excessively secreting mucosa pale, sallow, full, also membranes with hepatic congestion pallid, lead-coloured with little coating pasty and bad smelling reddened tip and edges, and prominent papillae with irritation, congestion, nausea and vomiting reddened tip and edges, long pointed, with nausea, vomiting with or without fever	<i>Ligus. v., Phytol.</i> <i>Acon., Bell.</i> <i>Bry.</i> <i>Puls.</i> <i>Caps.</i> <i>Bry.</i> <i>Psyc. Ipec.</i> <i>Acon.</i> <i>Eucalyp.</i> <i>Chel. m.</i> <i>Phytol.</i> <i>Eucalyp.</i> <i>Prun. Per.</i> <i>Psyc. Ipec.</i>

MOUTH

Tongue

reddened, elongated with prominent papillae
 red deep, dry, glazed and cracked with sordes, muttering delirium, rapid pulse, repressed secretions, tympanites, and hæmorrhage
 redness or reddened edges and tip, long and narrow, prominent papillae inclined to dryness
 sleek, beefy with pasty coating and fetid breath
 slimy, broad, and flabby with overloaded or foul stomach
 stripe red down centre
 white glaze formed by secretion
 white-coated with yellow skin and liver pains
 white-coated, with nausea
 yellow-coated with fever and diarrhœa
 ———, anorexia
 ———, dirty with dizziness
 yellow fur, uniformly coating tongue, with intestinal torpor

Cit. Lim.
 Ol. Tereb. R.
Rhus t.
 Bapt.
Psyc. Ipec.
Verat. v.
 Phytol.
 Lept.
Puls.
Acon.
 Euony.
 Podo.
 Podo.

Ulceration

Stat., [Amar.], [Rumex aq.], Acac. C., Ligus. v.
 aphthous with gastric acidity and acid diarrhœa
 ———, and other forms
 ———, and hepatic relaxation, and sloughs, white pultaceous at angle of mouth and lining of cheeks
 thrush

Geran. mac.
 [Tsuga]
 [Echin.]
 Hydras.
 Phytol.
 [Commi. Myr.], [Cop. tri.]

Uvula

elongated
 relaxed, etc.

Acac. C.
 Collins., Hamam., [Hamam.], Salv. off.

THROAT

Affections	general	Adian.
Aphonia	great soreness in throat and mouth with aphthae	Erig. (oil), Collins., Phytol. Rhus gl.
Catarrh	chronic	Phytol.
Canker	[Rub. Id.]	
Complaints	dryness, with febrile, especially feeling as if lump was there inflamed, sore malignant, sore relaxed, sore Acac. C., <i>Poly. sen.</i> , (Hamam.), (Hydras.) sore, dry, swollen, red, difficulty in swallowing sore and ulcerated tickling with cough ulcers on weakness, loss of voice, etc., in sthenic patients	Still., Xanth., <i>Lobel.</i> <i>Sang.</i> , <i>Acon.</i> <i>Ignat.</i> <i>Verat. v.</i> (<i>Verbas.</i>) <i>Bell.</i> Phytol., <i>Thuja</i> <i>Dros.</i> Phytol., <i>Ligus. v.</i> Collins.
Constriction	sense of, with tickling in throat and cough arising from use of voice	Collins.
Croup	and chronic bronchitis infants spasmodic and mucous	(Ol. Tereb.) <i>Asafet.</i> <i>Acon.</i>
Dryness	secretion checked stiffness with tumid, swollen tonsils, painful deglutition and dribbling of saliva	Piloc. Guaia.

Laryngitis	[Salv. off.], Collins., Phytol. chronic, worse from singing or public speaking, with hoarse- ness, and sense of constriction and thin ichorous discharge from nose —, soreness, pain in larynx, excessive mucoid secretion in throat, voice of public speak- ers and singers break first stage, with fever, hot skin, extreme restlessness, dyspnoea	Arum t. Arum t. <i>Acon.</i>
Pains	lump, feeling as if there sticking	<i>Ignat.</i> Collins.
Parotitis	and swelling of submaxillary gland with great induration	Phytol., <i>Rhus t.</i>
Pharyngitis	[<i>Acon.</i>], Phytol., <i>Bell.</i> catarrhal and follicular chronic with dryness and con- gestion difficulty of swallowing, aching and fullness of throat hyperæmia or congestion rheumatic sicca stiffness and dryness of throat, swallowing painful, burning in throat thick glutinous mucous falls in throat causing hacking cough and nausea	[Hydras.], Hydras. [Penth.], Penth. <i>Gels.</i> + Phytol. [Hamam.] <i>Guaia.</i> <i>Piloc.</i> <i>Guaia.</i> [Hydras.] + Hydras.
Quinsy	malignant	[<i>Acon.</i>], [Salv. off.] <i>Echin.</i>
Relaxed		[Senec. Jac.], [Pter. M.], [Querc. L.]
Secretion	imperfect glandular	Phytol.

THROAT

Sore

[*Poly. sen.*], Stat. Car., Prun. v.,
 [Acac. sat.], Tuss. Far.,
 Avens., [Arum mac.]
 angry and deep red [Hamam.], [*Caps.*]
 catarrh, with Thym. Ser.
 catarrhal simple, subacute form,
 following tonsillitis Hydras. + [Hydras.]
 chronic, with glandular engorge-
 ment and hypersecretion Rumex cr.
 —, and sluggish with relaxed
 membranes and oversecretion Pip. cub.
 —, of syphilitic origin Guaia.
 enfeebled and swollen tissues,
 with [Myric. cer.]
 fetid [Thuja]
 pallid with cough and difficult
 respiration Phytol.
 putrid [Nymph.]
 raw, swollen, difficult swallow-
 ing and dryness *Bell.*
 relaxed, and [Querc. R.]
 scarlatina, with enfeebled and
 swollen tissues [Myric. cer.]
 stiff with sense of muscular
 drawing in pharynx and
 fauces Cimic. rac.
 swollen and fetid with deep or
 purplish red membranes Arum t.
 ulcerated, and Echin.

Tonsillitis

and diseases of the tonsils
 Echin., *Ail.*, *Acon.*, *Verat. v.*,
Bell., *Rhus t.*, Phytol., Collins.,
 Hamam., [Hamam.], *Gels.*,
 [Salv. off.], [Menth. pip.], [Ulm.
 f.]
 abort, to [Caps.], [Echin.], Cass.
 acute [Verat. v.]
 acute, with secretion of tena-
 cious pharyngeal mucus Piloc.
 early stage [Acon.]

THROAT

Tonsillitis	enlarged, throat pale and tumid ———, chronically follicular with chronic hyper- trophly of faucial glands hyperæmia or congestion, with incipient inflamed and sore quinsy type sluggish circulation and fetid exudate tumid, swollen, with dryness and stiffness of throat, painful swallowing and deglutition ulcerated	Commi. myr. Hydras. Collins. [Hamam.] Guaia. Pyr. auc. <i>Bell.</i> Bapt. Guaia. <i>Acon.</i>
Trachea	(see also under Respiration) troubles	Iodine.
Voice	loss of	Collins., Phytol.

STOMACH

Acidity	Tiar., Equis. (ashes) with pallid tongue and mem- branes of mouth with sick headache	<i>Nux Vom.</i> Phytol.
Affections	general	Fum.
Alkalinity	with redness of tongue and membranes of mouth	Ac. Sulph.
Appetite	feeble — after long illness impaired Hydras., Pic. ex., loss of, with dizziness, heavy head and indigestion — —, with feeble digestion — —, with gastric irrit- ability — —, rolling of gases in bowels, painful spasmodic contractions of stomach and intestines	<i>Caps.</i> , Serp. Cola v. Cinch., Gent. Podo. Sim. off. Prun. ser. Zing.
Atony	general Jugl. cin., Acor. C., Berb. aq., Pip. n. constipation, with digestive, with diarrhoea in pot- bellied children with foul breath and poor digestion deficiency of gastric juice, with drunkards, of dyspeptic —, due to alcoholic excesses —, with flatulence and bor- borygmus	Aloe Dicen. Cop. tri. <i>Caps.</i> Caps. Bur. Art. Abs. Alet.

Atony	enfeeblement and relaxation of tissues, and hypersecretion, with	Xanth.
	fermentative, with painful acid eructations, flatulence and constipation	Car. Pap.
	frontal headache, with	Lept., Euony., Aln. ser.
	loss of appetite, flatulence, painful spasmodic contractions of stomach and intestines	Zing.
Cancer	renal inactivity, with	Liat. sp.
		Con. mac., Cann. sat., Mars. Con.
Catarrh	duodenal, worse from biliary concretions	Hydras.
	gastric	Tuss. Far., Podo., Penth., Lyco. cl., Berb. aq.
	—, acute, in young caused by variable weather in summer season	Asclep. t.
	— —, in wet seasons or when a cold wet spell quickly follows exhaustive heat of very hot seasons	Asclep. t.
	— and atonic dyspepsia with hepatic torpor	Sang.
	—, chronic	Eriod., Asclep. inc., Fras. Car.
	— constipation, with more or less	Collins.
	— extraneous mucus in gastro-intestinal surfaces	Car. Pap.
	— fever or inflammation, without	Myrox. P.
	— full relaxed skin, with	Kram.
	— subacute	Gent.
	— vomiting of drunkards, with	Hydras., Mon. punc.
	Debility	chronic, of
flatus, with		Anth. n., Salv. off.

STOMACH

Debility	gastric hypersecretion, with	Cinch. Xanth.
Digestion	feeble impaired —, due to lack of tone of gastro-intestinal glands weak, without irritation or inflammation —, with sense of epigastric depression with physical and mental weariness	Acor. C., Sim. off., Rheum. Hydras., <i>Colch. aut.</i> Myric. cer. Tarax. Gent.
Disorders	children, of complications with albuminuria deficient action of liver, due to drunkenness, etc., following hypersecretion of gastric juices, eructations and vomiting indulgence in pastry and fats, from infants, convulsions and cholera infantum kidney and bladder disorders, with malarial origin, of nervous pelvic relaxation, reflexly due to thrush, associated with	Rub. Id. Helon. Chion. v. Lyco. v. Urt. d. <i>Puls.</i> Aeth. Eryng. Gent. <i>Panax.</i> Helon. Cop. tri.
Distention	eructation, with flatulent	Xanth. Jugl. cin., Eug. arom.
Dyspepsia	general atonic with costiveness — — gastric catarrh as of a stone chronic due to hepatic torpor — —, irritation of stomach in cachectic individuals fermentative, worse on taking food	Corn. ser., Carb. ben. Casc. sag. Serp. Bry. Podo. Euony., Berb. aq. Arct. L. Echin.

Dyspepsia	flatulent after meals	Pip. n., Senec. Jac.
	nervous with epigastric fullness and pain extending to chest	Rumex cr.
	old people, deficiency of gastric juice, drowsiness after meals, flatulence, diarrhoea alternat- ed with constipation	Aln. r.
	rheumatoid, with rheumatism in other parts	Cimic. rac.
	with congested liver	Polym. U.
	— deficient glandular secre- tion	Hydras.
	— eructation of putrescent gases following weakness or "goneness" of epigastrium	Hydras.
	— irritation, food causes dis- tress and irregular bowel action	Rheum.
	— relaxed stomach walls and imperfect peptic function	Aln. ser.
	— renal inactivity	Liat. od.
Eructation	sour	Jugl. cin.
	greasy and pyrosis with gastric distention	<i>Puls.</i>
Fermentation	worse on taking food	Echin.
Fever	gastric	<i>Acon.</i>
Fullness	epigastric, with pain extending to chest	Rumex cr.
	sense of, due to gas with nervous unrest	Valer.
Gastralgia	cramping pains worse bending forward and lying down	Diosc.
Hæmorrhage		Cinn. Zey., Linar. el.
Hiccough	obstinate, with reddened tongue and alkaline urine	Cit. Lim.
Indigestion	(see also <i>Dyspepsia</i>) acidity, from	Equis.

STOMACH

Indigestion

atonic, with feeling like stone in stomach
 —, gastric and hepatic *Nux Vom.*, *Brv.*
 bad blood, with *Berb. aq.*
 belching and increased mucus *Arct. L.*, *Rumex cr.*
 flow, with *Hydras.*
 fermentative and intestinal *Echin.*
 flatulence, fermentation, and pyrosis
 intestinal atony, from *Lyco. cl.*
 irritative, with knotty feeling in stomach *Lept.*
 liver trouble, from *Gels.*
 nausea, with *Euony.*
 uterine, etc., troubles, from *Prun. Per.*, *Xanth.*
Helon.

Inflammation

Lin. usti., *Acac. sen.*, *Alth. ros.*, *Prun. Per.*, *Xanth.*,
Puls., *Nux Vom.*, *Hydras.*,
Sang.
 acute *Trig. Fœn.*, *Ulm. f.*
 chronic *Myric. cer.*

Irritation

Acac. sen., *Alth. ros.*, *Gels.* +
Psyc. Ipec.
 acute, with tongue reddened tip
 and edges *Psyc. Ipec.*
 cachectic individuals, in *Arct. L.*
 constipation, more or less, with *Collins.*
 distention, with *Hydras.*
 elongated reddened tongue, nausea and vomiting, with *Rheum.*
 excess of mucous secretion, with *Tsuga.*
 indigestion and green stools, with *Gels.*
 nervousness and flatulence, with
Diosc., *Asafet.*, *Verben.*, *Prun. Per.*
 nausea and vomiting, with *Iris v.*
 persistent, and mucous diarrhoea, and tongue red and tender, nausea, and strong disgust of food *Eryng. cam.*


Irritation	pneumonia, phthisis, bronchitis, or influenza, especially with spasms, pain and vomiting sensation of knotty contraction in stomach vomiting, with or without vomiting in children, with gastro-intestinal, with catarrhal secretion ———, with free secretion phthisis, of	<i>Rhus t.</i> Diosc. <i>Gels.</i> <i>Acon.</i> Prun. Per. Eupat. pur. <i>Anam.</i> Prun. Per.
Irritability	Hydras.	
Nausea	any ailment accompanied by persistent, not relieved by vomiting drunkard, of easily provoked disgust for food, and general Eryng. cam., Diosc. Menth. pip., Menth. vir., Menth. pul., Cinn. Zey. pregnancy with nervous gastric irritation, of remove, to Caul. th., Pimp. Cola v. <i>Nux Vom.</i> anis., <i>Caps.</i> , weakness of stomach, due to Solid. with flatulence Illic., Eug. arom. ——— gastric irritation and elong- ated reddened tongue Rheum. ——— hypersecretion of gastric juices and eructation Urt. d. ——— strong disgust of food Eryng. cam. ——— gastric tenderness and irri- tation, tongue pointed with reddened tip and edges Prun. Per. ——— tongue with reddened edges and tip, and gastric irritation <i>Psyc. Ipec.</i>	
Pain	cardialgia with sour stomach and increased flow of gastric juices	Senec. Jac.

STOMACH

Pain

cramps, stomachic	Iris foet., Menth. pul.
— — and bowels, due to	
undigested food, or to cold	Zing.
— —, worse bending for-	
ward and lying down	Diosc.
discomfort, with	Eryth. Coc.
dull, aching, and tenderness	
with tendency to metastasis	
worse from eating and drink-	
ing	Cimic. rac.
eating, immediately after	Jateor.
enteralgia	Cimic. rac., Con. mac
epigastric fullness and pain	
extending to chest	Rumex cr.
flatulency with or without	
nausea, from	Solid.
flatulent distention with nausea	
and vomiting	Eug. arom.
gastralgia with nausea and vom-	
iting	Myr. fr.
—, nervous	Cann. sat.
gastralgia	Cimic. rac., Con. mac.
general	Glech., Salv. scl., Con. mac., Diosc. + <i>Nux Vom.</i>
gnawing sensation with chilli-	
ness	<i>Puls.</i>
mediastinal	Cimic. rac.
neuralgia, of	Melil. off.
painfully contracting on hard	
body or lump, as if	Cimic. rac.
spasms, all painful	Asar. Can.
spasmodic with more or less	
constipation	Collins.
soreness and aching of abdomi-	
nal grip of rheumatoid type	Cimic. rac.
tenderness with irritation and	
congestion, nausea and vom-	
iting with pointed tongue with	
reddened tip and edges	Prun. Per.

Pain	unpleasant distress below sternum as if internal itching with constant desire to contract or shift muscles of epigastric region	Hydras. <i>Rhus t.</i>
	unrest great, with vomiting	
Pyrosis		Pter. M., Lyco. cl.
Sensitive	weak constitution, with attacks of diarrhoea	Asclep. t.
Torpor	gastro-intestinal, with deficient secretion	Xanth.
Ulcer		<i>Con. mac., Cann. sat., Hydras., Corn. F., Geran. mac.</i>
	aphthous	Phytol.
	hæmorrhage, from	<i>Psyc. Ipec.</i>
	preceded by debility and catarrhal hypersecretion	Phytol.
	septic	Echin.
Vomiting	blood of	Lyco. v.
	check, to	<i>Caps., Nux Vom.</i>
	drunkards, of	Mon. punc.
	gastric irritability, from	(Brass. n.)
	————— in small children	Prun. Per.
	general	Crot. El., Eryth. Am.
	great unrest, with	<i>Rhus t.</i>
	infants, of	Car. Pap.
	morning sickness in pregnant women	Prun. Per.
	pregnancy, of	Corn. ser. + Vibur. pr.
	seasickness, of, with nervous gastric irritation	Cola v.
	weakness of stomach, due to	Solid.
	with nausea, or spasms, or pain	Diosc.
	with mucous rales	<i>Poly. sen.</i>
Weakness	and debility	Aln. ser., Cochl. a., <i>Nux Vom.,</i> Lept., Xanth., Eupat. pur.
	and diarrhoea	Cinn. Zey.
	and pain	<i>Ignat.</i>



ABDOMEN

Appendicitis	bowels full of gas ; griping, twisting pain	Diosc.
Atony	DUODENAL with hepatic torpor INTESTINAL Casc. sag., Lept. with habitual constipation <i>Lobel.</i> with dragging painful sensations Senec. Jac.	Lept.
Catarrh	BILIARY Chel. m., Hydras. DUODENAL with jaundice and light-coloured stools Iris v., Casc. sag., Echin. INTESTINAL Tuss. Far., <i>Nect. C.</i> , <i>Berb.</i> aq., <i>Phys. ven.</i> , (All. sat.), Hydras.	
Concretions	biliary — and jaundice —, to prevent	Ol. Eur. Chion. v. Chion. v.
Contracted	Collins.	
Circulation	gastric and hepatic, sluggish with full, heavy, burning sen- sation	Polym. U.
Colic	agonizing pain, better bending double, or pressure on abdo- men bilious children, in <i>Asafet.</i> , <i>Nep.</i> Menth. pip. distention, with flatulent <i>Elet.</i> , <i>Drim.</i> , <i>Win.</i> , <i>Solid.</i> , <i>Xanth.</i> , Foen., <i>Matric.</i> , <i>Hyosc.</i>	<i>Citr. Col.</i> Diosc., <i>Gels.</i> , <i>Epil.</i> Cat., <i>Liat. sp.</i> <i>Caps.</i>

Colic	flatulent and serous diarrhoea	Myr. fr.
	— in babies	Foen.
	— in infants	Asclep. t., Pimp. Anis.
	— much in bowels; griping, twisting pain, worse bending forward, better standing erect	Diosc.
	— not accompanied by inflam- mation	Asar. Can.
	— with constipation, in chil- dren	Podο.
	— with greenish stools, child relieved if carried about	Matric.
	gallstone	Chel. m.
	general	Melal., (Brass. n.), Acοr. C.
	lead	Ol. Eur., Bell.
	—, with constipation	Crot. Tig.
	painter's	Glech.
	spasmodic	Lobel., Bell.
	stomach cramps and nausea	Menth. pul.
	tenderness on pressure which relieves spasmodic action	Diosc.
various	Bell., Melil. off.	
visceral neuralgia	Melil. off.	
Debility	with hepatic torpor, or jaundice	Chel. gl.
Diaphragmitis	constrictions in region of dia- phragm with sharp shooting pains	Cer. gr.
Disorders	gastro-intestinal and hepatic, of dipsomaniacs	Chion. v.
	— — —, due to high living	Chion. v.
	spleen and liver	Cusc. Ep.
Distention	general	Chion. v.
	gas in typhoid fever and puer- peral peritonitis	(Ol. Tereb.)
	tympanitic during peritonitis	Xanth.
Dropsy		Aspar., Eryth. Am., Bid., Cyt. sco., Grat.

ABDOMEN

Dropsy	with kidney, etc., diseases	Equist.
	abdominal	Junip. com., Iris v.
	in sthenic patients	Piloc.
	scarlatina, after	Car. pet. + Eupat. per.
	with weakness and loss of appetite	Chim. umb.
	with chronic hepatic and gastric torpor	Chel. gl.
		Echin.
Duodenum	catarrh	Chion. v.
	inflammatory conditions	
Flatulence	accumulation of gas in bowel	Xanth., Jateor.
	children, in, with disordered digestion	Peuc. gr.
	colic with greenish stools and excoriation of anal region, with	
	colic, and	Matric.
	distention, with	Arum t., Cass.
	disorders with	Mon. punc., Jugl. cin.
	gastric irritation and nervousness, with	Tanac., Pip. n., Imper. Os.
	general	Asafet., Anth. n., Zing.
		Acor. C., Cinn. Zey., Caps., Melal., Pimp. anis., Melil. off.
	heartburn especially women, with	Nux Vom.
	putrescent gases followed by weakness or goneness in epigastrium	
	rolling of gas in bowels, gastric atony, painful spasmodic contractions of stomach and intestines	Hydras.
	tympanites of bowels	Zing.
	with colicky pains	Rhus t., Foen.
	— debility	Illic.
— fermentation	Salv. off.	
— — and acid eructations	Alp.	
— nervous unrest	Humul.	
Fullness	pelvic	Valer.
	splenic	Helon.
		Iris v.

Hæmorrhage	bowel	Hæmat.
	gastric and duodenal ulcer, from	Ol. Tereb. R.
	gastric-intestinal tract	Verbas., Ol. Tereb. R.
	general	Cinn. Zey.
	intestinal	<i>Psyc. Ipec.</i> , <i>Lyc.</i> v.
	postpartum	Clav. pur.
	ulceration of small intestine	
	with flatulence, and distension	Ol. Tereb. R.
Hernia	strangulated	(<i>Lobel.</i>)
Impaction	bowel in the insane with hypochondriasis, and melancholia	Aloe.
	faecal	[<i>Lobel. (enema)</i>]
	— without intestinal obstruction	<i>Crot. Tig.</i>
Indigestion	intestinal	Lept.
	— in aged	Asafet.
	— with pain, debility, and fetid flatus	Echin.
Intussusception		[<i>Lobel. (enema)</i>]
Inflammation	abdominal	(All. sat.)
	gall bladder, of	Bry.
	intestinal, of children during dentition	<i>Gels.</i>
	—, with cholera infantum, diarrhœa, and dysentery, both	
	with tenesmus, in children	<i>Gels.</i>
	—, of infants and adults	[<i>Ulm. f.</i>]
	—, catarrhal	<i>Myric. cer.</i>
	liver, chronic	<i>Podo.</i>
	—, with reddened tip and edges of tongue	<i>Psyc. Ipec.</i>
	peritoneal, due to blows on abdomen	<i>Verat. v.</i>
—, septic	<i>Verat. v.</i>	
Irritation	gastric	Asafet.
	gastro-intestinal with sour eructations and flatulence	<i>Jugl. cin.</i>

ABDOMEN

Pain	bilious	Lept., Senec. v.
	colicky with marked tenderness	Bry.
	— from liver region over whole abdomen	Chion. v.
	cramps and colic, due to flatulence	Anth. n.
	cutting from liver to navel with nausea, vomiting and great prostration	Chion. v.
	deep-seated splenic, with or without splenic enlargement	Cean. Am.
	deep-seated soreness, dragging and bearing down	<i>Delph. Staph.</i>
	dragging sensations with atony of viscera	Senec. aur.
	dull, aching in hepatic region with uneasy and throbbing sensations	Aesc. H.
	dull, hepatic with tenderness or soreness on deep pressure	Chion. v.
	dull, heavy in right hypochondrium, with sallowness and inactivity	Podo.
	dull, with fullness over spleen, sallow skin, debility and indigestion with gastric distress	Grind. cam.
	faulty intestinal digestion	Agrim.
	flatulence, with	Nep. Cat.
	full, heavy, burning sensation with sluggish hepatic circulation	Polym. U.
	fullness with tensive or throbbing over liver	Chel. m.
	gripping in lower bowel	Ipom. Pur.
	heavy, lax, sodden pelvic tissues with infiltration at ankles	Apoc. can.
	hepatic with reflex cough	Chel. m.
	inflammation, with	<i>Verat. v.</i>
	neuralgia, visceral	Aesc. H., <i>Acon. + (Acon.)</i>
	— — with plethora	Aesc. H.
	—, preceding herpes zoster	<i>Acon., (Acon.)</i>

Pain	paroxysmal with deranged digestion and coated tongue painful bowel affections from cold pelvic contents will fall out, feels as if sense of coldness and weight in intestines sense of weight, congestion or expulsion of pelvic contents with mental torpor, despondency or irritability soreness and tenderness, worse on pressure spasms, borborygmus, and loss of appetite tenderness, with tenderness and heavy over region of liver, with drowsiness, dizziness, and mental depression twisting and boring, radiating from umbilical region with spasmodic contraction of belly muscles vague, shifting with persistent uneasiness in ascending colon weakness, with weight of pelvic and vascular engorgement weight in epigastrium with forcible circulatory pulsations	Diosc. (Myr. fr.) Helon. Eucalyp. Helon. Bry. Zing. Bry. Lept. Diosc. Chel. gl. Diosc. Senec. aur. <i>Verat. v.</i>
Peritonitis	colic-like pains with marked tenderness	<i>Bell.</i> , Bry., <i>Verat. v.</i> , <i>Asclep. t.</i> Bry.
Tympanites		Xanth., <i>Rhus t.</i> , <i>Asafet.</i> , Foen.
Ulceration	lower bowel	Mons.
Weakness	with dilatation, flatulence, and visceral ptosis	<i>Phys. ven.</i>

LIVER

Bile	to favour secretion	Lept. + Zing.
Biliousness	with headache and nausea	Iris v., Diosc., <i>Nux Vom.</i>
Colic	bilious	Chion. v. + Diosc.
Disorders	chronic	<i>Puls., Grat.</i>
	cirrhosis of, pain in right side, cramp-like pains in abdomen, constipation, clay-coloured stools	Chion. v.
	—, obstinate constipation, with dry, hard stools, tongue coated white	Bry.
	congestion Polym. U., Chel. m., Chel. gl. + Gent. + Hydras.	
	—, with constipation and sharp cutting pains worse on motion	Iris v.
	— with burning pain	Polym. U.
	cough, bilious headache and catarrh, inflammation with greenish-yellow skin	Chel. m.
	debility with sick headache	Sang.
	enlargement, uneasiness, nausea, stitching pain in left lobe, abdominal distention	<i>Card. m. (H)</i>
	—, constant pain under lower and inner angle of right scap- ula, constipation, stools like hard, round balls, skin yellow- grey, diarrhoea yellowish and worse at night	Chel. m.
	—, aching and heaviness in liver worse lying on left side	Ptel. t.

Disorders	enlargement, when tumour appears to lie between liver and navel	Chel. gl.	
	fullness over, with aching between scapulæ and back of neck; vertigo	Podo.	
	hyperæmia	Phytol.	
	inflammation, white tongue; burning and stitching pain worse on motion; distention of stomach and abdomen; constipation; great thirst	Bry.	
	obstructions, to remove	Scol. v., Larix. Am.	
	painful condition, soreness	Bry.	
	sluggish action with light pasty stools	Chel. m.	
	—, or torpid	Lept., Rheum., Chel. gl., Euony.	
	torpor	Jugl. cin., Tarax., Cit. Lim., Chion. v.	
	— with incontinence of urine	Oenth. b.	
	— and chronic dyspepsia	Peum. b.	
	Gall Bladder	biliousness	Podo., Berb. v.
		calculi, acute or dull pain with tenderness in hepatic region; yellow skin; bile in urine; stools bright yellow or clay- coloured; pain under right scapula	Chel. m.
— to prevent formation		Jugl. cin.	
deficient or vitiated bile, with liver symptoms		Sang. .	
disorders		Ajug. rep., Rubia.	
obstructions		Asp. od.	
Jaundice		Rusc., Linar. v., Berb. v., Impat., Grat., Fab. Imb., Chion. v. + Euony. + Podo.	
	acute catarrhal, of children	Chion. v.	

LIVER

Jaundice

acute, with hepatic torpor with tongue red and urine alkaline	Cit. Lim.
catarrhal with clay-coloured stools	Podo.
cramp-like abdominal pains on right side; constipation, stools clay-coloured; urine dark	Chion. v.
severe right-sided pain; yellow skin; stools clay-coloured; urine loaded with bile	Chel. m. Piloc.
with itching	Bry.
— orange-coloured urine, and soreness on pressure	Chel. m.
— swollen bile ducts	
— weak heart action	Eryth. Cen. + Myric. cer.

SPLEEN

Congestion	and subacute inflammation, pain not aggravated by pressure	Cean. Am.
Disorders	with blanched skin with indigestion and chills	Solan. ins., Rubia, Lonic., Silph. per. Iris v. Grind. cam.
Enlargement	due to malarial cachexia with brown eruption on sternal portion of thorax ; palpitation ; nausea ; uneasiness and distention of abdomen with enfeebled circulation, parts non-elastic, doughy, sodden with expressionless countenance, and sallow doughy skin	Grat., Polym. U. Polym. U. Card. m. (H) Polym. U. Cean. Am.
Inflammation	malarial pain in whole of left side, splenic enlargement, extreme dyspnœa	Cean. Am. Cean. Am.
Obstructions	to remove	Scol.

RECTUM

Anus	<p>excoriation of, with greenish motions, colic, and flatulence <i>Matric.</i></p> <p>eczema of <i>Hydras. + (Hydras.)</i></p> <p>fissured <i>Hamam., Collins., Aesc. gl., Thuja, Hydras., (Cof. L.)</i></p> <p>—, or ulcer <i>(Kram.)</i></p> <p>— and ulcers purple in colour and covered with crusts; itching and biting sensation <i>Paeon. off. (Liquidamb.)</i></p> <p>fistulae with indurated edges <i>Thuja.</i></p> <p>inflammation of <i>Collins.</i></p> <p>irritation with sense of constriction in <i>Ignat.</i></p> <p>neuralgia in <i>[Tsuga], [Myrt. com.], (Thuja), Aesc. H.</i></p> <p>prolapsus <i>Aloe.</i></p> <p>— with pelvic debility <i>Hamam.</i></p> <p>— with venous fullness <i>(Thuja), (Acon.)</i></p> <p>pruritis</p>
Constipation	<p style="text-align: right;"><i>Cass., Lin. cath., Plant. ova.</i></p> <p>alternating with diarrhoea with venous congestion <i>Puls.</i></p> <p>atony, flatulence, etc., with children <i>Jugl. cin. Ricin. c.</i></p> <p>— and infants <i>Frax. Orn., Cass.</i></p> <p>chronic <i>Rham. F., Lept., Cass.</i></p> <p>—, atonic <i>Aloe.</i></p> <p>—, due to debility and imperfect action of intestinal glands <i>Hydras.</i></p> <p>—, with acid fermentation and flatulence <i>Erech. Xanth.</i></p> <p>deficient secretion, due to dyspeptic <i>Sarr. pur.</i></p> <p>females during pregnancy <i>Frax. Orn., Rheum.</i></p>

Constipation	habitual	Podo., Solan. ins., Ol. Eur., Casc. sag., Lept., <i>Lobel.</i> , Glycerine, <i>Nux Vom.</i> , Berb. aq., Rham. Fr.
	hard, dry faeces	<i>Phys. ven.</i> , Ipom. Pur.
	hepatic torpor, with infants, due to difficult digestion of cows' milk	Iris v.
	insane or unconscious	Bry.
	intestinal torpor from deficient secretion of glands	<i>Crot. Tig.</i>
	no desire, bowels inactive, stools large, dry, and hard as if burnt	Ipom. Pur.
	obstinate	Bry.
	— when no inflammation present	Fras. Car.
	œdema, with sedentary life and much medication	<i>Crot. Tig.</i>
	sense of intestinal constrictions and muscular contractions	Apoc. can.
		Hydras.
		Rheum.
Diarrhœa		Corn. ser., Pot. rep., Acac. sen., Cusp. f., Aegle., Sesa. ind., Kalm., Rubus v., Rhus gl., Plant. m., Pot. Tor., Menth. sat., Pyr. Cyd., Salix a., Pyr. auc., Vacc. Myr., Querc. R., Polyp. off., Calot., <i>Nect.</i> , Erig., Avens., Amar., Cyn. off., Cinn. Zey.
	acute in cholera morbus and cholera infantum, with atony and nausea, vomiting and cold extremities and surface	Zing.
	acute mucus of dentition	<i>Psyc. Ipec.</i>
	alternating with constipation with venous congestion	<i>Puls.</i>
	burning and tenesmic discharge	Jugl. cin.
	catarrhal	Penth.

RECTUM

Diarrhœa

catarrhal caused by exposure to damp		Solan. dul. Myric. cer. Hord.
—, chronic		Pot. Tor. Xanth.
— inflammation of bowels		
cholera		
— asiatica		
— —, collapse ; cold sweat on forehead ; face blue ; features sunken ; whole body icy cold		Verat. alb. (H)
— —, spasms in calves and painless diarrhœa		Camph. Camph.
— —, prophylactic		
— atonic, to prevent collapse and restrain evacuations		Strych. Ign.
— infantum of irritative type		
— —, sudden and profuse vomiting of contents of stomach, then like rice-water, painful cramps and watery diarrhœa with faintness		Psyc. Ipec., Cinn. Zey., Geran. mac. Euph. cor. Xanth.
— morbus in weak persons		
— —, nausea or irritation		Acon. + Nux Vom.
chronic	Acac. C., Caps. Bur., Querc. R., Penth., Nux Vom., Cola v., Pinus. can., Rhus arom., Epil., Xanth. (berries), Camph.	
—, passive		Cinch.
—, serous		Pter. m.
—, with hepatic torpor		Cas. sag.
colds, from		Camph.
debility of		Cola v.
— to stomach, from		Aln. ser.
dentition		Matric.
dysentery	Xanth. (berries), Rhus gl., Epil., Nux Vom., Lept., Gels. + Acon., Psyc. Ipec., Cinch., Bell., Erech.	
—, chronic		Geran. mac.
—, typhoid	Bapt., Dor. Con., Myric. cer.	

Diarrhœa	gushing, with or without vomiting	<i>Rhus t.</i>
	infantile	Hæmat.
	irritative	<i>Acon.</i> , <i>Ricin. c.</i>
	— with tenderness of abdomen on pressure	Rheum.
	lienteric with faecal accumulations	Rheum.
	mucoid with hardened faeces	<i>Ricin. c.</i>
	—, children	<i>Ricin. c.</i>
	mucus	<i>Pod.</i> , [<i>Ol. Eur.</i>]
	— and serous	Kram.
	— chronic	Geran. mac.
	— imperfect recovery from	Hydras.
	— jelly-like, passed in great masses, stools involuntary, sense of weakness in sphincter ani and rectum	Aloe.
	— stools frequent with flatulence	Commi. Myr.
	— tinged with blood	Hamam.
	old persons, stool scanty with blood and mucus, severe tenesmus, and low fever	Bapt.
	opium habitues, in	Kram., <i>Pter. m.</i>
	phthisis, of	<i>Lyc. v.</i> , <i>Pter. m.</i>
	semi-colicky uneasiness or soreness of bowels and frequent desire to defecate	<i>Ricin. c.</i>
	serous, of debility	Mon. punc.
	simple	<i>Lyc. v.</i> , <i>Agrim.</i>
	slow digestion, due to	<i>Ricin. c.</i>
	summer with mucoid and slimy motions in children	<i>Pod.</i>
	— complaints in children	<i>Polyg. er.</i> , <i>Aeth.</i> , <i>Rheum.</i> , <i>Frag. ves.</i> , <i>Cimic. rac.</i> , <i>Spir. U.</i> , <i>Geran. mac.</i>
	tenacious muco-bloody stools with tenesmus and burning, with cramp-like action of the bladder	<i>Caps.</i>

RECTUM

Diarrhœa	watery, in children with agonizing, twisting pain, causing patient to bend double and press on abdomen — constant desire to defecate — half digested passages or clay-coloured stools — passive hæmorrhages yellow, coated tongue, and gastric fever	Rubus. <i>Coloc. aut.</i> Geran. mac. Lept. <i>Querc. L.</i> Acon.
Disorders	enfeebled condition of bowel and rectum involvement with headache ; spasmodic asthma ; dyspnœa ; vertigo, and disturbed diges- tion loss of tone of rectal tissues as prolapse paralysis of perineum lacerated	Pip. Cub. Aesc. H. Hydras., (Hydras.) <i>Rhus t.</i> (Calend.)
Hæmorrhoids	(Linar. v.), Aloe, Collins., (Plant. m.), (Sata. Car.), (Impat.), Gault., Amar., (<i>Querc. L.</i>), (Phytol.), (Liquidamb.), (<i>Pisc. Ery.</i>), Ran. F., (Ran. F.), Cyn. off., Cass., Aesc. H., Prun. v., Hamam., Conv. m., Penth. and fissures biliary insufficiency with portal inactivity bleeding — and diarrhœa —, much flatulence ; con- stipation alternating with diarrhœa ; sensation of for- eign body in anus as if filled with sand	(Bell.) Podo. (Hamam.), (Clav. pur.) Caps. Bur. Collins.

Hæmorrhoids	bleeding, sore, bruised pain in anus, severe headaches	Hamam.
	chronic, non-burning, with torpor and constipation	<i>Caps.</i> + Aloe.
	dryness and heat in rectum, as if filled with sticks; cutting pain in rectum; severe dull ache in lumbo-sacral region	Aesc. H.
	external, non-bleeding	(Ulm. f.)
	inflamed	Ricin. c.
	non-bleeding when full, purple, painful, and feeling as if foreign body in rectum	Aesc. H.
	non-bleeding with much itching and discomfort	Aesc. H.
	non-ulcerating	Hydras. + (Hydras.)
	painful	(Alth. ros.), <i>Hyosc.</i> , (Myrist. fr.), (Alth. off.)
	— and external	<i>Stram.</i>
	sluggish	<i>Caps.</i>
	splenic congestion due to hepatic congestion	Chel. m.
	vascular engorgement with dull, aching pain and fullness, throbbing of vessels, and general malaise	Aesc. H.
	with diarrhœa	Plant. m.
	— loss of rectal tone	Casc. sag.
— nervousness and venous congestion	<i>Puls.</i>	
— neuralgic pain and rectal inflammation	Aesc. H.	
Inflammation	Hord.	
and neuralgic pain from engorged hæmorrhoids	Aesc. H.	
sense of fullness, burning and throbbing in rectum	<i>Gels.</i> + Collins.	
Pain	intolerable itching and sometimes semi-purulent secretion	<i>Stram.</i>

RECTUM

Pain	irritation with sense of constriction in anus	Collins.	
	neuralgia	<i>Acon.</i> + (<i>Acon.</i>)	
	sense of constriction with constipation, due to vascular enlargement of pelvic viscera	Collins.	
	sensation of foreign body lodged in, with painful contraction of sphincter and perineum	Collins.	
	dryness and heat in rectum, as if filled with sticks, cutting pain in rectum and severe dull ache in lumbo-sacral region	Aesc. H.	
	Stools	clay-coloured	Podo., Lept., Chel. m.
		— — —, light	Chion. v.
		dark, tarry, and fetid	Bapt.
		dry and scybalous	Bry.
		frothy, yeast-like	Chion. v.
green and slimy, or mixed whitish curds and green mucus, with flatulence, colic and excoriated anus		Matric.	
green, with colic		Chion. v.	
half-digested food		Lept.	
loose, burning and tenesmic		Jugl. cin.	
profuse, choleric or excessive mucoid		Urt. d.	
prune-juice or fetid meat-washings, resembling scybalous		Bapt. Collins.	
semi-pasty and tenacious, light-coloured with burning at voiding and persisting for weeks		Ricin. c.	
soft, yellow, with sadness and nervousness		Polyp. off.	
very dry		Polyp. off.	
watery, in children		Rubus v.	

URINARY

Albuminuria	Cel. sca. + Helon. + Eupat. pur., Geran. mac. + Alet., <i>Bell.</i> , Phytol., Piloc., Chim. umb., <i>Gels.</i>
	acute with bloody urine, due to renal hyperæmia bloody discharge
	Fab. Imb. Senec. aur., Senec. Jac., Gen. tinc. <i>Adon.</i> Chim. umb. Ajug. rep.
Atony	renal, and dragging in lumbar region —, in aged, with persistent sense of weight and dragging in lumbar region —, with catarrhal discharge and pus urinary tract with muddy ill- smelling urine
	Junip. com. Junip. com. Junip. com. Agrim.
Bladder	affections, children affections of atony of, to promote flow of urine catarrh —, chronic — — with offensive urine —, with painful urination and gritty concretions chronic mucous inflammation debilitated and relaxed decomposition of urine, in excessive discharges
	Zea May. Dauc. C., Alch. arv. (All. sat.) Junip. com., Baros., Zea May., Hern., Peum. b. <i>Cop. L.</i> Chim. umb. Lyco. cl. Santal. Epig. Zea May. Rhus arom.

URINARY

Bladder

functional catarrhal disease of gravel, irritation, pain, uneasiness, burning, difficult urination or frequent desire	Fab. Imb.
—, in children	Eryng. cam.
— and irritation	Eupat. pur.
inflammation of	Hydrang.
— —, chronic	Baros., Gault.
— — —, with soreness and tenderness	Equis.
irritable, with cardiac weakness or irregularities	Elet.
irritation from gravel	Cer. gr.
—	Equis.
— and catarrh	Chond. cr.
— chronic, with pain, tenesmus and catarrhal discharge	Agrim., Gels.
— and incontinence	Uva U.
— in aged, with tendency to catarrh	Equis.
—, retention, suppression, in children	Hydrang.
—, with chronic inflammation	Zea May.
irritation of, with recurrent attacks of distressing pain and frequent urination in women at menopause due to taking cold	Fuc. ves.
non-inflammatory irritation of neck of	Junip. com.
paralysis of	Junip. com.
spasmodic condition of	Rhus t.
— contraction of	Aven.
ulceration, due to chronic cystitis	Vibur. Op.
— of	Hydras. + (Hydras.)
vesical irritation and inflammation	Uva U.
— atony	Pip. meth.
— catarrh, worse from dampness	Pip. meth.
	Solan. dul.

Bright's Disease	chronic frequent and scanty urination, burning and scalding in urin- ary tract ; heavy, dull aching pains in renal region	Liat. sp., Helon. Apoc. and. Agro.
Calculi	cystic gravel in bladder, and phosphatic and uric acid con- cretions with dropsical accu- mulations renal ——, small and cystic gravel	Pariet., Eupat. pur. Uva U. Hydrang., Collins. Zea May. Equis. Gels.
Catarrh	cystic ——, with aching of kidneys and bladder genito-urinary renal tract without fever or inflammation	Uva U., Conv. m. Uva U. + Mitch. + Tarax. Erech. Myrox. P.
Colic	renal	Diosc.
Congestion	renal, or hyperæmia ——, chronic with renal capil- lary inactivity ——, with cardiac weakness or irregularities ——	Junip. com. Caps. Cer. gr. (Digit.), Car. pet.
Constriction	spasmodic, or urethral canal and cystic spasm	(Bell.)
Cystitis	acute ——, with deep-seated burning pains, and normal secretion scanty	Agro., Erech., Alth. off., Pip. Cub., Salix nig., Seren. ser. Alth. ros. Eryng. cam.

URINARY

Cystitis	catarrhal	Eriod., Agrim., Lyco. cl., Chond. t.
	—, and purulent in aged	Eucalyp.
	chronic	Santal., Zea May., Baros., Chond. cr.
	— with excessive discharge	Eryng. cam.
	— with itching down whole length of urethra; burning and scalding urine with constant urge to urinate; urine contains blood and ropy mucus	Chim. umb.
	— with large mucous flow	Sassa., Ol. Tereb. R.
	— with large mucous diuresis	Urt. d.
	— with pinkish-red sediment of mucus, pus, blood or brick dust	Chim. umb.
	involuntary urination in old people, constant desire to urinate without relief	Equis.
	irritable bladder with constant desire to urinate but only small amount passed	Camph.
urethral irritation or prostatitis	Salix nig.	
Deposits	uric acid	Swert. Ch., Epig.
	— —, with feverishness, or kidney, liver, bladder, or gastric troubles	Lyco. cl.
Diabetes	glycosuria	Chim. umb., Eug. Jam., Helon.
	incipient	Thuja, Spir. U., <i>Hyosc.</i> , <i>Ignat.</i> , <i>Piloc.</i> , <i>Bell.</i> , <i>Trill.</i>
	mellitus	Hydrang., Lyco. v.
	pain in right hypochondrium, cramp-like pains in abdomen; frontal headache over eyes; clay-coloured stools	Chion. v.
	with great thirst, passing large quantities of clear urine	Lyco. v.

Discharge urinary, to promote
 Rubia, Nep. Cat., Cypris. pub.,
 Lobel., Uva U., Hamam.,
 Hydras., Alth. off.

Disorders **RENAL** Alch. arv., Erig., Tarax., Grind.
 cam., Cusc. Ep., Sesa. ind.,
 Liat. sp., Caps. Bur., Rumex
 acet.

acute and feverish nature, of	Glech.
blood in urine, with	Lyc. cl.
catarrhal	Collins.
chronic, and bladder	Agro.
functional catarrhal	Fab. Imb.
inactivity with incontinence	Scill.
many	Alth. off.
standing, of long	Chim. umb.
torpor, result of cold	Serp.
ulceration	Uva U.

URINARY

organs Frag. v., Santal., Alth. off., Eupat.
 off., Sorg.

bladder, and	Agro.
chronic	Hyper.
gonorrhœa, following	Chim. umb.
relaxed tract with pain and	
bloody or mucous secretions	Uva U.
rheumatism or gout, caused by	Phys. alk.


LITHÆMIA

Baros.

Dropsy

Caps. Bur., Mitch., Cusp., f.,
 Apoc. and. + Serp.,
 Cochl. a.

anasarca	<i>Stroph.</i>
ascites of hepatic cirrhosis	<i>Stroph.</i>
congestion of kidneys	<i>Scill.</i>
effusions when kidneys able to	
respond and when œdema	
follows scarlet fever	Car. pet.
renal, origin of	Piloc.



URINARY

Dropsy	renal, not of cardiac lesions —, inefficiency, due to —, with deficiency of urine retention of urine, with scanty urine, with	<i>Poly. sen.</i> Pip. meth. Piloc. Dauc. C. Car. pet.
Enuresis	atony, due to children, due to relaxed vesical sphincter and copious dis- charge of pale urine nocturnal, in old and young, due to muscular atony —	Art. Abs. (<i>oil</i>), Pedal. M., Equis., Fab. Imb., Helon. Thuja. Plant. m. Pip. meth. Uva U. + Achill. + Rhus gl.
Gravel	children, in deposits, to prevent irritation, and —, pain, uneasiness, burning ; difficult urination or frequent desire painful urination and catarrh of bladder passage of blood, mucus and pus, with red sandy deposits or phosphatic particles, readily stains cloth- ing urine contains excess of uric acid with pus and bloody mucus, with dysuria and tenesmus	Alth. ros., Dauc. C., Car. pet., Tiar., Alch. arv., Uva U., Vacc. Myr., Baros., Gal. ap., Gal. ver., Alis., Erig., Rusc., Petas. v., Senac. aur., Agro., Pariet., Col- lins., Eupat. pur. Eupat. pur. Hydrang. Hydrang. Eryng. cam. Lyco. cl. All. cep. Lyco. cl. Erig.

Hæmorrhage	Cinn. Zey.
Hæmaturia	Achill., Clav. pur., Bidens., Equis., Ol. Tereb. R., Caps. Bur., Lyco. v., Ger- an. mac.
capillary bleeding	Senac. aur., Senac. Jac.
mild renal	Hyper.
much arterial excitement with calculus in bladder	Lyco. v.
passive	Aln. ser., Eupat. pur.
Incontinence	Pedal. M., Kram.
aged, dribbling in	Agrim.
aged, and urging in	Delph. Staph.
catarrh, etc., and	Pip. meth.
children and aged persons, in	Rhus arom.
—, due to weak bladder	Thuja.
chronic disorders, and	Achill. + Ol. Anise.
dribbling of urine in aged, not due to paralysis or growths	Thuja.
— from movement	Puls.
enuresis, excessive and painful urination, and	Rhus arom.
— and irritation	Bell.
involuntary from colds and from nervous diseases	Puls.
painful and frequent urination, scanty milky and mucoid or bloody mixtures; pain and weight in loins to bladder; skin hot, dry and constricted	Eupat. pur.
suppression, stone, etc., and	Equis.
with gastro-hepatic disorders	Oenth. b.
with weakness of bladder	Clav. pur.
Inflammation	Equis.
acute, of genito-renal tract	
chronic, of genito-renal tract	Delph. Staph., Larix. Eur.
chronic, of urethra in women	Pip. cub.
debility of urinary passages, and	Pip. meth.
prostate, acute	Equis.

URINARY

Inflammation	renal	Lin. usti.
	——, chronic with excretion of pus	Chond. t.
	——, incipient	Gault.
	subacute	Pip. Cub.
	urinary	Zea May.
Irritation	abdominal tenderness, with chronic, vesical cystic	Chond. t. Baros. Equis.
	——, from cold with frequent urge to urinate and passage of urine difficult	<i>Gels.</i>
	——, with dysuria, and vesical tenesmus	Fab. Imb.
	dribbling in old men, enlarged prostate, and irritability; bed-wetting in children, and general	Thuja. Car. pet., Arct. L., Zea May., Agro.
	genito-urinary tract with scalding urine	<i>Cann. sat.</i>
	increase action of kidneys, and to nervousness, with painful urination, and renal	Arct. L. <i>Hyosc.</i> Senec. aur.
	strangury, uric acid deposits, and suppression, gravel, etc., and	Alth. ros., Chond. cr.
	——, stone, and tenesmic pain, and urethra, of, due to spermatorrhœa	Epig. Zea May. Samb. Eb. <i>Seren. ser.</i>
	——, with sensation of incomplete urethral evacuation	Salix nig.
	——, and vesical with gravel	<i>Delph. Staph.</i> Hydrang.
	——, in the feeble with urging to urinate	<i>Hyosc.</i>
	urinary tract, of, with muddy, ill-smelling urine	Agrim.

URINARY

Irritation	viscus, long-standing with excessive mucous secretion with relaxed or debilitated bladder	Baros. Tsuga. Epig.
Nephritis	acute <i>Gels.</i> , Hydrang., Corall. + Zing., Citr. v. — and chronic — desquamation — tubal chronic — with albuminuria — with difficulty of urination — with pale waxy skin and pedal œdema — with scrofulous tendency desquamative with weak heart hydro- irritation and deficient secre- tion, with — with gravel liver troubles, especially with painful conditions and cough pregnancy, of, with albuminuria pyo- sthenic patients, in — —, with dry, hot skin, etc. tubular, second stage with renal congestion	Solid. Fuc. ves. Gault. Ol. Tereb. R. <i>Stroph.</i> Eryng. cam. Erech. Chim. umb. (<i>Digit.</i>) Ol. Tereb. R. <i>Bell.</i> , Samb. Eb. Agrim. Chion. v. Agrim. Apoc. can. Ol. Tereb. R. <i>Verat. v.</i> Piloc. Apoc. can.
Pain	bruised, with stiffness and lame- ness across small of back ; rises with difficulty ; pain worse when sitting or lying, feeling of painful pressure in renal region extending to bladder and urethra burning —, and itching through vesi- cal, prostate and urethral tracts following gonorrhœa or gleet	Berb. v. <i>Rhus t.</i> Eryng. cam.

URINARY

Pain	burning, and scalding in women,	
	especially at period	Pip. Cub.
	—, in urethra or neck of	
	bladder	Gal. ver.
	—, soreness and excess of	
	mucus due to calculi	Berb. v.
	—, with renal, vesical or	
	urethral irritability	Eryng. cam.
	chronic in kidneys, ureter and	
	bladder	Lyc. cl.
	deep-seated burning with acute	
	cystitis	Eryng. cam.
	— —, in bladder extending	
	to loins	Eryng. cam.
	— —, renal and weight in	
	loins extending to bladder	Eupat. pur.
fullness and weight in bladder		
with difficult urination	Gossy.	
over kidneys in spots, and		
scanty urine	Solid.	
spasm in neck of bladder	Aven.	
spasmodic, cystic	<i>Hyosc.</i>	
sticking	Collins.	
vesical pressure and tenesmus		
with frequent urge	<i>Cop. L.</i>	
—, with frequent urination	Fab. Imb.	
Paralysis	urinary apparatus, of	
	Diuretics + Serp., or Zing.	
Prostatitis	Baros.	
active inflammatory stage, after	Eupat. pur.	
acute, gland enlarged, tender		
and painful, feeling as if sit-		
ting on ball	<i>Delph. Staph.</i>	
chronic	Thuja.	
—, with catarrh of bladder	Chim. umb.	
—, enlargement of gland,		
throbbing, aching, dull pain ;		
difficult and painful urination	<i>Sab. ser.</i>	
—, with irritation	Gault., Chim. umb.	

Prostatitis	feeling of dryness and heat in gland, shooting, cutting pains in rectum, or as if full of sticks general	Aesc. H. <i>Puls., Seren. ser., Salix nig.</i>
Pyelitis	aged, in catarrh of the bladder, with chronic purulent discharge, with	Zea May, Chond. t., Uva U., Erech., Baros., Ol. Tereb. R. Eucalyp. Zea May. Junip. com. Chim. umb.
Retention	urine, in children ; painful urination in adults ; mucus, blood, or red sand deposits —, strangury and for use after dropsy —, and many other disorders —, spasmodic, stricture, etc.	Lyco. cl. Car. pet. Art. C. Caul. th., <i>Stram.</i>
Strangury		Curc., Spir. U., Car. pet.
Stricture	urethral —, irritably inflamed, stream of urine divided with painful urination	Eryng. cam., <i>Gels., (Bell. (oint.)), Stram.</i> [<i>Gels.</i>] + Chim. umb.
Suppression	urine —, in excitable women —, general depression and headache, with —, high specific gravity and deep colour —, in infants —, and obstruction	Gal. Ap., Tiar., Hyper., Pariet., Mitch., (Brass. n.) <i>Gels.</i> Solid. Piloc. Solid. Polyt. Jun.
Uræmia	with convulsions	Apoc. can., Baros., <i>Crot.</i> <i>Tig., Piloc., Pip. meth.</i> Piloc., Echin.

URINARY

Urethral	caruncle	Thuja.
Urging	uneasiness, difficult urination, uric acid deposits	Swert. Ch.
	—, pain in loins, involuntary muscular movements ; gravel, etc.	Alis.
	—, frequent, painful urination	Chond. t.
	—, burning pain ; painful urination ; scalding, spasmo- dic stricture ; gravel, etc.	Eryng. cam.
Urination	burning and frequent	<i>Cann. sat.</i>
	burning and scalding in women particularly at period	Pip. Cub.
	constant urge with sense of obstruction	Eupat. pur.
	constant urging with little relief from effort ; urine acid and muddy	Baros.
	difficult with fullness and weight in bladder	Gossy.
	— and tardy in both sexes	Senec. Jac.
	—	Hydrang.
	—, with scalding of urine	Menth. v.
	deep-seated pelvic perineal ach- ing in cystitis, or prostatitis	Eupat. pur.
	dysuria	Gault.
	— of pregnancy	<i>Puls.</i>
	— of spasmodic urethral stric- ture	<i>Gels.</i>
	— with tenesmus in women during and after menstruation or during menopause	Eryng. cam.
	— with pain and scalding or burning in urethra or neck of bladder	Gal. Ap.
	expelled on exertion as cough- ing, etc.	Thuja.
	feeling of incomplete evacuation as if drop of urine rolling along canal	<i>Delph. Staph.</i>

Urination	<p>frequent and difficult, or painful — desire with pain in urethra and glans upon urinating —, scanty and scalding — urging, urine passing in drops — ineffectual attempts with sensation of bloated bladder fullness, burning, itching, fre- quent attempts to urinate or every movement of body in- duces involuntary passing of urine increase, to itching, burning and smarting in urethra, after painful Pip. meth., — and frequent with pain and weight in loins extending to bladder — and scalding —, in febrile and inflamma- tory states —, with tenesmus pregnancy, of, difficult to void smarting and burning tenesmic action after tenesmic urging to</p>	<p>Agro. Chond. t. Eryng. cam. Cop. L. Puls. Eryng. cam. Car. pet. Cop. L. Delph. Staph. Eupat. pur. Delph. Staph. Gal. ver. Cann. sat. Eupat. pur. Chim. umb. Pop. tre. Equis.</p>
Urine	<p>acid and muddy alkaline blood or pus bloody catarrhal flow from bladder or genitalia, both sexes cloudy and pale with high specific gravity dark-coloured and heavy sedi- ment —, scanty with œdema, anasarca, or ascites</p>	<p>Baros. Hydrang. Epig. Hydrang. Thuja. Chel. m. Solid. Digit.</p>

URINARY

Urine	deficient secretion due to general debility	Ol. Tereb. R.
	excess of mucous or muco-purulent and acid, with vesico-renal irritation (chronic)	Baros.
	excessive mucous and prostatic discharges	<i>Seren. ser.</i>
	fermentative and alkaline, gravel, uric acid deposits	Styr. ben.
	highly-coloured with blood and solids, and voided with pain	Eupat. pur.
	loaded with bile	Chel. m.
	low specific gravity	Salv. off.
	milky-looking	Eupat. pur.
	mucoid discharges	<i>Cop. L.</i>
	mucus and blood	Agro.
	presence of sugar	Chion. v.
	prostatorrhœa	Equis.
	pus, in	Eucalyp.
	stains clothing yellow	Chion. v.
	scalding	<i>Cann. sat.</i> , Curc. Pep., Citr. v.
	scanty, and circulation sluggish with boggy, watery urine	Apoc. can.
	— and milky with admixture of blood and mucus	Eupat. pur.
	— and orange-coloured	Chion. v.
	— but excessive voiding of mucus, muco-pus, or bloody muco-pus	Chim. umb.
	— high-coloured with sense of pressure in bladder	<i>Scill.</i>
	— secretion of highly-coloured	Menth. vir.
	— with frequent and ineffective urging	Eryng. cam.
	— with hyperæmic irritation of renal organs and urinary passages	<i>Gels.</i>
	thick, ropy, in aged	Chim. umb.

GENITALIA

Amenorrhœa	delayed or arrested	Tanac.
	— in young girls; headaches; wandering pains; chorea; and possibly hysteria and epilepsy	Caul. th.
	—, cold extremities; dry, rough skin	Sang.
	— by wet feet in women of mild gentle disposition	<i>Puls.</i>
	discharge, to increase	Asclep. t. + Caul. th. + Zing.
	excite or restore	(Brass. n.), Art. Abr., Cimic. rac., Rubia, Ruta gr., Carth. t., Sesa. ind., Aloe, Anth. n., Sant. Ch.
	face flushed, eyes bright with contracted pupils	<i>Gels.</i>
	feeble circulation, sallow, expressionless mouth and face, and colic-like pain	<i>Nux Vom.</i> + Cimic. rac.
	irregular with uterine or cervical leucorrhœa	Senec. aur.
	lactation suppressed, with	Foen.
	long standing with pallor, takes cold easily; anæmia and languour; dark circles around eyes; pain in back and loins; exhibits full and prominent veins	Menth. pip.
	nervous depression and despondency	<i>Cann. sat.</i>
	ovarian inactivity, due to	Car. pet.
	pain in back, pelvis and thighs	Cimic. rac.
	pale, despondent and nervous	<i>Puls.</i> + Cimic. rac.
	tardy and imperfect	Asafet.
	— and suppressed	Senec. Jac.
	— or insufficient with sense of fullness and weakness of back and loins	<i>Puls.</i>
	tense bearing-down pains, with	Vibur. pr.

GENTALIA

<p>Amenorrhœa</p> <p>,</p>	<p>uterine torpor and constipation, with vascular excitement young not yet well established, in</p>	<p>Commi. Myr. <i>Acon.</i> Senec. Jac.</p>
<p>Derangements (<i>Not other- wise classi- fied</i>)</p>	<p>apathy and frigidity, in females with imperfect menstruation and leucorrhœal discharges colds, due to debility of female reproductory organs with bearing-down pains and discomforts long intermenstrual intervals and prolonged flow nervous agitation preceding menstruation in feeble, excit- able women, flow tardy, and imperfect paroxysms, with pelvic fullness, with</p>	<p>Liat. sp., Cham. lut., Ajug. Ch., Imper. Ost., Usti. May. <i>Con. mac.</i> Carb. ben. Leon. <i>Delph. Staph.</i> Nep. Cat. Solan. Car. Oenoth. b.</p>
<p>Dysmenor- rhœa</p>	<p>atonic burning pain and frontal head- aches, with —— with intense itching check pain and facilitate flow, to congestive cramp-like pains and scanty flow debility, with</p>	<p>Melil. off., Citr. Col., Zing., Nep. Cat., Cimic. rac., Caul. th., Mitch., Phytol., Levist., [<i>Bell. (suppos.)</i>], <i>Pisc. Ery.</i>, <i>Vibur. pr.</i>, (<i>Tanac.</i>), <i>Puls.</i>, <i>Senec. aur.</i> Apiol. Asar. can. <i>Rhus t.</i> Apis. (H) Anth. n. Hydras. <i>Vibur. pr.</i> Sang.</p>

GENITALIA

Dysmenor- rhœa	gloomy mentality and chilliness	<i>Puls.</i>
	great præcordial depression, difficult respiration and full rigid pelvic tissues	<i>Lobel.</i>
	gripping, twisting pain, worse bending down and lying down, better standing erect and bending back	<i>Diosc.</i>
	habitual, with scanty flow	<i>Chrys. L.</i>
	intense cramping in uterus; flow scanty; heavy congested feeling in ovaries	<i>Gels.</i> + <i>Vibur. Op.</i>
	neuralgic	<i>Vibur. Op.</i>
	painful and difficult	<i>Menth. sat.</i>
	— and spasmodic	<i>Cann. sat.</i>
	profuse discharge of urine; dull and drowsy	<i>Bell.</i>
	robust subjects, in	<i>Gels.</i>
	scanty and difficult with flushed face and bright eyes	<i>Gels.</i>
	severe chill and cold extremities	<i>Ignat.</i>
	spasmodic	<i>Hyosc., Vibur. Op.</i>
	tardy with backache and drag- ging pelvic pain	<i>Gossy.</i>
	tensive tearing about anus as if some pointed or rough sub- stance lodged there	<i>Collins.</i>
Glands	tenderness in, and other parts or reproductive organs	<i>Seren. ser.</i>
Gleet	[<i>Liquidamb.</i>], <i>Cop. L.</i> , <i>Liat.</i> sp., [<i>Hamam.</i>], <i>Pip. cub.</i> , <i>Pop. tre.</i> , <i>Ped. Mur.</i> , <i>Equis.</i> , <i>Rhus gl.</i> , <i>Uva U.</i> , (<i>Querc.</i> <i>L.</i>), <i>Pip. meth.</i> , [<i>Nymph.</i>], <i>Delph. Staph.</i> , <i>Thuja.</i>	
	badly treated gonorrhœa, of	<i>Seren. ser.</i>
	last stage of	(<i>Hydras.</i>)
	with excessive mucous discharge	<i>Ol. Tereb. R.</i>
	with nervous unrest	<i>Cyprip. pub.</i>

Gonorrhœa

Pyr. Cyd., Chim. umb., [Cop: tri.], *Cop. L.*, *Liat. sp.*, *Cean. Am.*, *Pip. cub.*, *Alth. off.*, *Santal.*, *Ped. Mur.*, *Bet. alb.*, *Equis.*, (*Querc. L.*), (*Pter. M.*), *Rhus gl.*, *Verat. v.*, *Oxal. ac.*, *Pop. tre.*, *Peum. Bol.*, *Uva U.*, [*Liquidamb.*], [*Hamam.*], *Stat.*, *Hydras.*, *Thuja*, *Delph. Staph.*, *Phytol.*, *Eryng. cam.*, *Pip. meth.*

acute [Alth. off.], [Alth. ros.], *Asclep. cur.*, *Gels.* + *Cann. sat.*

after discharges have almost ceased

Pip. cub.
(*Hydras.*)
Uva U.
Sassa.

ardor urinae, in

bloody urination, with

chronic

chronic when urethral membrane swollen

Puls.
(*Eucalyp.*)
Eryng. cam.
Gels.

discharges free and fetid

having pain in urination

inflammatory stage, in

second stage, in

slow and intractable

stubbornly resisting

urethritis, febrile stage

urethritis

(*Hydras.*)
Pip. meth.
Myrox. P.
Acon.
(*Hydras.*)

Hæmorrhage

passive in virgins, and during menopause

post-partum

Hydras.
Helon.

Labour

after-pains, and nervous agitation, subsequent to

cross and peevish, cannot stand least pain

during, to overcome great restlessness, fear, and excitement

in nervous women

distress, to relieve

Gels.
Anth. n.

Gels.
Mitch.

GENITALIA

Labour	excessive flow	Cinn. Zey.
	facilitate, to	Caul. th., Art. el.
	hæmorrhagic tendency, pains	
	inefficient and parts lax	Corn. ser.
	jerky and ineffectual contrac-	
	tions	Gels.
	mitigate pain and relieve sense	
	of heat and dryness, to	Gels.
	perineal and vaginal rigidity,	
	during	Lobel.
	preparatory steps to insure good	
	Mitch. + Cimic. rac. + Aral. n.	
	pressing pains on bladder or	
	rectum	Nux Vom.
	puerperal, convulsions, eclamp-	
sia, pulse hard and tense	Verat. v.	
rigid os	(Bell. (oint.))	
rigidity of os, nervous and rest-		
less	Piloc.	
soreness of tissues, after	(Hamam.)	
weak irregular uterine contrac-		
tions, during	Cimic. rac.	
with cold feet and general cold		
surface ; pains inefficient	Serp.	
Leucorrhœa	[Tsuga], [Liquidamb.], Cop.	
	L., [Calend.], Rhus gl.,	
	(Hamam.), (Querc. L.),	
	[Querc. R.], Uva U., Prun.	
	v., [Amar.], [Nymph.],	
	Avens., Cel. sca., [Chrys.	
	Leu.], [Stat.], [Vacc.	
	Myr.], [Pter. M.], [Pyr.	
	auc.], [Collins.], Puls.,	
	Achill.	
anæmia, with	Helon. + [Helon.]	
atonic in strumous subjects	Cory. Can.	
atonic	[Myric. cer.]	
cervical with enlargement of		
womb	Senec. aur.	
dysmenorrhagic	Fran. gr., Iris lut.	

GENITALIA

Leucorrhœa	fetid discharge, with free, thick, milky or yellow bland discharge, and pain in loins, with offensive with free but fetid discharge sponginess of vagina, and ten- dency to prolapsus of womb strong, sticky syphilitic, associated with syphilitic vaginal following gonorrhœa and gleet — and uterine Hydras. + (Hydras.), Uva U., Conv. m. watery Apoc. can.	Echin. <i>Puls.</i> [Eucalyp.] Hamam. Helon. Berb. aq. Berb. aq. Fran. gr.
Lochia	suppressed Menth. pip., Cimic. rac., Leon., <i>Croc. sat.</i> suppress, to	Corall.

Male Organs

GLANS PENIS

abrasions and excoriations of (Thuja)
chordee, to prevent and relieve
Gels., (*Bell. (oint.)*), *Nux Vom.*,
Puls., *Cann. sat.*

TESTES.

atrophy of *Seren. ser.*
dark red, congested, enlarged
and sensitive *Puls.*
epididymitis *Podo.*, *Seren. ser.*, (*Piloc.*)
— due to gonorrhœal infec-
tion, or metastasis of mumps *Puls.*
gonorrhœal *Piloc.*
— infection or metastasis
from mumps *Puls.*
nervous irritation due to, or
accompanying varicocele *Puls.*
orchitis *Seren. ser.*, *Stram.*, *Verat. v.*,
(*Echin.*), (*Piloc.*), *Phytol.*

GENITALIA

Male Organs	orchitis metastasis from mumps	<i>Puls.</i> + <i>Phytol.</i>
	— with tenderness on pressure	<i>Bry.</i>
	varicocele (Hamam.)	+ <i>Puls.</i> + <i>Hamam.</i>
		<i>Beton.</i>
	— with piles	<i>Collins.</i>
	— with sense of weight and dragging	<i>Hamam.</i>
	PROSTATE (see also Prostatitis)	
	enlargement of	<i>Thuja, Gault., Chond. t.</i>
	inflammation of	<i>Beton.</i>
	irritation, with painful micturition and dribbling in aged	<i>Seren. ser.</i>
	SPERMATORRHŒA	<i>Aven., Bell., Helon., Chim. umb., Salv. off., Puls., Humul., Camph., Salix nig., Vibur. pr., Iris v., Collins., Cinch.</i>
	irritable	<i>Cel. sca. + Agrim.</i>
	seminal emissions, with lustful dreams; weak knees; cold genitals, and great despondency	<i>Diosc.</i>
	through urethral irritation	<i>Eryng. cam.</i>
	with turgescence of the erectile tissue	<i>Clav. pur.</i>
Masturbation		<i>Beton.</i>
	disorders from epilepsy, due to	<i>Usti. May. Con. mac.</i>
Menopause	alternate chills and flushes; blood to head; palpitation	<i>Acon.</i>
	debility	<i>Vibur. pr.</i>
	fear of disaster	<i>Cyrip. pub.</i>
	hypochondriacal	<i>Cyrip. pub.</i>
	nervous atony with cold extremities	<i>Ignat.</i>
	persistent cold feet and legs	<i>Ignat.</i>
	with tendency to mania	<i>Cyrip. pub.</i>
	worry	<i>Cyrip. pub.</i>

Menorrhagia		Ol. Tereb. R., Trill., Geran. mac., Vinc. m., Linar. el., <i>Psyc. Ipec.</i> , Senec. Jac., Lysim., Mitch., Uva U., Amar., <i>Puls.</i> , Hamam., Cimic. rac., Senec. aur., Achill., Alet. Caps. Bur.
	congestive	Hydras., Clav. pur.
	dark clotted losses	<i>Croc. sat.</i>
	excessive and flooding	Alch. v. + [Alch. v.]
	— with shreds of membrane passed	Clav. pur.
	excited circulation, with, and hot dry skin	<i>Acon.</i>
	fibroids and polypi, with functional	Cinn. Zey. <i>Cann. sat.</i>
	profuse, too often and too long	Apoc. can.
	prolonged and oft-recurring with almost colourless flow	Caps. Bur.
Menses	OBSTRUCTED.	Cel. sca., Polyg. Hyd., Gossy., Rusc., Leon., Art. v., Cimic. rac., Teuc. Sco.
	DIFFICULT.	Gossy.
Menstrual Flow	irregular, scanty or delayed with dull pain and muscular soreness	Cimic. rac.
	promote, to	Veron. off., Corall.
	scanty, to relieve pain	Car. pet.
	suppressed or excessive	Ball. n.
	with sudden fits of temper	Matric.
Metrorrhagia		Lyc. v., Senec. Jac.
Nymphomania		<i>Hyosc.</i> , Humul., Salix nig., Camph., <i>Stram.</i>
	mild	Salix nig.

GENITALIA

Ovarian	atony with impairment of function	Senec. aur., Senec. Jac.
	burning pain extending to vagina with frontal headache and sharp pulse	<i>Rhus t.</i>
	congestion with dull aching pain and sense of weight and fullness	Hamam.
	dragging pains in groins and vulva	Phytol.
	dull, turbid headache with inclination to sleep	<i>Bell.</i>
	inflammation, acute, with more or less enlargement in iliac with deep-seated and dull pain, tenderness on pressure and weight in pelvis	<i>Acon., Verat. v.</i>
	—, and menstrual derangements of excessive discharge in women with lax, pendulous abdomen, weak and flabby enlarged uterus, and full toneless perineal and vaginal tissues	Usti. M.
	—	Caul. th., <i>Seren. ser.</i> , <i>Salix nig.</i> , <i>Gels.</i> , <i>Verat. v.</i> , Corall.
	—, with tenderness on pressure	Bry.
	—, with tense tearing pain	<i>Puls.</i>
	irritation and determination of blood to the head	<i>Gels.</i>
	steady pain extending to groin	Bry.
	tensive dragging pain, backache, and soreness of muscles	Cimic. rac.
	uterine tenesmus	Vibur. pr.
Pain	after-annoying, of pregnancy	Cimic. rac., Vibur. pr., Caul. th.
	bearing-down, explosive	Cimic. rac.
	bearing-down and severe lumbar	Vibur. Op.
		Vibur. pr.

Pain

contraction of pelvic tissues, painful	Vibur. pr. <i>Verat. v.</i>
convulsions, puerperal	Xanth.
cramps and neuralgia of uterus	
dragging in womb with sense of soreness	Cimic. rac.
dragging pelvic, and backache, with tardy menstruation	Gossy. Cimic. rac.
dull, aching, ovarian	
dull, tensive, incident of repro- ductive disorders in women	Cimic. rac.
eclampsia, post-partum with mania	<i>Verat. v.</i>
false	Cimic. rac., Vibur. pr.
—, and restlessness	Caul. th.
menstrual colic with soreness and coldness	Melil. off.
neuralgic, during menses	<i>Passif.</i>
neuralgia, ovarian	Diosc., Melil. off., <i>Con. mac.</i>
pelvic congestion, sense of	Caul. th.
— weakness and sense of dragging in testicles with frequent and painful urina- tion, of male reproductive organs	Senec. aur.
perineal weight and fullness with female complaints	Senec. aur.
reflex, of pregnancy and meno- pause	<i>Passif.</i>
sluggish labour, of	Caul. th.
soreness and bearing-down of uterus	Senec. Jac.
spasmodic, dysmenorrhagic	Diosc.
—, uterine	Vibur. Op.
tenderness in glands, and other parts or reproductive organs	<i>Seren. ser.</i>
testicular dragging and pelvic weight with tenesmic urina- tion	Senec. Jac.

GENITALIA

Pain	uterine, with weight, fullness and pain in legs weight and dragging in pelvis in females	Caul. th. Commi. Myr.
Pregnancy	albumen in urine previous to full term cerebral congestion; flushed face; cold extremities; throbbing carotids cramp in calves of legs disagreeable, nothing pleases hæmorrhoids, with heart action, to strengthen	Eupat. pur. <i>Verat. v.</i> Vibur. Op. Piloc. Aesc. H. <i>Digit.</i>
Prolapse	uteri, dragging pain in hypogastrium; back feels broken, and pains extend along posterior portion of thighs; tendency to melancholia	Helon. Cimic. rac., <i>Puls.</i> , Helon., Senec. aur. Senec. aur., Senec. Jac.
Relaxed	female generative tract with or without mucous or mucopurulent discharge	Senec. Jac., Senec. aur.
Salpingitis	before suppuration sets in	<i>Gels.</i>
Seminal Emissions	incontinence with relaxed organs and impotency nocturnal —, disorders of — due to excesses, with feeble body, impaired mind, and mental apathy — oft-recurring with cold extremities and feeble erections nocturnal losses after fever, and from nervous erethism of debility	Sang. Salix nig. Usti. May. Helon. <i>Digit.</i> Aven.

Sexual	ABUSE (see also Masturbation). all disorders following abuse or excess	Salix nig. Usti. May. <i>Con. mac.</i>
	disorders from epilepsy, due to	
	DESIRE. absence of, due to worry or hard work	<i>Seren. ser.</i>
	COMPETENCE. debility	Sang. Cyprip. pub.
	— erethism of enfeebled state with late and scanty menstruation	<i>Con. mac.</i>
	impotence Turn. aph., Lir. ov., <i>Seren. ser.</i> , Ped. Mur.	Eryth. Coc.,
	—, in nervous irritable patients; seminal discharge too soon, at stool, or at least excitement	Aven.
	—, in sterile women, through overwork, too frequent child- bearing, or general break- down of whole system	<i>Seren. ser.</i>
	lassitude	Gossy., Helon.
	powers increased	<i>Puls.</i>
	weakness, in females	Gent.
Sterility	functional	Helon., Senec. Jac., Cimic. rac., <i>Puls.</i> , <i>Ignat.</i>
Syphilis		Daph. Mez., Beton., Mars. Con., Aral. n., Brun.
	bone pains, worse at night and during damp weather, mostly in legs with bruised feeling	Phytol.
	chancroid	Thuja.
	chronic cachexia, due to	Kalm.
	constitutional with excited heart and rapid circulation	Kalm.
	glandular derangements, due to	Iris v.
	secondary	Phytol., Helian. can., Jacar. pro.

GENITALIA

Syphilis	second stage of ulcers	Podo. Rhus gl., Rhus arom.
Ulceration	cervix uteri, with foul, sanious or muco-purulent leucorrhœa syphilitic phagedena	Bapt. + [Bapt.] (Echin.)
Uterine Disorders (<i>Not otherwise classified</i>)	atony, impairment of function ; increased secretions ; steril- ity ; displacements atony, lassitude, fullness, bear- ing-down feeling derangements, congestion, feeble nervous system, parturient despondent and nervous, chilli- ness, painful disorders with nervousness and excitement excessive discharges, parturient, astringent hæmorrhagic states irritable states of uterus in nervous patients ; cramp-like, expulsive, and other pains ; threatened abortion ; sensi- tiveness, lumbar pains, par- turient neuralgic, uterine colic, fetid discharges tensive dragging pains, atony, rheumatism weight, dragging pains ; sup- pressed menses ; leucorrhœa	Senec. aur. Helon. Mitch. <i>Puls.</i> <i>Gels.</i> Trill. Hydras. Vibur. pr. Car. pet. Cimic. rac. Commi. Myr.
Uterus	atony of caruncles cervical leucorrhœa and impair- ment of function cervicitis	Helon. [Thuja] Senec. Jac. [Calend.]

Uterus

- cervix, congestion of, with difficult and tardy menstruation
 ———, with severe expulsive pain
 chronic
 colic of
 congested and irritable
 congestion of, with soft flabby cervix
 debility from chronic inflammatory condition
 disease of
 disorders with feeble pelvic circulation
 displacement of, with bearing-down pain and frequent desire to urinate
 endo-metritis
 ———, chronic, with discharge of glairy mucus
 enlargement of, with bearing-down pain
 ———, with cervical leucorrhœa
 ———, with uterine or cervical leucorrhœa, and impaired function
 erosion of os
 ———, cervical
 fibroids, to restrain bleeding and to reduce
 full, relaxed, with watery discharge
 hæmorrhage
 inflammation of
 ——— ———, burning in bladder, constant desire to urinate and painful micturition
 ——— ———, dribbling of urine or non-appearance of menses
- Cimic. rac. + *Puls.*
Vibur. Op.
Croc. sat.
Vibur. pr., Gels.
Apoc. can.
 Hamam.
 Caul. th.
 Corn. ser.
Delph. Staph.
Lill. tig. (H)
 Caul. th., [Calend.]
 Inul. Hel.
 Frax. Orn.
 Senec. aur., Chond. t.
 Senec. Jac.
 [Calend.]
 Hydras. + [Hydras.]
 Hydras.
 Apoc. can.
 [Hamam.], Hydras., Bid.
Gels. + Cimic. rac., Citr. v.
 Eryng. cam.
 Gossy.

GENITALIA

Uterus

- inflammation of, itching and burning
 — —, with abdominal pains and tenderness
 — —, with abundant yellow purulent discharge
 — —, with burning pain; pain in forehead and raised papillae of tip of tongue
 — —, cutting pain in region of bladder with cough
 — —, nervousness and fear
 — —, pelvic pain
 irritability and hyperæsthesia
 —, with frequent micturition, with pain and great tenesmus
 metritis
 prolapse
 — dragging pain in hypogastrium; back feels broken, and pains extend along posterior portion of thighs; tendency to melancholia
 —, slight
 rheumatism of
 —, with chorea
 rigid os, with thick, doughy and unyielding rim
 subinvolution of
 —, and hypertrophy of the cervix, when indicated by sodden, inelastic, pallid tissues and engorged liver, and spleen
 ulcers
 ulceration of cervix with foul, sanious or muco-purulent leucorrhœa
- Apis. (H)
 Diosc.
Cop. L. + Pip. cub.
Rhus t.
 Bry.
Puls.
 + Cimic. rac.
 Vibur. pr.
Stram. + Carb. ben.
 Caul. th., Calend.
 [Tsuga], (Hamam.), Senec. aur., Helon., Apoc. can., Uva U. + Mitch. + Tarax.
 Helon.
 Senec. Jac.
 Caul. th.
 Cimic. rac.
Lobel.
 Hamam., Caul. th., Apoc. can.
 Polym. U.
 [Corn. ser. + Vibur. pr.]
 Bapt. + [Bapt.]

GENITALIA

Uterus	weak irregular contractions during labour weakness of	Cimic. rac. Chim. umb.
Vagina	relaxed weakness of	Uva U. + Mitch. + Tarax., Helon. [Corn. F.]
Vaginitis	acute burning pain and acrid discharge deep, tensive pain in back and hips depressed and nervous incontinence of urine, with itching and burning, with pains, pressing-down partial or complete retention of urine, with chronic leucorrhœa, and fullness and weight, dragging in pelvis —— with, and uterine pain, and pains in back and thighs	(Hamam.), Pip. meth., [Alth. off.], [Calend.], [Alth. ros.], Senec. Jac., Commi. Myr., [Stram. + Arn.], Caul. th. + [Caul. th.] <i>Rhus t.</i> Cimic. rac. <i>Puls.</i> <i>Bell.</i> Apis. (H) Vibur. Op. Art. C. Hamam. + Vibur. pr. Cimic. rac. + <i>Puls.</i>
Venereal	(see also Gonorrhœa, Syphilis, etc.) affections buboes —— in forming stage discharges	Iris v. <i>Puls.</i> , Phytol., (<i>Acon.</i>), (Calend.), (Trill.) Phytol. (Thuja)
Vulva	inflammation of, superficial with general fever —— ———, with itching and irritation after micturition	<i>Acon.</i> <i>Rhus t.</i>

GENITALIA

Vulva	<p>inflammation of, with burning pain, sense of rawness or smarting</p> <p>— — — — —, with chilliness, and cold extremities</p> <p>— — — — —, with extreme itching</p> <p>— — — — —, with incontinence</p> <p>— — — — —, with irritation and burning</p> <p>— — — — —, with irritation of bladder and painful urination</p> <p>— — — — —, with pains in back, loins, and in limbs</p> <p>— — — — —, erythematous and erysipelalous, with burning pain</p> <p>pruritis, with burning</p> <p>— — — — — with contraction and pain about anus</p> <p>— — — — — with fullness and inclined to prolapse</p> <p>— — — — — with itching and burning to urinary passages</p> <p>— — — — — with lumbar pains, painful menstruation, and pain in thighs</p> <p>— — — — — with nervousness and depression</p>	<p><i>Rhus t.</i></p> <p><i>Ignat.</i></p> <p>Apis. (H)</p> <p>Gossy.</p> <p>Pip. cub.</p> <p>Eryng. cam.</p> <p>Cimic. rac.</p> <p><i>Rhus t.</i></p> <p><i>Rhus t.</i></p> <p>Collins.</p> <p>Hamam.</p> <p>Apis. (H)</p> <p>Cimic. rac.</p> <p><i>Puls.</i></p>
-------	---	--

RESPIRATION

Aphonia	(see under Throat).	
Apoplexy	pulmonary	<i>Lobel.</i>
Asthma	<p><i>Ail.</i>, <i>Adhat.</i>, <i>Chrys. L.</i>, <i>Collins.</i>, <i>Cean. Am.</i>, <i>Drac.</i>, <i>Eph.</i>, <i>Eriod.</i>, <i>Eucalyp.</i> <i>(inhaled)</i>, <i>Gal. Ap.</i>, <i>Imper.</i> <i>Os.</i>, <i>Lonic.</i>, <i>Petas. v.</i>, <i>Prun.L.</i>, <i>Poly. sen.</i>, <i>Sumb.</i>, <i>Stict. pul.</i>, <i>Tuss. Far.</i>, <i>All. sat.</i>, <i>Dor. Am.</i></p>	
	aged in	<i>Commi. Myr.</i> , <i>Agrim.</i> , <i>Grind. r.</i> , <i>Symp. foet.</i>
	associated with emphysema ; pale face ; lips cyanotic ; pulse small and soft ; especially in old people	<i>Asp. O.</i>
	breath stops when falling asleep, wakes with start, gasping for breath ; cough with tenacious mucus	<i>Grind. cam.</i> <i>Phys. ver.</i>
	bronchial	<i>Stroph.</i>
	— with œdema	<i>Asp. O.</i>
	cardiac and renal, emphysema	<i>Stroph.</i>
	—, with œdema	<i>Oenan. ph.</i>
	chronic	
	—, with cough and easy expecto- ration, thickening of bron- chial membrane ; loss of appetite, and emaciation	<i>Eriod.</i> <i>Viol. t.</i>
	convulsions, to prevent	<i>Asclep. t.</i>
	dry, non-spasmodic	
	humid	<i>Marr. v.</i> , <i>Inul. Hel.</i> , <i>Eupat. per.</i>

RESPIRATION

Asthma	nervously depressed and fear of suffocation, of non-paroxysmal old people, must sit up ; dyspnoea ; profuse mucus with rattling and wheezing	<i>Strych. Ign.</i> <i>Aesc. gl.</i>	
	seizures	<i>Poly. sen.</i> <i>Lobel.</i>	
	severe attack, pressed for breath and wheezing	<i>Gels. + Sumb.</i>	
	spasmodic	<i>Lobel., Hyosc., Passif., Delph. con., Diosc., Gels., Caul. th.</i>	
	—, purely	<i>Stram., Bell.</i>	
	superinduced by pregnancy or suppressed menses	<i>Puls.</i>	
	uncomplicated, with insufficient cardiac force	<i>Asp. Q.</i>	
	with cardiac irregularity and weakness	<i>Conv. m.</i>	
	Breath	offensive	<i>Bapt., Echin.</i>
	Breathing	continuous laboured with weak pulsation	<i>Digit.</i>
difficult		<i>Asp. Q., Lobel., Acon., Sang.</i>	
—, asthmatic with sense of soreness and rawness		<i>Grind. cam.</i>	
—, asthmatic and asthenic cases, where breathing requires effort and depends on will power		<i>Nux Vom.</i>	
—, or sighing with cardiac weakness with valvular murmurs		<i>Crat. Oxy.</i> <i>Phys. ven.</i>	
—, with constriction			
—, with kidney troubles		<i>Samb. Eb., Ptel. t., Cer. gr.</i>	
hurried spasmodic		<i>Acon.</i> <i>Euph. pil.</i>	
Bronchial	acutely inflamed mucous membrane	<i>Lin. usti., (Myr. fr.)</i>	

- Bronchial** advanced inflamed mucous membrane Asp. Q.
- affections Aeth. off., Adhat., Bry., Glycerine, Hyper., Hyss., Lipp., Lyco. v., Lonic., Pip. meth., Led. lat., Pol. rep., *Poly. sen.*, Tuss. Far., Symph., Asclep. t. + *Lobel.* + Zing., Dor. Am., Cimic. rac. + Aral. rac.
- affections, chronic Lyco. v., Oenan. ph.
- —, of mucous air passages Fer. gal.
- dyspnoea of capillaries and chronic pneumonia Asp. Q.
- inflammation, advanced stages when heart fails and secretions abound, with lack of power to expectorate *Strych. Ign.*
- , early stages of acute *Gels.*
- , hypersecretion of bronchial fluid with mucous rales *Psyc. Ipec.*
- of *Quill., Lyco. v.*
- —, acute Verbas., Styr. ben., Cean. Am. + Aral. rac., Menth. pip., Vitis., Larix. Eur., (All. sat.), Hier., Adian., Myrox. T., Corall. + Zing., *Acon.*, Asclep. t., Bry., [Thuja]
- — — capillary in aged to combat depression *Camph. (subcut.)*
- — — with dry, explosive cough *Hyosc.*
- — — with sthenic cases *Verat. v.*
- — —, fever, great restlessness, soreness in chest ; dry cough *Acon. + Asclep. t.*
- —, chronic Agrim., Collins., *Gels.*, Gal. Ap., Aral. rac., Cet. Isl., Chond. cr., Prun. Per., Eriod.

RESPIRATION

Bronchial	inflammation, stubborn cough with irritation in trachea and bronchi	Inul. Hel. + Asclep. t.
— —	, in aged	Asafet.
— —	, with short, dry, ex- plosive cough worse on lying down	<i>Hyosc.</i>
— —	, with spasm	<i>Lobel.</i>
— —	, with dry spasmodic cough	<i>Lobel.</i> , Dros.
— —	, with exhausting sec- retions	Commi. Myr.
— —	, with profuse secre- tions	<i>Poly. sen.</i>
— —	, with increased secre- tions	Penth., Still.
—	, subacute and chronic in aged	Grind. cam.
— —	with fetor, relaxation and abundant secretion	(<i>Eucalyp.</i>)
—	, when expectoration scanty and chilliness	Sang.
—	, with extreme irritability ; gastric irritation ; restlessness and delirium ; small wiry pulse	<i>Rhus t.</i>
—	, with excessive and fetid expectoration	Thuja.
—	, with hot, dry skin, or pungent heat with moisture ; full pulse	Asclep. t.
—	, with lack of secretion	Piloc.
—	, chronic	<i>Eucalyp.</i>
— —	, in aged and consump- tives with irritable, teasing, and paroxysmal cough	<i>Euph. pil.</i>
— —	, with bronchial dilata- tion and dyspnoea	<i>Phys. ven.</i>
— —	, with fetid expectora- tion	Santal.

Bronchial	inflammation, with free and abundant secretion of muco-pus	Eryng. cam.
	— — —, profuse excretion of mucus, or muco-pus	Inul. Hel.
	— — —, profuse excretion of mucus, or muco-pus, difficult to expectorate	Commi. Myr.
	irritation	Arct. L.
	— — —, chronic of membrane, with cough and catarrh	Marr. v.
	— — —, dry with wheezing, tightness of chest, paroxysms of irritable cough, with dry inactive skin	Corall.
	— — —, nervous with cough	Verbas.
	— — —, of tubes	Psyc. Ipec.
	— — —, with dry explosive cough	Trif.
	— — —, with free secretion	Anem. hep.
	mucous accumulation	Lobel.
	relaxed mucosa and skin, with deep, hoarse cough and excessive secretion	Poly. sen.
Bronchorrhœa	of aged	Myrox. P., Poly. sen., Eucalyp., Grind. cam.
Catarrh		Eug. Ch., Senec. Jac., Iach., Penth., Asclep. t.
	bronchial	Poly. sen., Penth., Symp. foet., Asclep. t., Collins.
	chronic, atonic respiratory with profuse expectoration	Pip. cub.
	— — — bronchial, with fetid expectoration	Santal.
	— — — broncho-pulmonic with cough	Erech., Myrox. T., Poly. sen., Oenoth. ph.
Chest	oppression of, with pain and cough	Lobel., Bry.
Choking Sensation		Hyosc.

RESPIRATION

Colds

	Eucalyp., Euph. off., Menth. pul., Achill.	
at beginning		<i>Acon.</i>
— — —, with chilliness		<i>Gels.</i>
to break up a		Corall.
diaphoratic with above		Asclep. t.
in head and bronchial cough,		
worse on entering room		All. cep.
on chest especially at beginning		
and end of winter, with per-		
haps dry cough ; oppression ;		
stomach deranged, etc.		Bry.
with kidney and visceral trouble		Verbas.

Cough

	Adian., Agrim., Clad. pyx., Cyn. off., Dor. Am., Glycerine, Hyper., <i>Lach.</i> , Mal. syl., Pimp. anis., Pol. rep., <i>Psyc. Ipec.</i> , Prun. L., Polyp. v., All. sat., Senec. Jac., Stict. pul., Styr. ben., Scab., Veron. off., Verbas.	
aged and debilitated, winter-		
with profuse secretion		<i>Strych. Ign.</i>
aged and debilitated, in	Eupat. per., All. cep.	
aged, in, winter-		Eug. Ch.
bronchitis, chronic of		<i>Poly. sen.</i>
catarrhal		Thym. Ser.
chilliness, with		<i>Acon.</i>
chronic	Chond. cr., Drac. foet.	
—, bronchial	Marr. v., Collins.	
—, of debility	Asar. Can.	
—, and much perspiration	Osmunda.	
—, with nervousness	<i>Hyosc.</i>	
—, and winter	Still.	
—, and pain in shoulders,		
neck and occiput	Stict. pul.	
—, with scanty, tenacious		
expectoration	<i>Scill.</i>	

Cough

continuous, irritative, with profuse muco-purulent expectoration	Prun. ser.
constriction and tightness, with convulsive	Aesc. gr.
—, after "colds"	Thym. Ser., Cast. ves., <i>Stram.</i> Euph. pil.
deep, hoarse, with much secretion	<i>Poly. sen.</i>
dry, and hacking, rasping, explosive	Bry.
—, and irritative	Rumex cr.
—, barking or hacking with loud mucous rales and difficulty to raise mucus	<i>Lobel.</i> Sang.
—, croupal with scant or over-secretion	<i>Lobel.</i>
—, hoarse, worse lying down	Verbas.
—, irritable, hoarse	Piloc.
—, obstinate	Silph. lac.
—, rasping, wheezing, and persistent	Stict. pul.
—, spasmodic, tickling	<i>Rhus t.</i> , Dros.
—, stubborn, bronchial with depression	Asafet.
—, worse lying down	<i>Hyosc.</i>
dyspnœa, and præcordial fullness, with excessive secretion of mucous when largely precipitated by feeble and relaxed state of uvula and fauces	Rumex cr.
expectoration, scanty, whitish or brown, frothy mucous or streaked with blood	Tsuga.
— of bloody mucous, with	Bry.
—, with free	Anem. hep., Geran. mac. Eupat. pur.
expulsive or explosive, spasmodic, with dryness of air passages	Dros.

RESPIRATION

Cough

harsh and dry	Grind. cam.
harsh, croupal	<i>Psyc. Ipec.</i>
heart disorders, due to	Collins. c
infants and young children	All. cep.
influenza of, with dyspnœa	Asp. Q.
irritation faucial, due to	Alth. ros.
irritative	Lact. v., Sang., Stict. pul., Lin. usti.
—, asthmatic, of the aged	Eupat. per.
—, in winter	Still.
—, of debility with excessive secretion	Aral. rac.
—, teasing and paroxysmal of chronic bronchitis in aged	Euph. pil.
—, with or without dyspnœa	<i>Psyc. Ipec.</i>
—, itching sensation in throat or excited by vomiting, worse from use of voice, motion, or entering warm room	Bry.
—, with persistence	Verbas.
—, with bloody expectoration	Symph.
measles, irritative in	Eupat. per., Trif.
—, of	<i>Psyc. Ipec.</i> , Dros.
nervous, following whooping cough	Asafet.
—, purely from laryngeal irritation	<i>Bell.</i> , Prun. ser.
—, spasmodic, and hysterical pain below ribs to kidneys, with paroxysmal	<i>Gels.</i>
—, hoarse, croupal with laryngeal irritation	Agrim.
	Cast. ves.
	Still.
persistent, explosive with spasmodic contraction of throat on lying down	Cit. Lim.
phthisis, of	Lact. v.
— —, paroxysmal	Cimic. rac.
sharp, dry, nervous, worse when lying down	<i>Hyosc.</i>
short, hacking with quick-darting pain in chest	Stict. pul.

Cough

short irritative with lack of secretion	<i>Psyc. Ipec.</i>
spasmodic	Solan. Car., Ment. pip., Eucalyp. (inhaled), Trif.
—, especially	Dros.
—, persistent or hacking	<i>Con. mac.</i>
—, whooping	Trif.
sputum scanty and tenacious, without fever	<i>Scill.</i>
"stomach"	<i>Puls.</i>
stubborn, dry, summer	Rumex cr.
teasing with substernal pains and profuse expectoration	Inul. Hel.
tickling and burning sensation, with	Sang.
thick, tenacious sputum with loud rales	<i>Cop. L.</i>
uncontrollable, dry, spasmodic and tickling	Dros., <i>Rhus t.</i>
various kinds	<i>Seren. ser.</i> , Bry.
with abundant and easy expectoration	Eriod.
— — discharge	Verbas.
— pain in shoulders	Stict. pul.
whooping	Arum t., <i>Bell.</i> , Cimic. rac., Asar. + Caul. th., Clad. pyx., Drac. foet., Grind. cam., Hyss., Hier., <i>Lobel.</i> , <i>Hyosc.</i> , Lipp., Ment. pip., <i>Mon. punc.</i> , Prun. ser., Prun. L., Prun. Per., <i>Passif.</i> , Solan. Car., Sang., Thym. Ser., Tuss. Far., Trif., Chrys. L., Cast. ves. + <i>Lobel.</i>
—, dyspnoea, turns pale, stiff and blue, strangling with hawking and vomiting of mucus; epistaxis	<i>Psyc. Ipec.</i> , Caul. th.
—, paroxysms of coughing, much tenacious mucus; great constriction of chest and abdominal muscles	Dros.

RESPIRATION

Cough	whooping, convulsive with bleeding from mouth and nose —, prophylactic	<i>Stram.</i> <i>Dros.</i>
Croup	dry membranous	<i>Sang.</i> , <i>Arum t.</i> , <i>Lobel.</i> , <i>Poly. sen.</i> , <i>Eucalyp.</i> + <i>Piloc.</i> <i>Piloc.</i> <i>Psyc. Ipec.</i>
Dyspnœa	asthmatic, with constriction of chest cardiac origin, of cough and pain in chest due to exposure cough with jugular fullness and weak cardiac action, and cyanosed countenance failing compensation; urine scanty; pulse irregular; headache from occiput around temples and across forehead to eyes functional origin with or without emphysema, of gloomy, despondent; face pale, hot flushes to head praecordial oppression, with suffocation, sense of	<i>Crat. Oxy.</i> , <i>Passif.</i> , <i>Prun. ser.</i> , <i>Lopop.</i> <i>Ptel. t.</i> <i>Euph. pil.</i> <i>Solan. dul.</i> <i>Digit.</i> <i>Grind. cam.</i> <i>Adon.</i> <i>Asp. Q.</i> <i>Crat. Oxy.</i> <i>Lobel.</i> <i>Lobel.</i>
Emphysema		<i>Euph. pil.</i> , <i>Grind. cam.</i> , <i>Scill.</i> , <i>Phys. ven.</i>
Expectoration	diminished bloody, of limited severity —, with full, bounding pulse	<i>Psyc. Ipec.</i> <i>Cinn. Zey.</i> <i>Verat. v.</i>
Gangrene	pulmonary	(<i>Eucalyp.</i>)
Hæmorrhage	bronchial	<i>Stat.</i> , <i>Prun. v.</i>

- Hæmorrhage** expectoration of blood
 ———— ———— ————, due to fits of
 coughing or during spasms *Stram.*
 lung Polyg. mul., Lyco. v., Bid., Sang.,
 Verbas.
- Hay Fever** (see under **Nose**).
- Hiccough** Eryth. Am., Melal., Caul. th.,
Gels., *Hyosc.*, Diosc.
 obstinate Vibur. pr.
- Hoarseness** (see also under **Throat**).
 Alth. ros., Marr. v., Sisym.
 from colds and coughs *Psyc. Ipec.*
- Influenza** Bry., Senec. Jac.
 acute, catarrhal *Gels.*
 dryness, hot skin, especially in
 sthenic patients Piloc.
 gastric irritation, with *Rhus t.*
 high temperature; headache;
 excitability *Gels.*
 irritative cough and pain, with Bry.
 pain in back and limbs Eupat. per.
 pain in shoulders; free nasal
 discharges Stict. pul.
- Larynx** burns and scalds, to relieve pain
 from Acac. sen.
 chronic inflammation of Oenan. ph.
 ————, with free and abund-
 ant secretion of muco-pus Eryng. cam.
 inflammation of
 Still., Collins., Sang., Phytol.,
 Tuss. Far., *Acon.*, *Bell.*, Marr. v.,
 Hamam., (Hamam.)
 irritation *Cop. L.*
- Lung** affections Bry., *Acon.*, *Verat. v.*, Lyco. v.,
 Asclep. t.

RESPIRATION

Lung	disease from chronic asthma and bronchitis	Euph. pil.
Oxygenation	imperfect, with disturbed balance between pulmonic circulation and action of heart	Asp. Q.
Pain	sore, bruised in tract	Cimic. rac., Arum t.
Pharynx	catarrh, chronic Eustachian tubes, burning and itching, and inflammation of	Geran. mac. Sang.
	Collins., Hydras., Hamam., (Hamam.), Tuss. Far., Acac. sen.	
	— — —, chronic, with tumid pallid membrane and elongated uvula	Commi. Myr.
Phthisis		Cet. Isl., Prun. ser., Eriod., Hyper., Polyg. mul., Polyp v., Glycerine, Symph., Lach.
	pulmonary, blood spitting	Bry., Lyco. v.
	— — —, early stages	Plant. m.
	—, cough	Bry.
	—, cough and irritability	Asclep. t.
	—, early stages	All. sat.
	—, first stage	Corall., Senec. aur.
	—, irritable stomach, with	Acac. sen.
	—, night sweats, with	Polyp. m.
	—, palliative	Agrim.
	—, scofulous subjects, especially with	Iodine.
	—, with spasmodic cough, worse on lying down	
		Dros. + Verat. v. + Glycerine.
	—, with indigestion and torpid liver	Euony. + Ptel. t.
	—, second stage, copious expectoration of muco-purulent mucus	Myos. sym. (Amer.)

- Phthisis pulmonary, hectic fever ; night sweats; swollen feet, and muco-purulent mucus Bapt.
- Pleurisy *Gels.*, Cimic. rac., Asclep. t., *Acon.*, *Verat. v.* + Bry., Pol. rep., Corall.
- acute Asclep. t., Chrys. Par.
- , dry hacking cough, scanty mucus expectoration Asclep. t.
- , stitching pains, worse on motion ; very thirsty Bry.
- Pneumonia Bry., [Menth. pip.], Corall., *Zing.*, Chond. cr., *Quill.*, *Lach.*
- acute lobar Camph. (*subcut.*), Asclep. t., Eupat. per.
- broncho-, with difficult expectoration Eucalyp.
- congestive stage Piloc.
- early stages of *Gels.*
- especially of right lung Chel. m.
- first stage of congestion *Verat. v.*
- interstitial Lyco. v.
- in convalescent stage when expectoration scanty, and dyspnoea threatens Asclep. t.
- pulse hard and full ; respiration rapid ; dyspnoea ; dry cough ; feeling of weight on chest *Verat. v.* + Asclep. t.
- sputum resembling prune-juice or chocolate colour Bapt.
- typhoid, etc. Echin., *Lobel.*, Arn.
- with red glazed tongue, and offensive muco-purulent expectoration *Rhus t.*
- with extreme irritability ; gastric irritation ; restlessness and delirium with small wiry pulse *Rhus t.*

RESPIRATION

- Pneumonia with inflammatory conditions,
early stage
Verat. v., *Serp.*, *Asclep. t.*, *Hyosc.*,
Bry., *Bell.*
- Pulmonary night sweats, cough, etc. *Lyc. v.*, *Inul. Hel.*
Troubles sharp pains *Bry.*, *Verat. v.*, *Lobel.*, *Ptel. t.*,
(not other- *Tuss. Far.*
wise classi-
fied)
- Trachea inflammation of, acute *Acon.*
burns and scalds, to relieve
pain from *Acac. sen.*
- Ulceration syphilitic, of upper tract *Hydras. + (Hydras.)*

CHEST

Breasts

agalactia in nervous and fear-depressed women, with painful and swollen breasts	<i>Puls.</i>
mammary swelling in infants	Phytol.
— — and soreness	Phytol. + (Phytol.)
mammitis (Echin.), (Polym. U.), (Hamam.), (Stram.)	(Hamam.),
—, during periods	<i>Con. mac.</i>
—, with dry skin and suppressed lacteal secretions	Piloc.
mastitis	Phytol. + (Phytol.), (Bell.), Asclep. t., (Piloc.)
—, acute	(Camph.), (Hyper.)
milk secretion, to check	<i>Con. mac.</i> , <i>Bell.</i> , Car. pet., Salv. off., (Camph.)
— —, to check after weaning	Polyp. off.
— —, to promote	<i>Puls.</i> , Piloc., Foen., Ment. pul.
morbid sensitiveness during menses	Phytol.
nipples, fissured	Acac. C.
—, sore	Mitch., Phytol., (Calend.), (Hamam.), (Hydras.), (Myrox. P.), (Cop. L.), Bapt. + (Bapt.), (Thuja)
—, sore or excoriated	(Calend.)
nodular masses in mammary glands	<i>Con. mac.</i>
scirrhus of	<i>Con. mac.</i>
swollen and hard	(Car. pet.)
— and inflamed	Phytol., Bry., <i>Acon.</i> , <i>Bell.</i> , Cimic. rac.
tumours	Bapt., <i>Con. mac.</i>

CHEST

Empyema

Cincl.

Heart

- acute pain ; restlessness ; fever;
 full bounding pulse *Acon.* + *Asclep. t.*
 aneurism, with hardness and
 tension of pulse *Verat. v.*
 angina pectoris
Lobel., Acon., Gels., Cimic. rac.,
Crat. Oxy., Cer. gr., Lopop.
 — — —, pain with tightness
 and constriction of chest *Lobel.*
 — — —, sudden excruciating
 pain in left breast radiating
 down left arm, despondency
 and fear of death *Crat. Oxy.*
 — — —, violent palpitation ;
 severe substernal pain radiat-
 ing to neck and arms ; irregu-
 lar pulse with tendency to
 syncope ; palpitation worse
 on least movement *Spig.*
 — — —, with œdema and
 præcordial oppression, of
 smokers *Apoc. can.*
 aortic or mitral regurgitation,
 due to valvular lesions *Cer. gr.*
 asthenia and organic debility *Digit.*
 broken compensation *Digit.*
 cardiac pain *Crat. Oxy.*
 chronic structural disease, of
 — — — valvular disease with fail-
 ing or broken compensation *Junip. com.*
 compensation, disordered *Digit.*
 debility *Stroph.*
 — — — by overstrain or overwork *Coff.*
 dilated with mitral incompe-
 tence *Cer. gr.*
 — — — right heart with tricuspid
 incompetence *Digit.*
 dilatation, and hypertrophy *Lyc. v.*

Heart

- dilatation, first sound absent,
weak or prolonged, or replaced
by murmur; pulse fast, inter-
mittent and irregular *Crat. Oxy.*
- , right side dilated *Collins.*
- , with grief, worry, long-
drawn sighs or sobbing *Ignat.*
- disorders, all *Conv. m., Crat. Oxy.*
- , caused by rheumatism or
gout *Bry.*
- , functional, due to nervous
origin *Cer. gr.*
- —, of purely nervous
type with intermittent pulse *Scutell.*
- , functional, with giddiness,
imperfect voluntary motions,
impaired vision, and sensation
of pressure over larynx *Puls.*
- , nervous with feeble action *Cer. gr.*
- , with mental depression *Cer. gr.*
- disturbances, at menopause or
menses *Cer. gr.*
- dropsy *Apoc. can.*
- dyspnoea, cardiac *Cer. gr.*
- endocarditis *Adon.*
- , acute *Camph. (subcut.), Crat. Oxy., Lyco.*
v., Stroph.
- , rheumatic *Cimic. rac.*
- , full, hard and tense pulse;
great muscular excitement *Verat. v.*
- , with full bounding pulse;
fever; restlessness; sharp
cutting pain in left side *Acon.*
- , with severe pain in left
side; palpitation; violent
and visible "blowing" sound
at apex of heart *Spig.*
- , cramp-like pain in heart,
with feeling of weight thereon *Cer. gr.*

CHEST

Heart

endocarditis, with frontal or vertex headaches; rheumatism; pain under left nipple extending down left arm	
enfeebled by long illness	Cimic. rac. Cer. gr. + Caps.
enlargement of	Aspar.
exceedingly irregular and fast pulse varying in rhythm and power	
failure	Digit.
fatty degeneration	Strych. Ign.
fatty heart; dyspnoea; pain in right arm; obesity	Fuc. ves.
feeble circulation and low arterial pressure	Phytol.
— quickened pulse with capillary obstruction	Conv. m.
— and irregular action of, with constriction of chest; fear and nervous sensations	Conv. m.
functional asthenia	Cer. gr. Acon.
— disorders of many kinds	Crat. Oxy., Cyt. sco.
hypertrophy and dilatation of the venous heart	Puls.
—, from excessive smoking; heart feels as if gripped by iron band	Cer. gr.
— great oppression in cardiac region; palpitation; dyspnoea; constricting pains and tenderness around heart	Lyc. v.
—, valvular insufficiency	Collins.
—, complicated with rheumatism	Colch. aut.
hydropericardium, œdema due to enfeebled heart, pulse feeble; soreness in uterine region; palpitation	Conv. m.

Heart

- hydropericardium, dyspnœa
worse lying down; œdema
hands, feet and under eyes;
very thirsty but water dis-
agrees; sinking feeling; urine
scanty and dark colour; skin
distended and glistening; con-
stipation; pulse slow Apoc. can.
- , very slow pulse; skin
bluish colour, especially eye-
lids, lips, tongue and nails,
cyanosis worse on motion *Digit.*
- impaired action whether feeble,
irregular or tumultuous *Cer. gr.*
- intermittent in rhythm *Cer. gr.*
- irregularities due to mechanical
impediments Conv. m.
- irregular action Cola v.
- irritable, of excessive tobacco
smokers, when action strong
and erratic *Verat. v.*
- , with palpitation from
overwork; heart strain and
the arrhythmia of simple
dilatation, ventricular dilata-
tion and asthenia *Digit.*
- irritability Cola v.
- , irregularity and weakness
with dyspnœa and præcordial
oppression Lyco. v.
- , with weak action *Digit.*
- mitral and tricuspid regurgita-
tion with low arterial tension;
cyanosis Apoc. can.
- insufficiency with regurgi-
tation, if no pericardial ad-
hesions or advanced myocar-
dial degeneration present *Digit.*
- regurgitation and rheuma-
tism of the heart with sense
of weight or constriction Collins.

CHEST

Heart

- irritability, regurgitation with
 valve insufficiency *Crat. Oxy.*
 — stenosis and regurgitation *Digit.*
 myocarditis; dyspnœa; pal-
 pitation, rush of blood to
 head
 neuralgia of *Crat. Oxy.*
 nervous and other disorders, *Cer. gr., Lobel.*
 with giddiness, imperfect
 motion, pressure over throat
 and sense of impending danger
 nervous, with intermittent pulse
 palpitation, and vehement heart *Puls.*
 action with arrhythmic move- *Scutell.*
 ments, dyspnœa and dimin-
 ished arterial pressure
 —, and spasms *Conv. m.*
 —, and other disorders *Acon.*
 —, due to excessive tea drink- *Lyc. v., Lobel.*
 ing *Cinch.*
 —, due to gastric distention
Eug. arom., Camph.
 —, due to indigestion *Acon.*
 —, due to nervous irritability *Camph.*
 —, from excitement or shock *Passif.*
 —, irregular action and spasm *Acon.*
 —, from irritation of cardiac
 nerve centres, or organic
 lesions *Lyc. v.*
 —, nervous and fainting *Valer.*
 —, reflex from gastro-intest-
 inal irritation *Kalm.*
 —, reflex, of neurasthenic,
 hysterical, and chlorotic sub-
 jects *Stroph.*
 —, violent *Hyosc.*
 —, with debility *Prun. ser.*
 —, with full, strong pulse;
 bloodshot eye; tobacco heart
 —, with sharp, stitching pains *Verat. v.*
Cann. sat.

Heart

pectoral neuralgia from nervous dyspepsia	Pip. meth.
pericarditis	<i>Crat. Oxy.</i> , <i>Lyco. v.</i> , <i>Bry.</i> , <i>Cer. gr.</i> , <i>Verat. v.</i> , <i>Acon.</i> , <i>Asclep. t.</i>
—, after acute pains have passed	Piloc.
—, severe pain shooting into arm and neck, stitching pain in left breast; dyspnœa, can only lie on right side; palpitation, least movement produces feeling of suffocation	Spig.
—, stitching pains, worse on motion, better lying on affected side	Bry.
—, when complicated with rheumatism	Cimic. rac.
præcordial oppression and apprehension of danger or death rapid, due to excessive smoking	<i>Cer. gr.</i> <i>Lyco. v.</i>
rheumatic, debilitated, irregular rheumatic	Collins. Cimic. rac.
scarlatinal angina with tendency to destruction of tissue	Sang.
smokers	Cola v.
spasm, suffocating feeling, and palpitation	<i>Acon.</i>
strain	<i>Bry.</i> + <i>Arn.</i>
strain from over-exertion	<i>Adon.</i>
syncope or extreme weakness	<i>Bell.</i>
tachycardia	<i>Crat. Oxy.</i>
threatened failure in all diseases	<i>Stroph.</i>
tobacco	<i>Cer. gr.</i> , <i>Conv. m.</i>
tonic for feeble action, dyspnœa, etc.	<i>Visc. alb.</i>
— to strengthen heart muscles	<i>Cer. gr.</i>
— especially for tendency to dropsy	<i>Apoc. can.</i> , <i>Leon.</i>
— for oppressive feeling and dropsical state	<i>Conv. m.</i>
valvular incompetency	<i>Crat. Oxy.</i>

CHEST

Heart

- valvular insufficiency with difficult breathing Cola v.
 weak action with low blood pressure and shortened diastole with consequent venous stasis, increased back-pressure and feeble intermittent or irregular pulse Adon.
 — and irregular, from chronic nephritis Adon.
 —, due to muscular debility Stroph.
 — heart sounds Digit.
 — intermittent pulse Adon.
 —, rapid and irregular action with low arterial tension Digit.
 —, rapid, flaccid pulse Digit.
 weakness of nervous depression Aven.
 —, valvular and other, especially with kidney complaints Adon.
 — with valvular murmurs, sighing respiration, or difficult breathing with nerve depression Crat. Oxy.

Pain

- bruised, worse from deep breath Stict. pul.
 cardiac Prun. ser.
 constrictive type of Cer. gr.
 dyspnoea, with Stroph.
 fullness of chest with dyspnoea Serp.
 great, over gall-bladder coursing to left and downwards Podo.
 heavy, sore and oppressive Lobel.
 hypertrophy Crat. Oxy.
 irregular with anæmia Crat. Oxy.
 neuralgia, cardiac Crat. Oxy., Lobel.
 —, intercostal
 Cimic. rac., Rhus t., (Caps. (tinct.))
 — —, with hyperæmia Gels.
 oppression with pain and cough Lobel., Bry.
 pectoral neuralgia from nervous dyspepsia Pip. meth.

Pain	pleural, worse on motion and short hacking cough or nervous, with bronchial secretion arrested though skin moist	Asclep. t.
	—, worse from motion and cough	Asclep. t.
	—, and muscular soreness in chest	(<i>Lobel.</i>)
	pleurisy (see also under <i>Respiration</i>)	Asclep. t.
	—, to remove fluid	Piloc.
	pleuritic, and hoarseness	Eupat. per.
	pleurodynia (<i>Bell.</i>), Asclep. t., Piloc., (<i>Acon.</i>), Bry.	Cimic. rac., (Ol. Tereb.),
	praecordial	<i>Stroph.</i>
	—, oppression	<i>Crat. Oxy.</i>
	pulmonary tuberculosis, in rheumatism diaphragmatic	(<i>Bell.</i>)
	sharp, stitching cardiac, with palpitation	Cimic. rac.
	short lancinating, radiating from heart to left shoulder and arm	<i>Cann. sat.</i>
	soreness and dull, in pectoral muscles, worse when deep breathing	<i>Lobel.</i>
	— with acute "cold"	Stict. pul.
	spasm of heart muscle	(<i>Myr. fr.</i>)
	sticking, cardiac	<i>Cer. gr.</i>
	strain due to over-exertion	Collins.
	vascular excitement with rapid, tumultuous action but lacking power	<i>Crat. Oxy.</i>
		<i>Lyc. v.</i>

BACK

Lumbar	bruised pain, stiffness and lameness, soreness and " bubbling" sensation in rectal region	Berb. v. <i>Rhus t.</i>
	burning pain in deep-seated colicky pain from kidneys and hips to navel	Agrim.
	deep-seated pain, with hot, moist skin and full, strong pulse	Eupat. pur.
	drawing and muscular pains in loins, back and thighs	Cimic. rac. Jugl. cin.
	overloaded intestines, due to pain in	Cimic. rac. + Bry. + <i>Gels.</i> , (<i>Bell.</i>), Paull., Xanth., (<i>Brass. n.</i>), (<i>Caps. (tinc.)</i>), <i>Acon.</i>
	pain in, sthenic patients	<i>Verat. v.</i>
	pain with dry skin	Piloc.
	sense of weight and dragging pain in loins, with scant renal secretion	Serp.
	sense of weight and dragging pain with renal atony, in aged	Junip. com.
	severe pain and bearing-down pelvic pain	Vibur. pr.
	weight and dragging pains in loins and perineum, not due to prostatic enlargement	Uva U.
Neck	crick in, back or sides	Cimic. rac + (Cimic. rac.)
	pain across shoulders, back of neck, extending to occiput	Stict. pul. Cimic. rac.
	stiff	<i>Acon.</i>
	stiff, rheumatic	<i>Salix nig.</i>
	swellings	Xanth., (<i>Bell.</i>)
	wry	

Pain	aching, between scapulæ	Iris v.
	—, from menstruation	Kalm.
	debility and soreness	Arn., <i>Bell.</i>
	difficult or abnormal urination, with	Agro.
	dull, in right shoulder with fullness or pain over liver	Chel. m.
thighs, with spasmodic dys- menorrhœa, and	Vibur. Op.	
Spinal	congestion	Clav. pur.
	inflammation	<i>Bell.</i> , <i>Acon.</i> , <i>Gels.</i>
	injuries to, shocks, or concussion	Hyper., Chel. m.
	irritation, non-febrile	<i>Acon.</i> , (Polym. U.)
	—, heat in palms, and tingling end of toes, worse in bed; occipital to frontal head- aches; spine tender with sensitive spots; indigestion; palpitation; back hurts when pressed against anything	<i>Bell.</i>
	—, with excitement or con- vulsions	<i>Verat. v.</i>
	—, with spasms	<i>Verat. v.</i>
	—, with tenderness and burn- ing pain on least pressure	Hyper.
	meningitis, cerebro- (see under Head).	
	—, nervous tension in legs, worse on motion; great thirst	Bry.
	—, pulse full, hard and tense	<i>Verat. v.</i>
	—, throbbing pain in spine; drowsiness with sleeplessness, starts at every sound	<i>Bell.</i>

EXTREMITIES

Ankles	and other joints, aching pain after exertion and from a relaxed state of the ligaments	Cinch.
Chilblains	itching	(Camph. (<i>lin.</i>)), (Sang.), (Ulm. f. (<i>poult.</i>)), (Echin.), (<i>Cop.</i> <i>L.</i>), <i>Puls.</i> (<i>Acon.</i>), (Ol. Tereb.)
Coldness	blueness, and clamminess, and of hands, easily frightened, starts at every sound of surface in children's diseases —— ———, with feeble circula- tion persistent, in feet and legs of women at menopause, with grief and worrying sensation of, with marked ten- derness, lameness, or soreness to touch	Solan. dul. Myric. cer. Calend. Zing. Sang. <i>Ignat.</i> Melil. off.
Corns	and bunions, inflamed	Dros. (All. cep.), (<i>Lobel.</i>), (Ol. Tereb.)
Cramp	pregnant women, legs of	Vibur. pr.
Feet	burning of soles cold, with feeble circulation frozen full and œdematous on pressure hyperhydrosis swollen tender, sore, and fagged cr.)	<i>Ignat.</i> Solan. dul. (Sang. + Ulm. f. (<i>poult.</i>)), <i>Cop. L.</i> Apoc. can. Piloc. Erech. (Symph.), (<i>Rumex</i> <i>cr.</i>)
Felons		(Phytol.), (<i>Lobel.</i>), (<i>Verat. v.</i>)

EXTREMITIES

Gangrene	senile, with icy lower extremities worse from being covered	Clav. pur.
Glands	swollen and inflamed	(Ol. Tereb.)
Gout	Arist. l., Bid., Coff., Frax. ex., (<i>Bell.</i>), Gen. tinc., Ilex Par., (Pop. can.), (<i>Tam.</i>), Teuc. Ch., Tarax., <i>Gels.</i> , Guaia., <i>Colch. aut.</i> , Menis. Can., (Menis. Can.), Art. v.	
	acute	<i>Colch. aut.</i>
	chronic	Guaia.
	rheumatic	(<i>Acon.</i>)
	sthenic conditions, in stomach conditions leading to	<i>Verat. v.</i> <i>Puls.</i>
Hands	chapped	Thuja.
Hip	disease, scrofulous diathesis	Helian. can.

Inflammation

JOINTS

acute articular rheumatism	(Ol. Tereb.)
affections	(<i>Lobel.</i>)
arthritis	Frax. ex., (<i>Acon.</i>)
—, chronic, with fullness of lymphatic nodes and weak digestion	Menis. Can.
gouty swelling	(<i>Senec. Jac.</i>)
neuritic, from impaired function	Xanth.

MUSCLES

swellings	(Camph. (<i>lin.</i>))
—, with neuralgic pains	(<i>Gault.</i>)

Lameness	associated with rheumatism or neuralgia	Melil. off.
----------	---	-------------

Locomotor Ataxia	lightning pains	<i>Nux Vom.</i> , Thuja, <i>Phys. ven.</i> , Cola v., Xanth. <i>Cann. sat.</i>
------------------	-----------------	---

EXTREMITIES

Nail	toe, ingrowing	Polyp. off., T
Edema	feet with pale, waxy skin and nephritis, of	Erech.
	feet and legs, with scanty urine and pale tissues	Pip. met Chel. m.
	hepatic congestion, with left hand and foot	<i>Cer. gr.</i>
	limbs, with cardiac weakness and irregularities, of numbness of left arm, with	<i>Cer. gr.</i> <i>Cer. gr.</i>

Pain

JOINTS

aching	Aego.
——, from relaxed ligaments	Cinch.
cramp	Stach. f
general	Stach. f
hip	<i>Puls.</i>
knee, especially with liver trouble	Chel. m.
——, white swelling	Helian. c
stiffness	Tarak. f
——, and swollen	Bry.
——, swollen and painful	(<i>Piloc.</i>), (<i>B</i>
——, from rheumatic inflammation	<i>Rhus t.</i>
swollen, painful and itching	(<i>Gault.</i>)

MUSCULAR

cramp in calf	Vibur. Op., (<i>Be</i>
fugitive rheumatic	Kalm.
myalgic	(<i>Gault.</i>), (<i>Bell.</i>), (<i>Acon.</i>), <i>Cl</i>
	pur., <i>Xanth.</i>
——, due to strain of muscular exertion or to recent colds from exposure to inclement weather	<i>Gels.</i>
——, soreness and swelling	(<i>Camph.</i> (<i>li</i>
neuralgic, deep burning	<i>Rhus t.</i>
neuritic	<i>Acon.</i> , <i>Melil.</i>
——, deep burning	<i>Rhus t.</i>

EXTREMITIES

MUSCULAR

- sciatic
 ———, rheumatic and gouty
 temporary lameness and sore-
 ness
 thighs and back, with spasmodic
 dysmenorrhœa, of

Melil. off.
 Senec. Jac.
 (Ol. Tereb.)
 Vibur. Op.

GENERAL

- drawing, in right leg and foot,
 cold as ice whilst left foot is
 normal
 soles of feet, worse from warmth
 of bed; ankle joints swollen, in
 without marked organic lesion
 with vascular sluggishness
 of long bones, swollen and
 inflamed, worse at night and
 from damp
 syphilitic, night pains, and shin
 pains
 limb pale; swollen veins, hard
 and knotty, painful to touch

Chel. m.
 Led.
Rhus t.
 Clav. pur.
Daph. Mez.
 Berb. aq.
Puls.

Celas. sca., Coff., Aral. n.,
 (Bell.), Frax. ex., Gen.
 tinc., Ilex Par., Meny. tri.,
 (Pop. can.), Teuc. Ch.,
 (Tam.), Solan. dul., Tarax.

- acute muscular with burning
 pains and erysipeloid redness,
 swelling, tension and glisten-
 ing skin
 chronic
 ———, in aged, with muscular
 soreness and joint pains
 feet, travels upward, in
 fever high and restlessness
 ———, in gouty subjects,
 tearing pain worse from heat

Rhus t.
 (Bell.), Beton., Guaia.
Con. mac.
 Led.
Acon.
Colch. aut.

EXTREMITIES

Rheumatism	finger joint swellings	Bry.
	joints swollen and stiff	Bry.
	limbs weak, stiff and feverish ; pains shift from place to place, cannot be touched, worse at night	<i>Colch. aut.</i>
	muscular, parts hot, swollen and tender ; darting pains, worse on motion, followed by numb- ness	Kalm. + <i>Gels.</i>
	—, pain with swelling, puffi- ness of neighbouring tissues	Piloc.
	—, acute, muscles sore and tender	Cimic. rac. + <i>Gels.</i>
	—, chronic, no fever ; skin soft ; pain dull and heavy, but continuous	Brun.
	—, articular	(Gault. <i>oil</i>)
	œdema, with	Apoc. can.
	rheumatoid lameness and sore- ness	Melil. off.
uncomplicated	<i>Acon.</i>	
wrist joints swollen and red ; motion impossible, touch un- bearable	Cimic. rac.	
Sciatica	<i>Pisc. Ery.</i> , Aego., (<i>Senec.</i> <i>Jac.</i>), <i>Rhus t.</i> , <i>Gels.</i> , <i>Acet.</i>	
bruised sore feeling, pains shoot down posterior portion of hip	Phytol.	
œdema, with	Apoc. can.	
subacute, or chronic, with sharp shooting, tearing or dull pain from back to hips and down legs, without fever	<i>Colch. aut.</i>	
Sores	bad legs, and	(<i>Nymph.</i>)
Synovitis	Bry.	
Ulceration	or " bad leg " Plant. m., Phytol., (<i>Glech.</i>) (<i>Stell. m. (oint.)</i>)	
Whitlow	(Phytol.), (<i>Lobel.</i>)	

SKIN

Abrasions

Thuja.

Acne

(And. Ar.), (Hydras.) +
Hydras., Arct. L., Iris v.

inflamed	(<i>Verat. v.</i>)
rosacea	(<i>Clav. pur.</i>)
seborrhœa	(<i>Clav. pur.</i>)
skin rough, pimples persistent	Berb. aq.
youths, on face of	Berb. aq.

Anthrax

Trill.

Boils, Abscesses and Carbuncles

(Fic. Car. (*poult.*)), (Trig. Foen.), (Echin.), Phytol. + Iris v., (*Verat. v.*)

blood purifiers

Aln. ser., Echin., Phytol., Dicen.

blood poisoning suspected, if

Echin.

cavities, to cleanse

(*Echin.*)

congestion, first stage

Bell.

external

(*Bell. + Glycer.*)

inflamed

(*Verat. v. + Acon.*)

malignant carbuncle of dusky,

bluish or purple colour

Echin.

non-open

(*Ulm. f.*)

old

(*Ol. Tereb.*)

pus-oozing granulations

(*Myrox. P.*)

recurrent crop of

Aln. ser., Arct. L.

recurrence, to prevent

Echin., Arct. L.

scarring, to lessen

(*Calend.*)

sinuses

(*Car. pet.*)

slow and painful

Lyco. cl.

suppuration, to prevent

(*Acon. + Hamam. + Arn.*)

SKIN

Bruises and Sprains	<p>(Polyg. mul.), (Camph. (lin.)), (Sassa.), (Tam.), (Ol. Eur.), Arn., (Melal. L.), (Ham- am.)</p> <p>not abraded (Art. Abs.), (Hyper.) discoloration, to remove (Hyss. (leaves))</p>
Burns and Scalds	<p><i>Semp.</i>, (Menth. pip.), (Ol. Eur.), Lin. usti., (Calend.), Phytol., Trif.</p> <p>pus-oozing granulations, after (Myrox. P.)</p>
Chancroid	soft pultaceous (Thuja.)
Chilblains	not open (Ulm. f.), (<i>Caps.</i>), (Myrox. P.)
Condition and Colour	<p>blanched, full, smooth, easily indented Apoc. can. blistered (<i>Daph. Mez.</i>) brown, tongue coated at base, tip red Menis. Can. conjunctivæ, and, yellow with nausea and colicky pains Diosc. chafed or abraded (Calend.) chafy (Cel. sca.) dirty, sallow, full and expres- sionless skin and tongue, with dyspepsia, vomiting of food, and frequent desire to urinate Oenoth. b. dry and hot ; dull ache in liver region and left shoulder Lept. dry and hot ; with small fre- quent pulse <i>Acon.</i> dry and hot, or inclined to moisture Asclep. t. dryness of, and mucosa, marked fluid depravation, with tendency to sepsis and malignancy Piloc. foul (Echin.) (Echin.) pale, waxy, with pedal œdema and nephritis Erech.</p>

Condition and Colour	red, burning, intumescence	<i>Rhus t.</i>
	sallow, dirty-looking, with hepatic tenderness and expressionless eyes	<i>Chion. v.</i>
	—, greenish, with hepatic congestion	<i>Chel. m.</i>
	scaly and horny tissues of chronic skin diseases	(<i>Car. Pap.</i>)
	soft and relaxed, extremities cold, and circulation weak	<i>Salv. off.</i>
	surface extremely sensitive, too sensitive to be touched	<i>Lyco. cl.</i>
	torpor of	<i>Serp.</i>
	tender and sore, of face and scalp, too tender to be touched	<i>Bry.</i>
	yellow, with pain in region of liver	<i>Lept.</i>
	—, and conjunctivæ	<i>Chion. v.</i>
—, without pain	<i>Chion. v.</i>	
Corns	(<i>Dros.</i>), (<i>Semp.</i>), (<i>Car. Pap.</i>), (<i>Impat.</i>)	
Crusta Lactea	<i>Iris v.</i> + (<i>Iris v.</i>), <i>Arct. L.</i>	
	copious exudation which mats hair, with burning and itching, worse at night	<i>Viol. t.</i>
	greyish-white crusts, offensive odour	<i>Arct. L.</i>
Diseases of (not otherwise classified)	(<i>Pop. can.</i>), (<i>Ol. Eur.</i>), (<i>Sap-on.</i>), (<i>Sesa. ind.</i>), <i>Fum.</i> , <i>Meny. tri.</i> , (<i>Hamam.</i>), <i>Linar. v.</i> , <i>Dorst. C.</i> , (<i>Ricin. c.</i>), <i>Polyp. v.</i> , <i>Rumex cr.</i> , <i>Veron. off.</i> , <i>Larix. Am.</i> , (<i>Stell. m.</i>)	
	chronic, general	
	<i>Rumex cr.</i> + <i>Aln. r.</i> + <i>Gent.</i> + <i>Tarax.</i>	
	—, especially	<i>Iris v.</i>

SKIN

Disorders of	chronic, with feeble circulation	
(not otherwise classified)	and tendency to ulceration	(Grind. cam.)
	——, with vitiated blood	Rumex cr.
	——, sluggish	(Cof. L.)
	——, with blood dyscrasia, with or without syphilitic taint	Berb. aq.
	damaged condition of epithelium	(Grind. cam.)
	depressed secretions with urinous odour	Solan. dul.
	dry character, of a	Piloc.
	feeble cutaneous circulation	Arct. L.
	hæmorrhagic transudation into skin and mucosa	Ol. Tereb. R.
	inflammations, tumid, glistening, red, burning, irritable	Rhus t.
	leprous	Sieg.
	lupus (All. sat.) + All. (Thuja.)	sat., Thuja +
	——, deeply-ulcerating	Iodine.
	non-open	(Ulm. f.)
	profusely secreting tumid mucous membranes	Berb. aq.
	proud flesh	(Thuja.)
	purpura	Ol. Tereb. R.
	pustular	Solan. dul., Jugl. cin.
	scaly	Solan. dul., (Hamam.), Berb. aq.
	——, especially	Solan. dul.
	scrofulous	Chel. m., Jugl. n. + (Jugl. n.), Sapon., Helian. can., Teuc. Ch., Solan. dul., Aral. n.
	——, syphilitic and rheumatic	Tarak. K.
	scurvy	Meny. tri., Veron. bec., Ol. Tereb. R.
	syphilitic	Jugl. n. + (Jugl. n.), Jacar. pro., Hemid., Sieg., Phytol.
	——, scaly, pustular, with phagedenic ulcerations	Berb. aq.
	venereal	Sapon.

Disorders of (not other- wise classi- fied)	with blood impurities	(Aln. ser.), Aln. ser., Echin., Arct. L., Rumex cr., Scroph. n.	
	with irritation and ichorous discharges	Still.	
Eczema		Jugl. n. + (Jugl. n.), Hydras. + (Hydras.), Berb. aq., (Bell.), (Bet. alb.), Rumex cr., Tarak. K., Jugl. cin., Chel. m., (Sang.), (Ol. Eur.), Thuja.	
	acid moisture beneath scabs		
	with much itching	<i>Delph. Staph.</i>	
	burning sensation, with	<i>Rhus t.</i>	
	chronic	(Calot.), (Myrox. P.)	
	—, and itching		
	—, of vesicular type	(Eug. arom.), Iris v. + (Iris v.) (Grind. cam.)	
	dry	(Thuja), (Piloc.)	
	outlets of body, etc., at	Hydras.	
	papular	(<i>Acon.</i>)	
	pustular	Aln. ser.	
	—, with cracked or fissured skin, persistent	Podo.	
	scaly	Phytol.	
	scaly pustular, on face	Berb. aq.	
	stubborn	Arct. L.	
	weeping	(Sang.), (Tsuga.)	
	with redness, swelling, and burn- ing	<i>Rhus t.</i>	
	— glutinous, sticky exuda- tion, and general body deprav- ity	(Echin.)	
	Eruptions (not other- wise classi- fied)		Cimic. rac.
		acute infectious diseases, in early stages of	<i>Acon.</i> + <i>Bell.</i> , (Led.)
burning and itching, in des- quamative stage of		(Ol. Eur.)	
capillary engorgement in erup- tive diseases		Xanth.	

SKIN

Eruptions	cutaneous	Scroph. n. + (Scroph. n.), Asclep. t. + Zing.
(not otherwise classified)	—, to cleanse	(Quill.)
	dermatitis, acute form	(Ol. Eur.)
	determine, to	Nep. Cat.
	dilation of skin capillaries with smarting and pain	(Hamam.)
	dry, scaly	Arct. L., (Cel. sca.)
	excessive dryness of skin, with herpetic	Asclep. t. Berb. aq.
	moist cutaneous, in children	Viol. t.
	obstinate	And. Ar., Solan. dul.
	pemphigus with redness, swelling and burning	Rhus t.
	retrocession of	Solan. dul.
	smallpox, and other infective diseases	Bapt., Gels., Sarr. pur., Bell., Acon., Verat. v., Rhus t., Cimic. rac.
	syphilitic	Sang.
Erysipelas	(See under Face).	
Erythema		Bell., Hydras.
	burning pain, with redness and itching	Echin. + (Echin.)
	function from	Echin., Rumex cr., (Calend.), (Hamam.), (Echin.)
	skin red, hot and dry	Bell., (Hamam.)
Fistulæ		(Thuja.)
Freckles		(Hamam.), (Glech.)
Gangrene	with free but fetid discharge	(Eucalyp.)
Glands	sebaceous, to stimulate	Arct. L., Helian. can.
Granulations	of small sinuses	(Myrox. P.)
	pus-oozing after operations	(Myrox. P.)

Growths	cancerous, to relieve pain of	(<i>Con. mac.</i>)
	deposits in skin or mucus membrane	Gal. Ap.
	moles	Thuja + (Thuja.)
	naevi (as warts)	
	nodular	Gal. Ap., Lyco. cl.
	nodular masses in axillary and mammary glands	<i>Con. mac.</i>
	verrucose	(<i>Chel. m.</i>)
	warts (Thuja), (Dros.), (Car. Pap.), (Sang.) (Impat.)	
	wens	(<i>Sassa.</i>)
	Herpes	labialis
general		Berb. aq., (Urt. d. (<i>H.</i>))
with burning, itching and exudation		<i>Rhus t.</i>
zoster		Serp., (<i>Verat. v.</i>)
Inflammatory		(<i>Ulm. f.</i>), (<i>Alth. ros.</i>), (<i>Semp.</i>)
	acute	<i>Rhus t.</i>
	cellular, with feeble circulation in the skin	Arct. L.
	erysipelatous	(<i>Lobel.</i>)
	inflamed surfaces	(<i>Alth. off.</i>)
	local, to ease pain and hasten suppuration	(<i>Verat. v.</i>)
	suppurating and sloughing sores	(<i>Cinch.</i>)
	with full or swollen and dusky tissues and tendency to destruction	(<i>Bapt.</i>)
	with redness, swelling and burning	<i>Rhus t.</i>
	Irritation	(sometimes denoting kidney trouble, diabetes, or improper food)
with female troubles		(<i>Con. mac. (oint.)</i>)
		(<i>Calot.</i>)
Leprosy		(<i>Calot.</i>)

SKIN

Lichen	simple form (Grind. cam.) + Jugl. cin., Solan. dul., Iris v.	
Nails	ingrowing	(Thuja.)
Parasites	asarus scabies	(Anam.), (Myrox. P.)
	general	(Anam.), (Liquidamb.)
	lice	(Myrox. P.)
	pediculi	(Eug. arom.)
	——, if skin intact	(Delph. Staph.)
	ringworm	(Ricin. c.), (Liquidamb.), (Myrox. P.), Phytol., (Myr. fr.), (Sang.) (Impat.)
	sycosis barbae	(Anam.)
	trichophytosis	(Anam.)
Perspiration	bromidrosis	(Bell.)
	chill, during	Eucalyp.
	congested surface, to promote	Caps. + Asclep. t.
	excessive in phthisis	(Bell.)
	——, to restrain	Salv. off.
	free sweating, to produce	Salv. off., Corall., Nep. Cat., Solid., Psyc. Ipec.
	night sweats	Chrys. L., Inul. Hel., Bell., Polyp. off., Eupat. per.
	—— ———, debilitating	Cinch.
	—— ———, of phthisis, to check	Myrt. com. Achill.
	obstinate	Hæmat., (Bell.), Piloc.
profuse	Caps.	
too free and skin lax		
Pruritis		Rumex cr., (Ricin. c.), (Camph.), (Myrox. P.), (Acon.), (Bell.), (Led.), Cann. sat., Iris v. + (Iris v.)
	aged, in dry skin, with jaundice, with	Cann. sat., Con. mac. Piloc. Piloc.

Pruritis	jaundice, and pale watery alvine discharges, with pudendal	Chion. v. Solan. dul.
Psoriasis	(Ol. Eur.), Tarak. k., Berb. aq., (And. Ar.), Arct. L., Iris v. + (Iris v.) eruption moist and offensive, forming greyish-white crust dry skin, with scaly pustular eruption on face	Arct. L. Piloc. Berb. aq.
Purpura	dark, clotted venous hæmorrhage	Hamam.
Shingles		Rumex cr., Iris v., Helian. can., (Aral. rac.)
Sores	bed cleanse and tone, to of all kinds old, of scrofulous origin stinking	(Thuja), (Styr. ben.), (Echin.) (Arum t. <i>hot</i>) Phytol., Bapt., Echin. (Oxal. ac.) Thuja + (Thuja)
Sunburn		(Hamam.)
Swellings		Arn., (Hyper.), (Sassa.), Lyco. cl.
	glandular inflamed	<i>Con. mac.</i> (Hamam.)
Ulcers		(Amar.), Phytol. + Iris v., (Ulm. f.), (Rud. Id.), (Liquidamb.), (Vacc. Myr.) (Chrys. L.)
	apthous and indolent bleeding cancerous carcinomatous cleanse, to fetid and gangrenous from burns, wounds, and abscesses	(Myric. cer.), Arct. L. Clav. pur. (Echin.), (<i>Con. mac.</i>) (<i>Quill.</i>), (Pot. tor.), (Liquidamb.), (Corn. F.) (Cinch.), (Tsuga) (Ricin. c.)

SKIN

Ulcers	gangrenous, to lessen scarring	(Calend.)
	indolent (Pter. M.), (<i>Daph. Mez.</i>),	(Stell. m.)
	irritable and painful	(Bapt.)
	low vitality, of	(Myrox. P.)
	obstinate	Arct. L.
	old	(Ol. Tereb.)
	old indolent	(Grind. cam.)
	old tibial, due to varicosis	(Myrox. P.)
	scrofulous	Eryth. Am., (Myric. cer.)
	sluggish, cutaneous	Hydras. + (Hydras.), (Echin.)
	stinking tibial	(Echin.), (Liquidamb.)
	syphilitic	Hemid.
	—, phagedena	Berb. aq.
	tendency to ulcerate with watery discharge and boggy edges	Samb. can. (<i>Amer.</i>)
Urticaria	(Clav. pur.), (Echin.),	
	(<i>Bell.</i>)	
	and functional pruritus	<i>Rhus t.</i>
Varicella	initial stages	<i>Acon.</i>
Variola	initial stages	<i>Acon.</i>
	to prevent and cure	Sarr. pur.
	to prevent pitting	(Camph.)
	with livid colour and foul discharges	<i>Rhus t.</i>
Wounds		(Rub. Id.), (Hamam.),
		(Chrys. L.), (Oph. v.),
		(Vacc. Myr.), (Styr. ben.)
	bleeding	(Stach. pal.)
	non-open	(Ulm. f.)
	sloughing	(Thuja.)
	ulcerous and obstinate	(Symph.)
very painful, and heal slowly	(Echin.)	

SLEEP


Disturbed	fretful, and, sudden starting up with sharp shrill cry of fright	<i>Rhus t.</i>
Dreams	disturbed by unpleasant, wakes sad and languid night terrors, fright and restlessness	<i>Puls.</i> <i>Hyosc.</i>
Insomnia	acute or chronic diseases, with aged persons, and of remittent fevers atony, from brief spells of sleep disturbed by unpleasant dreams, with excitability and unrest, from exhaustion, debility, or insanity, of — from nervous excitation, in extreme restlessness, sensitiveness, with general Prim. ver., Aven., Eryth. C., (Til. (baths)), Asar. Can. mental overwork, from mental unrest, from melancholia from menstrual irregularities after prolonged or severe pain morbid vigilance in disease, from nervous exhaustion, from — irritability, from — irritation and cough, from — tension, from — unrest, from nervousness and palpitation, with sedative, as	Lyco. v. <i>Acon.</i> Cyprrip. pub. <i>Cann. sat.</i> <i>Hyosc.</i> <i>Hyosc.</i> Mon. punc. Prim. ver. Can. Lact. v. Cyprrip. pub. Cyprrip. pub. Lyco. v. <i>Puls.</i> Cyprrip. pub. Verbas. <i>Gels.</i> Camph., <i>Pisc. Ery.</i> Leon. Caul. th.

SLEEP

Insomnia	wakefulness in fevers	<i>Cann. sat.</i>
	worry or overwork, or febrile excitement, from	<i>Passif.</i> , Humul.
	—— and nervous debility, from	
	—— and neurasthenia, from	<i>Puls.</i> , <i>Passif.</i>
	young, or aged, in	Humul.
Restless	and broken with fright and terror	<i>Passif.</i>
	with anxiety, etc.	<i>Hyosc.</i> Cinch.

FEVER

Bilious	full, bounding pulse ; nausea ; heavy feeling in stomach ; vomiting of bitter substance	<i>Acon.</i> + <i>Nux Vom.</i>
Catarrhal	early stages with deep-seated pains in loins	<i>Eupat. per.</i>
Enteric		<i>Echin., Eupat. per + Jeff.</i> <i>diph. + Xanth. + Helon.</i>
Feverishness	from cold, with restlessness and anxiety hectic (<i>disguised malaria, especially if with neuralgia</i>)	<i>Acon.</i> <i>Quinine.</i>
Gastric	<i>Acon.</i> overloaded stomach, from	<i>Acon.</i>
General	Kalm., Serp., Petas. v., Silph. per., Corn. ser., Corn. F., Scab., Alst. con., Levist., Teuc. Sco., Camph., Eupat. per.	
	acute, quiet and busy delirium, of	<i>Stram.</i>
	apathetic, secretions scanty and vitiated, and nervous depression	<i>Bry.</i>
	cathartic, as useful	<i>Lept.</i>
	cold stages, during	<i>Acon.</i>
	dry skin and membranes, with early stages	<i>Piloc.</i> <i>Verben.</i>
	— — — — —, with or without rest- lessness	<i>Acon.</i>
	for mild perspiration in formative stages, in	<i>Melis. off.</i> <i>Lept.</i>



FEVER

General

great restlessness, excitability ; flushed face ; bright eye ; contracted pupil ; hot head	<i>Gels.</i> <i>Cinch.</i>
hectic	
highly feverish state with ner- vous excitement ; hot head ; tremulous, jerky muscles ; great restlessness ; high tem- perature	<i>Gels.</i>
inactive, intractable, depressing, with red or highly-coloured urine, worse in afternoon, perhaps with irritative stom- ach or sore throat	<i>Lyco. cl.</i> <i>Cyrip. pub.</i> <i>Fer. sum.</i> <i>Acac. sen.</i>
low, typho-mania and tremors	
—, typhus	
—, with irritable stomach	
many kinds of, especially when accompanied by hard pulse ; flushed right cheek ; frontal pain ; irritative cough ; and sharp cutting pain, worse on motion	<i>Bry.</i>
periodic or remittent	<i>Quinine, Lyco. cl., Achill.</i>
perspiration, to promote	<i>Serp.</i>
prolonged, after, to promote gastric digestion	<i>Gent.</i> <i>Acon.</i>
rheumatic	
scanty salivary secretions, and pain with movement of gases in abdomen	<i>Zing.</i> <i>Bell.</i>
scarlet, and congested states	
skin dry, not followed by per- spiration, with deep-seated aching pain and great thirst	<i>Eupat. per.</i>
sthenic, in children, with con- vulsive complaints	<i>Gels.</i>
— conditions with inflamma- tion, delirium, etc.	<i>Verat. v.</i>

General	sudden onset and rapid evolution tympanites	<i>Acon.</i> Asafet.
Hay	(see also under Nose) with headache	Piloc. Stict. pul.
Intermittent		Pip. n., Phys. alk., Apoc. can., Teuc. Ch., Adhat., Carb. ben., Cusp. f., Chion. v.
Influenza	colds (see also under Respiration)	Achill.
Glandular		<i>Acon.</i> + Phytol.
Malarial	early stages heavy, dull headache ; obstinate constipation ; hepatic pain ; burning pain under right scapula ; tongue dirty brown ; skin yellow ; cough, with frothy sputa ; urine scanty and highly coloured irregular and masked types, of not responding to quinine typho-, with marked tenderness of viscera	Agro., Lept., Magn. <i>Acon.</i> Grind. cam. Eupat. per. Eucalyp. Bry., Echin.
Puerperal		Echin.
Remittent	chills and fever ; severe bruised pain ; mind stupid and slug- gish general	<i>Gels.</i> Apoc. can., Quinine, Lyco. cl., Achill.
Scarlet	dropsy following diuretic, as eruptions, to determine	Sang. Gal. Ap. Carth. t.

FEVER

Scarlet

malignant form, thin, ichorous,
burning and excoriating nasal
discharge ; delirium ; breathes
with open mouth ; picks at nose Arum t.
malignant form Phytol. + Echin.
prophylactic Bell. (*in minute doses*)
simple form Acon. + Bell.

Typhoid

Serp., Bry., Echin., Bapt.,
Chion. v., Acon. + Rhus t.
+ Gels.

bowel ulceration Epil.
conditions with bad blood Bapt.
— with asthenic blood Arn.
dark red besotted appearance ;
eyes injected ; stupor and
delirium ; tongue dry and
coated brown ; offensive
breath ; sordes on teeth ;
body feels scattered in pieces Bapt.
delirium with face pale and
sunken ; tongue dry ; pro-
found stupor ; teeth sordid ;
lower jaw drops ; involuntary
stools and urine ; muttering Hyosc.
dry tongue ; low muttering
delirium ; sordes of lips and
teeth ; diarrhoea Rhus t.
flashes of heat with chilliness of
back ; profound prostration ;
facial flushings Echin.
for heart Visc. alb.
pre-, not amounting to enteric
fever Lept.
sleep, to promote Passif.
suppression of natural secretions Caps.
tympany and ulceration, to
prevent, when tongue dark
red, glazed or brown-coated,
hard, dry and cracked, with
sordes on teeth Ol. Tereb. R.

Typhus	antipyretic great cerebral congestion with throbbing carotids mild delirium profound stupor ; sordes on teeth ; chills in back ; flushed face ; foul breath	Bapt. <i>Bell.</i> <i>Hyosc.</i> Echin.
Urethral	due to catheterization	<i>Acon.</i>
Yellow	<i>Acon., Bell., Bry., Cimic.</i> <i>rac., Verat. v.</i> dizziness ; slight chills ; pains in back and limbs ; uneasy feeling in epigastrium ; nausea and vomiting ; faintness first stage	<i>Psyc. Ipec.</i> <i>Acon. + Bell.</i>
Zymotic	Bry.	

GENERAL

- Affections** scrofulous and syphilitic Vitis.
- Afternoon** suffering, feverish and rheumatic, with kidney, gastric, liver or bladder trouble Lyco. cl.
- Ague**
- chronic Jugl. cin., Acor. C., Alst. con., Quinine, Cean. Am., Corn. F.
- with exhaustive discharges Euony., Eupat. per. Eucalyp.
- irregular Eupat. per.
- syphilitic Berb. aq.
- tonics, to promote recovery from Gent., Euony., Xanth., Ptel. t.
- to break up periodic chills Myr. fr. + Geran. mac. Polyp. off.
- with alternate chills and flushes Pic. ex., Hydras. Gels.
- Alcoholism** craving, to overcome habitual Pic. ex., Hydras. Gels.
- Alteratives**
- Solan. dul. with scaly skin disorders; troubles from cold and dampness; coldness and blueness of extremities.
- Aln. ser. with scrofula, or feeble vitality, or with chronic scaly or pustular skin diseases; glandular enlargements; boils; wasting of flesh in children.
- Iris v. with enlarged spleen; liver complaints; goitre; enlarged soft glands; rough greasy skin with discoloration; uterine troubles with skin pustules.
- Still. for lymphatic or secretory function; scrofulous liver; syphilitic and skin diseases; feeble tissues; mucus membranes tumid, red and glistening.

- Alteratives** Hemid. as for Still., in cases of blood depravity ; chronic rheumatism ; etc.
 Rumex cr. for cases of scrofulous, cutaneous, and syphilitic disorders ; bad blood ; bubonic and other glandular enlargements ; nervous dyspepsia with pain in left breast ; chronic sore throat and cough.
 Phytol. as above, also for hard glandular enlargements ; sore and blistered mouth or tongue ; ulcerated throat ; rheumatic complaints ; nervous atony.
 Sassa. generally used as adjunct to any of the above.
 Scroph. n. struma ; ulcerations about head and face ; enlarged glands ; full lips ; pink and white countenance.
 Trif. with ulcerous and cancerous conditions.
 Aral. rac. especially with pulmonary affections.

Anæmia

- Solan. ins., *Nux Vom.*, Gent.,
 Jateor.
 broken-down constitution ; pale, hippocratic expression ; eyes sunken with dark rings, due to some drain on system as hæmorrhage, diarrhœa, excesses, suppuration, etc. Cinch.
 chronic, due to uterine and ovarian weakness Helon.
 debility from chronic suppuration, and Cinch.
 marked, with heart irregularity *Crat. Oxy.*
 worn out mentally and physically ; back feels tired and weak ; albumin in urine ; womb sore and tender Helon.

Anodynes

- Acor.*, Eryth. Coc., *Hyosc.*,
 Humul., *Cann. sat.*, *Pisc.*
 Ery.

GENERAL

Anthelmintics

Aloe, Jugl. cin., Hag., Dry.,
Spig., Tanac., Art. Abs.,
Chen. ant., Art. C.

Antiseptics

Bapt., Echin., Calend., Thu-
ja, Rhus gl., Berb. v.,
Eucalyp., Hydras., Art.
Abr., Thym. v., Nymph.

Antispasmo- dics

Gels. coughs, strictures, pain and convulsions
Lobel. fits, convulsions, coughs, asthma.

Hyosc. pain, choking sensations, muscular
rheumatism, gouty, renal, hepatic, uterine,
urinary asthma, palpitation, fits, mania,
nervousness.

Scutell. tremors, nervous, fits, convulsions,
hysteria.

Caul. th. muscular, uterine, hysterical fits,
intestinal, urinary cramps.

Sympl. foet. nervous fits, hysteria, asthma.

Asafet. hysteria, nerves in women and chil-
dren, convulsions, colic (not in inflamed
condition).

Cimic. rac. rheumatic and nervous (many
conditions).

Bell. spasms, fits, colic, intestinal constriction,
strictures.

Vibur. Op. uterine, colic, spasms, hiccough.

Valer. hysteria, chorea, etc.

Passif. fits, spasms in children, chorea, whoop-
ing cough.

Nux Vom. spasmodic condition of the bowels
near navel, from constipation or liver
trouble.

Diosc. spasmodic gastralgia, hiccough, asthma.

Aphrodisiacs

Turn. aph., Lir. ov., *Seren.*
ser.

Appetite

(see also under **Stomach**)
loss of
— — —, with feeble digestion *Cet. Isl.*, *Pip. meth.*, *Serp.*
Jateor.

Appetite	loss of, with indigestion and mal-assimilation, due to sexual weakness	Helon.
Apoplexy	(see also under Head)	Imper. Ost., Cimic. rac. + Beton.
Astringents		Acac. C., Pter. M., Kram., Querc. r., Hamam., Geum., Myric. cer., Polyg. bis., Rubus v., Geran. mac., Urt. d., Pot. tor.
Autoinfection	from imperfect elimination	Echin.
Bites	of dogs of snakes and insects	Scutell.
	(Plant. m.), Plant. m., Alch. v., Hier., Echin.	
Blood	CIRCULATION	
	arterial, to stimulate	Xanth., Myric. cer.
	capillary, impairment of, with congestion	Bell.
	——, too rapid	Acon., Asclep. t., Corall.
	——, too sluggish	Acon., Asclep. t. + Zing.
	deficient	Solan. dul.
	enfeebled	Acon.
	——, with coldness of extremities	Sang.
	——, with tendency to congestion, especially of nerve centres	Clav. pur.
	excited	Kalm.
	hyperæmia, bright eyes, contracted pupils, great heat, and nervous unrest	Gels.
	sluggish	Xanth.
	venous, to stimulate	Hydras. + Gent.
	weak, rapid	Prun. ser.
	PRESSURE	
	high, to soften and slowly reduce pulse	Gels., Visc. alb.

GENERAL

Blood

PULSE

feeble, tremulous, with contracted pupils	<i>Phys. ven.</i>
frequent in chronic diseases with debility	<i>Lyco. v.</i>
full, oppressed with feeble venous flow and mucous debility	<i>Myric. cer.</i>
—, frequent and bounding	<i>Verat. v.</i>
—, hard, sharp and strong with deficient secretion	<i>Piloc.</i>
—, rapid, corded and wiry	<i>Verat. v.</i>
—, strong, intense with throbbing of carotids	<i>Verat. v.</i>
—, laboured and doughy with blood-current moving with difficulty	<i>Lobel.</i>
hard, vibratile, flushed right cheek ; frontal headaches, and irritative cough	<i>Bry.</i>
nervous excitement, to reduce in quick, small	<i>Gels., Cer. gr.</i>
rapid and beating so forcibly that sleep is prevented	<i>Acon.</i>
—, with low blood pressure	<i>Verat. v.</i>
—, small, with dilated pupils	<i>Stroph.</i>
small, and frequent, whether corded or compressible	<i>Phys. ven.</i>
—, soft, and compressible, irregular and intermittent, with dyspnoea	<i>Acon.</i>
—, quick and vibratile with sharpness of stroke, associated with burning sensations	<i>Asp. Q.</i>
trill as if wiry but soft	<i>Rhus t.</i>
weak, with sub-normal temperature and relaxed tissues	<i>Stict. pul.</i>

VESSELS

atheromatous condition of capillary dilation from want of tone	<i>Corn. F.</i>
	<i>Crat. Oxy.</i>
	<i>Acon.</i>

Blood	GENERAL	
	hyperæmia	<i>Acon.</i>
	increased arterial tension, with bloodshot eyes	<i>Verat. v.</i>
	makers and purifiers	<i>Berb. aq., Iris. v.</i>
	poisoning	<i>Echin.</i>
	—, from tumorous or malign- ant conditions	<i>Bapt.</i>
	purifiers	<i>Echin., Aral. n., Aln. ser., Phytol., Arct. L., Helian. can., Dicen., Aral. rac., Rumex cr.</i>
scurvy	<i>Cit. Lim.</i>	
Cachexia	lymphatic, scrofulous, and syph- ilitic	<i>Iris v.</i>
	syphilitic and strumous	<i>Still.</i>
Cancer		<i>Viol. od. (leaves), (Trif.), Gal. Ap., (Stell. m. (oint.)), Con. mac., Hydras., Phy- tol. + (Phytol.)</i>
	on the skin	<i>(Thuja.)</i>
	re-development of growths, to prevent	<i>Trif. + (Trif.)</i>
Carminatives		<i>Pim. off., Angel., Pimp. anis., Melis. off., Acor. C., Cinn. Zey., Eug. cary., Foen., Zing., Menth. pip.</i>
Catarrh	(see also under other headings)	
		<i>Sesa. ind., Viol. t.</i>
	acute, disorders from cold or suspended cutaneous function	<i>Solan. dul.</i>
	bronchi, bladder, and vaginal	<i>Inul. Hel.</i>
	chronic	<i>Cet. Isl.</i>
	chronic inflammatory	<i>Pip. meth.</i>
	nasal, stomach and bladder	<i>Beton.</i>
	post-influenzal	<i>Lobel.</i>
vesical, worse from dampness	<i>Solan. dul.</i>	

GENERAL

Cathartics		Lept., Rham. c., Jugl. cin., Ipom. Pur., Podo., Lin. cath., Rheum., Cass.
Catalepsy	of unknown origin obstruction of menses, due to religious excitement, due to	<i>Cann. sat.</i> <i>Puls.</i> <i>Stram.</i>
Children's Complaints	chicken pox disturbed sleep, sudden awaken- ing with cry; cholera morbid; bowel complaints; typhoid; meningitis feverishness restless, peevish, nervous, denti- tion, digestive irritation, sum- mer diarrhoea	<i>Bell., Rhus t., Acon.</i> <i>Rhus t.</i> <i>Gels.</i> <i>Matric.</i>
Chills and Chilliness	chilly sensations on motion	<i>Acon., Puls.</i> <i>Gels.</i>
Chlorosis		<i>Helon., Puls., Nux Vom.,</i> <i>Asafet., Vibur. pr., Hell.</i> <i>n., Alet., Senec. aur.</i>
Chorea	children, in girls at puberty, for mild spasmodic movements	<i>Con. mac., Cimic. rac. +</i> <i>Scutell. + Verben., Puls.,</i> <i>Bell., Paeon. off., Asafet.,</i> <i>Passif., Polyp. off., Cypris.</i> <i>pub., Solan. Car.</i> <i>Cimic. rac., Lobel.</i> <i>Cimic. rac.</i> <i>Valer.</i>
Common Colds	acute beginning at ———, with chilliness break up, to diaphoretic with above deep-seated, aching pain, and slight or no fever, with	<i>Menth. pul., Eucalyp., Euph.</i> <i>off., Achill., Mal. syl.</i> <i>Menth. pip.</i> <i>Acon.</i> <i>Gels.</i> <i>Corall.</i> <i>Asclep. t.</i> <i>Eupat. per.</i>

Common Colds	<p>head, chest and stomach, in Penth., Corall., Myric. cer. (<i>snuff</i>), Asclep. t.</p> <p>in head, and bronchial cough, worse entering room All. cep.</p> <p>kidney and visceral trouble, with Arist. serp.</p> <p>on chest especially at beginning and end of winter, with per- haps dry cough, oppression, stomach deranged, etc. Bry.</p> <p>protracted, with cough and catarrh Verbas.</p> <p>second stage, when Eustachian tubes feel stuffed and occluded with moderate deafness Puls.</p> <p>tending to become chronic, or frequently repeated All. sat.</p>
Collapse	<p>nervous, due to overwork, sexual indulgence, masturbation, and excessive use of tobacco Puls.</p>
Constitution	<p>diseased, syphilitic Berb. aq., Cory. Can. scrofulous Cory. Can.</p>
Convalescence	<p>Hydras., Tanac., Verben., Arist. serp.</p>
Convulsions	<p>Asafet., <i>Passif.</i>, <i>Gels.</i>, <i>Lobel.</i>, <i>Bell.</i>, <i>Verat. v.</i>, <i>Acon.</i>, <i>Valer.</i>, <i>Art. v.</i>, <i>Solan. Car.</i>, <i>Vibur. Op.</i>, <i>Verben.</i></p> <p>convulsive movements <i>Passif.</i></p> <p>dentition of <i>Lobel.</i>, <i>Passif.</i></p> <p>epileptiform of idiopathic origin Solan. Car.</p> <p>great vascular excitement; full pulse and cerebral hyperæmia <i>Verat. v.</i></p> <p>hysterical and infantile Solan. Car., <i>Lobel.</i></p> <p>infantile <i>Asafet.</i>, <i>Gels.</i></p> <p>—, from bowel irritation or from respiratory obstruction <i>Lobel.</i></p>

GENERAL

Convulsions	puerperal spasms of childhood uræmic poisoning, with worms, from	<i>Crot. Tig.</i> <i>Gels., Lobel.</i> <i>Piloc.</i> <i>Lobel., Passif.</i>
Corpulence		<i>Fuc. ves., Urt. d., Glech.</i>
Cramps	abdominal; menstrual with coldness, tenderness and lame- ness of the stomach diarrhœa and dysentery, with leg at night, in limbs, in the various kinds	<i>Zing.</i> <i>Epil.</i> <i>Vibur. pr.</i> <i>Gels.</i> <i>Vibur. Op. + Vibur. pr., Lobel.</i>
Debility	(see also under <i>Mind</i>). constitutional digestive impairment, marked with faulty gastro-intestinal function- ing in aged, with general, with biliousness —, from gastro-intestinal irritation loss of tone and vigour muscular profound muscular, after long illness	<i>Bux., Menis. Can., Strych.</i> <i>Ign.</i> <i>Hemid.</i> <i>Pop. tre.</i> <i>Caps.</i> <i>Berb. v.</i> <i>Ptel. t.</i> <i>Cinch.</i> <i>Commi. Myr.</i> <i>Cola v.</i>
Demulcents		<i>Maran., Symph., Agro.,</i> <i>Cet. Isl., Chond. cr., Lin.</i> <i>usti., Glycerine, Alth. off.,</i> <i>Ulm. f.</i>
Diabetes	(see under <i>Urinary</i>).	
Diaphoretics		<i>Asclep. t., Corall., Piloc.,</i> <i>Bry., Angel., Melis. off.,</i> <i>Eupat. per., Corall., Psc.</i> <i>Ipec., Ment. pul., Xanth.,</i> <i>Achill.</i>

Disorders	ACUTE due to cold and dampness	Solan. dul.
	ALL with profuse, watery discharges, and acute inflammation, or irritation with chronic structural, of heart, lungs, and kidneys	Euph. off. Junip. com.
	BLOOD	Viol. t.
	CONGESTIVE	<i>Bell., Lobel.</i>
	FEBRILE acute, to quieten delirium and overcome insomnia of rheumatic or gouty origin	<i>Gels.</i> Salix a.
	INFLAMMATORY all to quieten delirium and over- come insomnia	Teuc. Sco. <i>Gels.</i>
	MUCUS excessive discharge of chronic disorders, with fetid, with atony hæmorrhage, with thick, bland, and offensive dis- charges	Inul. Hel. Bapt. Symph. <i>Puls.</i>
	NERVOUS affections with convulsions and spasms "colds", following functional mild neuritis and neuralgia with hyperæmia, nervous irritabil- ity, and sharp muscular twitch- ings neurosis, in women and children	Paeon. off. Til. <i>Strych. Ign.</i> <i>Ocim.</i> <i>Gels.</i> Verben.

GENERAL

Disorders	neurosis, abdominal, due to prostatic, urethral, or tes- ticular disease	Pip. meth.
	nervous children and weak women	Cyprip. pub.
	spasmodic	Asafet.
	PELVIC	
	nervous irritability, from.	Cyprip. pub.
	SCROFULOUS	
	chronic	Podo., Beton.
	STRUMOUS	Hydrang.
	WASTING	
	all, to increase flesh and build up strength	<i>Seren. ser.</i>
Discharges	chronic mucus or muco-puru- lent	Eucalyp.
	excessive mucus	Urt. d.
	mucus	Kram.
	mucus after acute inflammation	<i>Cop. L.</i>
	profuse, debilitating	Geran. mac.
Diuretics		Hydrang., Serp., Chim. umb., Eryng., Equis., Car. pet., Polyt. Jun., Dauc. C., Zea May., Menth. vir., Cyt. sco., Baros., Gal. Ap., Agro., Junip. com., Chond, t., <i>Anac. Pyr.</i> , Caps. Bur., Collins., Uva U.
Dropsical Complaints	(see also under Urinary).	
		Gen. tinc., Corn. ser., Polyt. Jun., Vitis., <i>Anag.</i> , Podo., Spir. U., Impat., Vacc. Myr., <i>Delph. Con.</i>
	abdominal	Junip. com.
	atonic conditions, in	Cochl. a.
	cardiac origin of	
		<i>Scill.</i> , Apoc. and., <i>Crat. Oxy.</i> , Coff., Conv. m.

Dropsical	cardiac, with weak heart	<i>Adon.</i>
Complaints	— weakness and irregularities, with chest of congestion of kidneys feet of, from weakness general asthenic condition, and without fever, dependent on kidney diseases, with plethora, lungs, etc., of renal origin, of —, not from cardiac lesions —, inefficiency, due to scarlatina, after sthenic patients, in testicular thorax, heart, and abdomen, of weakness and loss of appetite, with	Conv. m. Samb. Eb. <i>Scill.</i> Apoc. can. <i>Scill.</i> Equis. Ecb. Elat. (<i>Amer.</i>) Piloc. <i>Poly. sen.</i> Pip. meth. Car. pet. + Eupat. per. Piloc. Thuja + Samb. Eb. Iris v. Chim. umb.
Elephantiasis		(Calot.), (Viol. od.), Aln. ser.
Emetics		<i>Psyc. Ipec., Lobel., Brass. n., Eupat. per., Apoc. and., Aln. ser., Verben.</i>
Emmena- gogues		Aloe, Chen. ol., Cimic. rac., Caul. th., Usti. May., Clav. pur., Ajug. Ch., <i>Hell. n., Senec. aur., Leon., Art. v., Menth. pul., Ruta gr., Art. Abs., Tanac., Teuc. Sco.</i>
Emollients		Lin. usti., Glycerine, Alth. off., Ulm. f.
Emulsifying Agents		<i>Quill., Chond. cr., Acac. sen.</i>
Enlargements	glandular —, soft	(<i>Hed.</i>) Iris v.

GENERAL

Enlargements	glandular, hard swollen, reddened and glistening	Phytol. <i>Rhus t.</i>
Epilepsy	(see also under Mind). <i>Ail.</i> , <i>Lobel.</i> , Samb. n., Cimic. rac. + Scutell. + Verben. attacks, to abort force and frequency ——, to ward off convulsions, to prevent injury, due to maniacal excitement with masturbation, of reduce violence of convulsions and lessen frequency of attacks, to	Solan. Car. <i>Passif.</i> Viol. t. Oenan. ph. <i>Stram.</i> Jacar. pro. <i>Lobel.</i>
Excited	nervously, and highly feverish states, with hot head ; tremu- lous and jerky muscles ; great restlessness, and high tem- perature	<i>Gels.</i>
Excretions	foul	<i>Echin.</i>
Expectorants	<i>Poly. sen.</i> , <i>Verbas.</i> , <i>Lobel.</i> , <i>Asclep. t.</i> , <i>Stict. pul.</i> , <i>Styr.</i> <i>ben.</i> , <i>Inul. Hel.</i> , <i>Marr. v.</i> , <i>Psyc. Ipec.</i> , <i>Hier.</i> , <i>Polyp.</i> <i>v.</i> , <i>Urg. Scill.</i> , <i>Prun. ser.</i> , <i>Eriod.</i>	
Faintness	tendency to, after long illness, with mental depression	<i>Cola v.</i>
Febrifuges	<i>Acon.</i> , <i>Cusp. f.</i> , <i>Alst. con.</i> , <i>Geum.</i> , <i>Melis. off.</i> , <i>Eupat.</i> <i>per.</i> , <i>Nep. Cat.</i> , <i>Corall.</i> , <i>Scab.</i> , <i>Pot. rep.</i> , <i>Gels.</i> , <i>Verat. v.</i> , <i>Cinch.</i> , <i>Art. Abs.</i>	

Feebleness	from disease, weak circulation and spinal innervation	Arn.
Flashes of Heat	from pelvis to back, up to head and down again	<i>Puls.</i>
Fretful	babies, to calm	Nep. Cat.
Gangrene	(see also under Skin , and Extremities). (<i>Echin.</i>), (<i>Salix nig.</i>), <i>Thuja</i> .	
Glands	(see also under Skin , Extremi- ties , and Genitalia). all affections chronic indurated engorgement, hard (non-suppu- rating) —, soft inflamed —, from hepatic causes lymphatic, scrofulous enlarge- ment swollen, cervical, axillary, and inguinal, not due to tuber- culosis	Cel. sca., <i>Iris v.</i> (<i>Camph. (lin.)</i>) <i>Phytol.</i> <i>Iris v.</i> (<i>Bell.</i>) <i>Polym. U.</i> (<i>Polym. U.</i>) <i>Phytol.</i>
Goitre	(see also under Eye , and Throat). hard soft	<i>Phytol.</i> <i>Iris v.</i>
Growths	(see also under Nose , and Skin). cancerous	(<i>Eucalyp.</i>)
Habits	drug morphine opium tobacco, to overcome —, to substitute	<i>Gels.</i> Comb. sund. <i>Stram., Gels., Cann. sat.</i> <i>Ol. Sassa., Cola v.</i> <i>Tuss. Far.</i>
Hæmophilia		<i>Ol. Tereb. R.</i>

GENERAL

Hæmorrhages	(see also under Eye, Stomach, Abdomen, Urinary, Genitalia, and Respiration).	Acac. C., Ajug. rep., Polyg. bis., Cinn. Zey., Geran. mac., Achill., <i>Querc. L.</i> , Caps. Bur., Kram., Hæmat., Vinc. m.
	active	Kalm., Clav. pur.
	check, to	Kram., Geran. mac.
	general of lungs, bowel, and post-partum	Usti. May.
	internal	Trill., Prun. v.
	passive, from pelvic organs	Hydras.
	—, nose, lungs, and stomach	Hamam.
	post-partum	Usti. May., Cinn. Zey.
	uterine, eyeball, etc.	(Hydras.), (Hamam.)
	various, where amount is small	Achill., Lyco. v.
Heat	flashes of, and burning of surface of thighs, etc., accompanying deficient menstruation	<i>Hell. n.</i>
	— —, especially at menopause	<i>Cer. gr.</i>
	— —, pelvis to back, head, and down again	<i>Puls., Acon.</i>
Hectic	conditions	Cinch.
Hemostatics		Polyg. bis., Geran. mac., Usti. May., Clav. pur.
Hydrophobia		Echin., Scutell. + Cypris. pub. + <i>Lobel.</i>
Hypnotics		<i>Bell.</i> , Solan. dul., Lyco. v., <i>Con. mac.</i> , <i>Hyosc.</i> , <i>Cann. sat.</i> , Visc. alb., <i>Passif.</i> , <i>Stram.</i>
Inflammation	asthenic, with hot, dry skin; synovial	<i>Acon.</i>

Inflammation	bowels, stomach, urinary organs, or cerebro-spinal deep-seated, to abort exudation stage, when reached gastric and stomachic hectic, also passive lungs, bowels, and synovial lungs, stomach, bowels, and bladder obstinate to prevent mortifica- tion peridental pulmonary, etc., with full bound- ing pulse serous membranes covering thorax, abdomen, and the contained organs of, first stage sthenic cases, in synovial	<i>Gels.</i> (Lin. usti.) <i>Bry.</i> <i>Prun. Per.</i> <i>Quinine (s.d.)</i> <i>Bry.</i> <i>Ulm. f.</i> (Alth. off.) <i>Acon.</i> <i>Verat. v.</i> <i>Acon. + Bell.</i> <i>Piloc.</i> (Arn.), <i>Acon.</i> , <i>Bry.</i>
Influenza	(see also under Respiration). great soreness all over body ; severe bone pains ; hoarseness and cough ; soreness in chest, when coughing supports chest with hands	<i>Piloc.</i> , <i>Eupat. per.</i> , <i>Bry.</i> , <i>Beton.</i> , <i>Lobel.</i> <i>Eupat. per.</i>
Irritability	children during dentition nervous, infantile	<i>Cyprip. pub.</i> <i>Passif.</i>
Irritants		<i>Citr. Col.</i> , <i>Bry.</i> , <i>Caps.</i> , <i>Brass.</i> <i>n.</i> , <i>Rhus t.</i> , <i>Thuja.</i>
Irritation	obstinate chronic, of mucus membranes nervous, with depression, flatu- lence, headache and vertigo nerve centres, of, due to excited circulation	<i>Kalm.</i> <i>Asafet.</i> <i>Verat. v.</i>

GENERAL

Laxatives

Rham. c., Rham. Pur., Tar-
ax., Hydras., Podo., Frax.
Orn., Lin. cath.

Left

side of body influenced by *Puls.*

Lymphatic Complaints

Still., Iodine., Iris v.,
Phytol.

imperfect elimination *Iris v.*

Malaise

Corall.

Measles

*Bell., Acon., Puls., Dros.,
Gels., Stict. pul., Trif.,
Rhus t., Eupat. per.*

catarrhal phenomena, to con-
trol, relieve cough, and assist
elimination *Asclep. t.*

eruption, to determine *Carth. t.*

face cold, pale and hippocratic
with retrocession of rash *Camph.*

high fever, eruption slow in
making appearance *Asclep. t.*

sore eyes, margins of lids swollen
with watery acrid discharge *Euph. off.*

with distressing catarrhal con-
ditions *Euph. off.*

Mucosa

affections of all kinds *Phytol.*
burning and itching *Sang.*

catarrhal status unaccompanied
by acute inflammation *Hydras.*

chronic and debilitated condition
of, with tendency to diarrhœa *Corn. F.*
congestion of *Chond. t.*
Collins.

congested and irritable
debility of, with feeble venous
flow and full pulse *Myric. cer.*
inflamed, chronic *Penth.*

— and irritable *Acac. sen., Ulm. f.*
irritation of, with feeble circula-
tion *Hydras.*

Mucosa	irritation of, with vascular excitation	<i>Acon.</i>
	pale and lax	Commi. Myr.
	pale with scanty viscous secretion	<i>Caps.</i>
	profusely secreting, tumid	Berb. aq.
	relaxed, and enfeebled, with excessive catarrhal discharge	Ol. Tereb. R.
	red, glistening and swollen, with scanty secretion	Still.
	serous, with sharp cutting or tearing pains	Bry.
	surfaces, ulceration or erosion of	Hydras.
		Asclep. t., Phytol., <i>Puls.</i> , <i>Bell.</i> , <i>Acon.</i>
	Mumps	deficiency of saliva
fever		<i>Acon.</i> + Phytol.
irritation of nervous system with blood to brain		<i>Gels.</i>
orchitis		(<i>Echin.</i> + Phytol. + <i>Bell.</i>)
sharp pulse and nervous erethism		<i>Rhus t.</i>
Muscular	debility, and malnutrition	Hydras.
	insufficiency	<i>Stroph.</i>
	pains in visceral coats, or pectoral muscles, or under scapulae	Iris v.
	rigidity	<i>Lobel.</i>
	soreness, worse on pressure	Hydras.
	spasms	<i>Hyosc.</i>
	—, painful	<i>Pisc. Ery.</i>
	spasmodic contraction	<i>Lobel.</i>
	strain, soreness, etc.	Hamam.
	— — —, from injuries, or over-exertion	Arn.
twitchings of the face	<i>Ignat.</i>	
—, with restlessness	Cyprip. pub.	
Mydriatics	<i>Bell.</i> , <i>Hyosc.</i> , <i>Stram.</i>	

GENERAL

Narcotics	(see Hypnotics).	
Nervous Disorders	(see also under Mind). epilepsy, chorea, etc. exaltation, hyperæsthesia fevers and headache irritable conditions especially with spasms or pain melancholy and weakness, with prostration from overwork, dyspepsia spasmodic from menstrual troubles unrest, fright, terror in sleep, insomnia	Visc. alb. Bell. (s.d.) Lach. Diosc. Puls. Panax. Cimic. rac. Hyosc.
Neuralgia	(see also under Face (pain)). anus and lower bowel, in ciliary, worse on motion, when touched or in attempting to sit up face and eyes, pain stabbing from occiput to orbit, malar bones and teeth painful, pro- fuse lachrymation from affec- ted eye fifth cranial nerve, especially from intercostal and pericardial idiopathic with cold extremities and headache (chronic) liver, abdomen and stomach, especially in lumbar, sciatic, and crural other remedies, to assist pain sharp, shooting or stabbing pain in delicate persons small of back and loins, in toothache and headache, asso- ciated with	Acon., Ignat. Bry. Spig. Quinine. Asclep. t. Melil. off. Diosc. Apoc. can. Acon. Gels. + Kalm. Xanth. Tuss. Far. + Petas. v. Plant. m.

Neuralgia	tonic for neuralgic conditions various kinds viscera with throbbing, with	<i>Swert. Ch.</i> <i>Passif., Pisc. Ery., Pip. meth.</i> <i>Aesc. H.</i>
Neuritis	extreme sensitiveness fever, restlessness, pulse full and bounding traumatic, parts inflamed with tingling, burning and numbness	<i>Cann. sat.</i> <i>Acon.</i> <i>Hyper.</i>
Neurasthenia	nerves weak ; brain tired ; irritability, easily excited ; excess of phosphates in urine ; sexual excesses, and occipital headache	 <i>Aven.</i>
Nodes	syphilitic ; falling of hair ; hectic fever and eruptions on body	 <i>Dicen.</i>
Nutritives		<i>Maran., Chond. cr., Cet. Isl.,</i> <i>Orch. mas., Seren. ser.,</i> <i>Ulm. f.</i>
Obesity	(see Corpulence).	
Edema	(see also under Extremities). due to cardiac insufficiency	<i>Apoc. can., Samb. Eb.</i> <i>Asclep. inc.</i>
Outlets of Body	irritation, etc. ulcerations	<i>Thuja.</i> <i>Phytol.</i>
Pain	all aches from "colds", onset of fever or from muscular exertion, whole body acute, better for movement aged in, where there are calcoplastic deposits bones, in the, especially with influenza	<i>(Anth. n. (poult.))</i> <i>Cimic. rac.</i> <i>Asclep. t.</i> <i>Con. mac.</i> <i>Eupat. per.</i>

GENERAL

Pain

burning character, of a bruises and sprains, of bruised sore feeling, worse on motion	<i>Rhus t.</i> (<i>Lobel.</i>)
cancerous growths	Bry. Viol. od.
cardiac, rectal, facial, and other neuralgia	<i>Passif.</i> <i>Hyosc.</i>
choking sensations	
coldness of extremities and marked tenderness, lameness and soreness to touch, with cramps and spasms	Melil. off. Vibur. Op.
cutting and tearing, worse on movement	Bry. <i>Puls.</i>
debility, with deep-seated, boring and tensive pains	Cimic. rac. (<i>Brass. n.</i>)
—— —, and inflammations	
drawing, as if contracted muscu- lar fibres	Cimic. rac.
erysipelas, cancerous, gonor- rhœa, from	Echin. <i>Puls.</i>
exposure to wind, on extreme sensitiveness to all organs of special sense with pale, livid or dirty complexion	Lyc. cl.
—— — of surface ; objection to sensitive part touched	Lyc. cl.
—— tenderness and soreness, worse on pressure	Bry.
fractures, carcinoma, cholera morbus, etc. from general, and aches	<i>Pisc. Ery.</i> (<i>Melil. off.</i>) Cimic. rac.
heavy tensive aching	Ech. v.
inflammatory	Piloc.
muscular	
neuralgic, periosteal, particu- larly if associated with malar- ial infection	Eupat. per. <i>Cann. sat.</i>
—— spasmodic	

Pain

nervous tension and excitement,
with
pericardial
periosteal and nodes
puffiness of tissues, with
rheumatic, cramps and con-
vulsions

Gels.
Asclep. t.
Still.
Piloc.

Iris foet.
(Menth. pul.)
Cimic. rac.

—
rheumatoid and muscular
severe, worse on motion or
touching part
shifting from place to place
(neuralgic or rheumatic)
spasms, with

Cinch.

Puls.
Stram., Pisc. Ery.

—, and nervous unrest in
aged or infant, and anæmic
or debilitated

Hyosc.

—, anus, uterine, cystic, ure-
thral, and other viscera

Bell.

spasmodic, colicky contractions

Diosc.

—, especially, with anæmia

Hyosc.

—, of nervous origin with
marked depression

Cann. sat.

soreness of muscular tissues as
if bruised or pounded

Cimic. rac.

superficial and localized

Stram.

tired, languid, torpid, worse on
movement

Bry.

uneasy and throbbing sensation
with dull aching

Aesc. H.

various kinds

Bell. + (Bell.)

— —, especially in chest,
lungs, etc.

Bry.

worse on movement

Bry.

Paralysis

(see also under **Eye**, and
Urinary). (Tam.)

agitans

from below upwards; vertigo;

staggering gait

hemiplegia

Con. mac.

Con. mac.

Rhus t.

GENERAL

Paralysis	hemiplegia, following apoplexy	Aven.
	hysteria, neurasthenic, or fol-	
	lowing diphtheria or syphilis	<i>Strych. Ign.</i>
	infantile	Collins. + Aven.
	lead, or arsenic	<i>Strych. Ign.</i>
	legs of	<i>Rhus t.</i>
	local	<i>Ignat., Nux Vom.</i>
rheumatism, after		
<i>Gels., Rhus t., Hyosc., (Delph. Staph.)</i>		
palsy, for women	Vibur. pr.	
Paroxysmal	complaints	Lopop.
Parturient		Mitch.
Poisoning	aconite	<i>Digit.</i>
	alkali	Lin. usti.
	alkaloids, narcotics, or ptomaine	
	with collapse of breathing and	
	circulation	<i>Strych. Ign.</i>
	atropine or belladonna	Piloc.
	chloroform narcosis	<i>Strych. Ign.</i>
	corrosives	Acac. sen.
	external, by caustic alkalis	(Ol. Eur.)
	irritants	Lin. usti., Acac. sen., Ulm. f., Hord.
narcotic, internal	(Brass. n.)	
ptomaine	Piloc.	
rhus	(Grind. cam.)	
Prostration	general	Corall.
	irritation of nerve centres, with	Euony.
	nervous	<i>Caps. + Scutell.</i>
Pulsations	over body, with one-sided sweat-	
	ing	<i>Puls.</i>
Pulse	(see Blood).	
Purgatives		
		<i>Aloe, Citr. Col., Ipom. Pur., Podo., Corv. Sca.</i>

Pus	to lessen, or prevent to suppurate	(Calend.) (Lin. usti.)
Quinine	(when it cannot be borne by the stomach may be applied as an ointment over the abdomen, or in groin or armpits) headache or overdose substitutes	Corn. F. Ptel. t., Menis. Can.
Rabies		Scutell.
Recuperation	feeble power of	Rumex cr.
Refrigerents	(see Febrifuges)	Cit. Lim., (<i>Hed.</i>), Vinc. m.
Rheumatism (Acute)	(see also under Extremities). and chronic due to exposure to damp articular and chronic articular; great thirst; pains tearing or stitching, worse on motion and at night arthritic —, gonorrhœal —, with œdema burning pain; frontal head- ache; red papillæ on tongue; small, sharp pulse; pain worse from heat diathesis with sallowness and inactivity; fullness of tis- sues; dull pain and heaviness in right hypochondrium	Aral. rac., Api. gr., (Melal. L.), Larix. Am., Magn. v., Fer. gal., <i>Anag.</i> , Pip. meth., (Laur. n.), Prim. ver., <i>Daph. Mez.</i> Solan. dul. (Gault.) Bry. <i>Colch. aut.</i> (Gault.) Apoc. can. <i>Rhus t.</i> Podo.

GENERAL

Rheumatism (Acute)	dry, hot skin ; feverish ; sup- pression of secretions ; dry, parched mouth ; full hard pulse ; scanty deep-red urine ; restlessness ; stiff swollen joints ; sthenic cases	Piloc.
	enlarged lymphatic glands or sore throat or mouth ; urine whitish and somewhat opaque	Phytol.
	feeble circulation ; cold hands and feet, and vital depression, with	Guaia.
	fibrous tissues, tendons, fasciae, ligaments, and muscle sheaths, of	<i>Rhus t.</i>
	inflammatory, and	<i>Gels.</i>
	—, with excessively red and inflamed surfaces ; alkaline urine ; long red tongue, thinly coated white	Cit. Lim.
	—, with swollen and painful parts, and dry membranes and skin	Piloc.
	intercostal, especially with sweating	Asclep. t.
	lameness, stiffness and pain, worse on commencing to move, better on motion	<i>Rhus t.</i>
	muscular	Rham. F.
	—, with dull, heavy pain, soft skin, and no fever	Brun.
	pains, general (Menth. pul.), (Brass. n.)	
	pain in shoulders and neck to occiput, or with irritative cough	Stict. pul.
	puffiness and glistening of parts affected, or of the feet, hands or eyelids ; pulse full	Apoc. can.

Rheumatism (Acute)	restlessness, stiffness, paralysis, also if aggravated by warmth or rest rheumatic fever	<i>Rhus t.</i> <i>Bell.</i>
	— — —, muscular pain ; skin hot but moist ; tensive pain as from contraction	Cimic. rac.
	shifting pains, relieved by cold, worse from heat ; depression of spirits	<i>Puls.</i>
	shoulders, wrists and fingers, of	Quinine + <i>Caps.</i>
	sthenic patients, or inflamed conditions	<i>Verat. v.</i>
	subacute, with soreness and stiffness of joints	<i>Piloc.</i>
	— — —, pains induced by damp syphilitic	<i>Rhus t.</i> <i>Thuja.</i>
	tearing, cutting, tensive pains, worse on motion, and in finger joints ; hard pulse ; flushed right cheek ; pain in head from forehead to occiput ; skin dry	<i>Bry.</i>
	toes, fingers and muscles, in, of uterus, stomach (pain after taking food) and asthenic plethora	<i>Caul. th.</i>
	with cervical and occipital pain	<i>Stict. pul.</i>
	worse from warmth of bed	<i>Rhus t.</i>
Rheumatism (Chronic)	aged, in the cold and dampness, from cold extremities, no inflamma- tion	<i>Con. mac.</i> <i>Solan. dul.</i>
	— — —, and lameness	<i>Guaia.</i>
	cold skin and debility	<i>Melil. off.</i>
	general	<i>Arn.</i>
	Xanth., Phytol., Api. gr., Meny. tri., Hemid., Cimic. rac. + Phytol. + Guaia.	
	glandular and syphilitic troubles	<i>Iris v.</i>

GENERAL

Rheumatism (Chronic)	hip, of the kidney complaints, or scrofula long standing, of muscular pains, various relapsing sub-inflammatory, worse by motion especially when located in muscles	All. cep. Chim. umb. Chim. umb. Xanth., Cimic. rac. <i>Gels.</i> , (<i>Gels.</i>), <i>Pisc. Ery.</i> Aven. Bry.
Salt Rheum		Herb. aq.
Scarlatina		<i>Bell.</i> , <i>Rhus t.</i>
Salivation	to check	<i>Bell.</i>
Secretions	deficient salivary, gastric, intestinal and bile, to stimulate suppressed too profuse with difficulty to relieve	Piloc. Xanth., Hydras., <i>Poly. sen.</i> (<i>Brass. n.</i>) <i>Lobel.</i>
Sedatives		<i>Acon.</i> , <i>Cyp. art.</i> , <i>Bell.</i> , <i>Vibur.</i> <i>pr.</i> , <i>Corall.</i> , <i>Digit.</i> , <i>Con.</i> <i>mac.</i> , <i>Hyosc.</i> , <i>Pisc. Ery.</i> , <i>Cer. gr.</i> , <i>Passif.</i> , <i>Prun.</i> <i>ser.</i> , <i>Salix nig.</i> , <i>Valer.</i> , <i>Humul.</i> <i>Lobel.</i> <i>Lyc. v.</i>
	cardiac — and nervous	
Sepsis	enfeebled circulation, with tendency to	<i>Bapt.</i> <i>Bry.</i>
Septicæmia	shivering, high temperature, weak, rapid pulse	<i>Echin.</i>
Scurvy	tender, spongy gums; poor appetite; diarrhœa; abdom- inal distention	<i>Rhus gl.</i>

Scrofulous	Helian. can.,	<i>Daph. Mez.</i> ,
Complaints	Chim. umb.	
	all forms especially eyes, nose,	
	ears and throat	Helian. can.
	especially in children	Iodine, Echin.
	especially with urinary com-	
	plaints	Chim. umb.
	hard lumps in neck, abscesses	
	and ulcers	Helian. can.
	strumous affections	Echin., Scroph. n.
	— — — with yellowish skin	
	Dicen., Rumex cr., Still., Solan. dul.,	
	Berb. aq.	
	with glandular swellings	Aln. ser.
	— — — — —, hard	Phytol.
	— — — — —, soft	Iris v.
Shock	threatened	<i>Strych. Ign.</i>
Snake	bites, and other insects	
	(Plant. m.) + Plant. m., Alchem.	
	v., Hier., Echin.	
Spasms	muscular	Piloc., Melal.
	tubular and sphincteric	<i>Hyosc.</i>
	vasomotor	<i>Cer. gr.</i>
Sthenic		
Conditions	(strong or acute)	<i>Verat. v.</i> , <i>Hyosc.</i> , Piloc.
Stimulants		
	Dor. Am., Sang., Crot. El.,	
	<i>Caps.</i> , Cinn. Zey., Eug.	
	cary., Zing., Cochl. a.,	
	Piloc., Cola v., Brass. n.,	
	<i>Nux Vom.</i> , Ilex Par.	
	Menth. pul., Ment. pip.	
	Myrox. P., Pop. tre.	
	Xanth., Arist. serp., Gault.	
Stings	Echin., Plant. m., Trill.,	
	Hier.	

GENERAL

Stomachics	Pim. off., Geum, Acor. C., Eryth. Cen., Anth. n., Mars. Con., Pip. cub., Menth. pip., Pic. ex., Alet.
Strangury	Senec. aur.
Substitutes	opium <i>Hyosc., Pisc. Ery.</i> quinine <i>Ptel. t., Menis. can.</i>
Sudorifics	(see Diaphoretics). especially with sthenic patients <i>Piloc., Arist. serp.</i>
Suppuration	<i>Echin., (Calend.)</i>
Swellings	(see also under Skin). enlargements, and, red and glistening <i>Rhus t., (Senec. Jac. (poult.))</i> inflammatory <i>(Bor. (poult.))</i> white and others, to check <i>Dor. Am.</i>
Sympathetic Nervous System	sedative <i>Lyco. v.</i> — and stimulant <i>Acon.</i> stimulant <i>Lobel., Verat. v. (s.d.)</i>
Synovial	inflammation and swelling <i>Bry., Acon., (Arn.)</i>
Taenifuges	<i>Mall., Hag., Dry.</i>
Tension	high muscular and nervous <i>Gels.</i>
Tetanus	idiopathic, from indigestion <i>Gels.</i> lips drawn back and jaws locked together <i>Ol. Caps. + Ol. Lobel. + (Ol. Caps. + Ol. Lobel.)</i> stiffness of muscles of mouth and jaw, difficulty of swallow- ing <i>Gels., Lobel., Phys. ven., Hyosc., Bell., Passif., Acon., Ignat., Solan. Car.</i> when mouth opened <i>Passif. + Gels.</i>
Throbbing	of body <i>Hyper.</i>

Tissues	all glandular, to increase flesh and build up strength	<i>Seren. ser.</i>
	catarrhal outpouring and erosion of	<i>Berb. aq.</i>
	coldness, tenderness, lameness and marked soreness of	<i>Melil. off.</i>
	fullness of, with tendency to œdema	<i>Solan. dul.</i>
	— — —, with full veins and arterial flow	<i>Lobel.</i>
	— — —, superficial veins with oppressed full pulse, of	<i>Podo.</i>
	— — —, with dusky, leaden, purplish or livid discoloration, tendency to ulceration, and decay	<i>Bapt.</i>
	full not shrunken, and surface flushed with blood	<i>Verat. v.</i>
	feeble, with tardy removal of broken-down material and slow reconstruction	<i>Still.</i>
	mucous, relaxed with profuse debilitating discharges	<i>Geran. mac.</i>
	pale and œdematous, with scanty or irregular flow of urine, and indisposition to exertion	<i>Pip. meth.</i>
	relaxed, flabby, with hypersecretion	<i>Myric. cer.</i>
	— — —, with weak pulse and subnormal temperature	<i>Corn. F.</i>
	— — —, muscles tired and painful, joints stiff, in aged	<i>Caps.</i>
	— — —, with profuse secretions of thick, tenacious or yellowish or greenish-yellowish mucus	<i>Hydras.</i>
	relaxation and atony of, with free discharge	<i>Achill.</i>
	serous, inflamed	<i>Asclep. t.</i>

GENERAL

Tobacco	habit, to overcome nervous, highly strung condition, from abuse of substitute	Ol. Sassa., Cola v. Chrys. Par. + <i>Cer. gr.</i> Tuss. Far.
Tonics	<p>alterative, and —, and astringent asthmatic breathing, etc. astringency, without blood purifier especially with torpid liver and after malarial fever, and convalescence from acute diseases — — — exhausting diseases dyspeptic and weak stomachs, for —, and scrofulous scrofulous and cachetic affections very pleasant for many affections weak conditions arising from losses of body fluids and hæmorrhage, milk, mucus, seminal, etc.</p>	<p>Alst. con., Berb. v., Apoc. and., Meny. tri., Jateor., Anth. n., <i>Swert. Ch.</i>, Eryth. Cen., Turn. aph., Gent., Cop. tri., Humul., Cola v., <i>Nux Vom.</i>, Myrox. P., Chim. umb., Pop. tre., Xanth., Pic. ex., <i>Stroph.</i>, Dicen., Cham. lut. Prun. ser., Art. Abs. Dicen. Agrim. Ptel. t. Cop. tri. Berb. aq. Verben. Osmunda. Euony. Aln. ser. Meny. tri. Chrys. Par. Cinch.</p>
Tuberculosis	of spine and mesenteric glands	All. sat., <i>Con. mac.</i> , Chim. umb. Phytol.
Tumours	(see also Cancer). fungoid	(Sang.)

Tumours	inflamed malignant	(Bapt.) <i>Nux Vom.</i> , Bapt., Echin., Iris v., Phytol., Glech., (Glech.), (Phy- tol.), (Symph. (<i>poult.</i>)), (Ham- am.), (Hydras.), (Calend.), (Sang.), (Eucalyp.)
Twitchings	muscular	Matric.
Ulcers and Ulcerations	(see also under Stomach, Eye, Nose, Mouth, Abdomen, Genitalia, Respiration, Ex- tremities, and Skin).	
	aphthous	(Cop. tri.)
	—, of mouth	Acac. C.
	cancerous	(Trif.) + Trif.
	—, to remove odour	(Fic. Car. (<i>poult.</i>))
	gastric	<i>Con. mac.</i> , Hydras.
	general	(Senec. Jac.), (Aesc. H.)
	indolent, old, and chronic	(Grind. cam.)
	—, or offensive	(Salix nig.), (Trill.)
	—, and malignant	(Xanth.)
	—, and scrofulous	(Myric. cer. + Sang. (<i>poult.</i>))
	malignant and putrescent	Echin., Bapt.
	nose, throat, tongue, stomach, skin, etc., varicose ulcers and on mouth	Phytol., (Phytol.)
	red glistening margins, with	<i>Rhus t.</i>
Veins	congested or sluggish, with enfeebled circulation	Hamam., (Hamam.)
	varicose	(Hamam.)
	— chronic	Calend., (Calend.)
	— inflamed and swollen	<i>Bell.</i> , <i>Acon.</i> , Hamam. + <i>Acon.</i>
	— right shoulder, due to engorgement of liver; skin dirty; dingy-looking, of	Chel. m.

GENERAL

Veins	varicose, of legs, due to engorgement of spleen, with sallow facies, nausea, uneasiness in abdomen with distention — ulcers	<i>Card. m.</i> <i>Phytol.</i>
Wasting	of the body	<i>Aln. ser.</i>
Weeping	with despondency, fear, unrest, and irritability	<i>Puls.</i>
Weakness	(see also under <i>Mind, Stomach, and Abdomen</i>). debility, and pale surface and deficient recuperative power, with perspires freely upon slightest movement, and	<i>Aven.</i> <i>Cinch.</i> <i>Bry.</i>
Weight	any condition of, or constriction with or without heat increase, to	<i>Collins.</i> <i>Luc.</i>
Worms	(see also <i>Taenifuges</i>). in children	<i>Spig.</i>
Wounds	(see also under <i>Skin</i>). antiseptic, to promote healing bleeding —, small general punctured — and inflamed	<i>(Calend.)</i> <i>(Plant. m.)</i> <i>Lysim.</i> <i>Echin., (Senec. Jac.)</i> <i>(Hyper.)</i> <i>Chel. m.</i>

CONTRA-INDICATIONS

These herbs are contra-indicated in the following conditions :—


- Acon.* Typhoid fever ; great depression of the vital force ; septic peritonitis ; paralytic and chlorotic affections.
- Adon.* Gastro-intestinal irritation or inflammation.
- All. sat.* Marked irritation or inflammation.
- Aloe.* Pregnancy, gastro-enteritis, inflamed hæmorrhoids, females liable to sudden uterine evacuations, persons of irritable and plethoric habits.
- Anam.* Abraded surfaces.
- Asafet.* Inflammatory conditions.
- Asar. Can.* Inflammatory conditions.
- Aven.* Diabetes or amylaceous dyspepsia.
- Bapt.* Hyperæmia.
- Baros.* Acute disorders.
- Bell.* Paraplegia without irritation, reflex paraplegia, white softening.
- Cass.* Inflammatory conditions of alimentary canal, hæmorrhoids, prolapsus ani.
- Cer. gr.* Inflammatory affections during acute stages.
- Citr. Col.* Gastro-intestinal inflammation, great debility, or aged persons.
- Coff.* All inflammatory affections of a high grade.
- Comrai. Myr.* Acute inflammatory conditions.
- Cop. I.* Acute inflammatory gonorrhœa with pronounced urethral irritation and profuse secretion.


CONTRA-INDICATIONS

<i>Digit.</i>	Aortic regurgitation, fatty degeneration of heart, cardiac diseases of the aged, excessive dilatation of the heart, persistent conditions of a manifest hyposthenia, aneurism, atheromatous or other structural changes in the arteries, myocarditis with sclerosis of coronary arteries, sinus arrhythmia.
Eryth. Coc.	Repeated attacks of hysteria and chorea.
Eucalyp.	Acute desquamative nephritis.
Euph. cor. (<i>Amer.</i>)	Acute gastro-inflammation.
Fab. Imb.	Chronic nephritis.
Gal. Ap.	Diseases of passive character.
Gels.	Congested fever where great muscular or nervous prostration with relaxation exists, determination of blood to brain or other important viscus, fevers with cardiac weakness or degeneration, prostration of debility.
Gent.	Gastric irritation or inflammation.
Guaia.	General plethora or gastric enteritis.
<i>Crot. Tig.</i>	Hæmorrhoids, intestinal or renal inflammation, peritonitis. To children, feeble or pregnant.
Ipom. Pur.	Intestinal inflammation.
Jateor.	Acute fevers, acute gastric inflammation, impaired digestion but good appetite.
Junip. com.	Active nephritis.
<i>Junip. sab.</i>	General or local inflammation during pregnancy.
Lin. usti.	Open or abraded surfaces.
<i>Lobel.</i>	As emetic to children and old people.
Myric. cer.	During highly inflammatory conditions.
Myrox. P.	Inflammatory or febrile conditions.
Nux Vom.	For long periods, recent cases of paralysis, while general reaction prevails, local irritation in brain or spinal cord, determination of blood to head, when congestion or inflammation are present.

CONTRA-INDICATIONS

- Ol. Tereb. R.** Renal inflammation or irritation.
- Piloc.** Atonic or debilitated subjects, dropsy of cardiac origin, chronic nephritis after middle life, weak conditions of the heart.
- Pisc. Ery.* To children and aged.
- Rheum.** Severe febrile or inflammatory affections.
- Rhus arom.** Inflammations in any disorder.
- Ruta gr.** During pregnancy.
- Scill.** Dry, hot skin, rapid circulation, pyrosis, or any symptoms of renal irritation.
- Selin. P.** Abdominal obstruction or exalted sensibility
(*Amer.*) of genital apparatus.
- Serp.** Acute fever, or severe inflammation.
- Stroph.* Cardiac muscular degeneration or mechanical defects, aneurism, fully and over-compensated heart, advanced myocardial degeneration, well-developed atheroma, arterio-sclerosis.
- Strych. Ign.* Paralysis with remaining symptoms of congestion, myelitis or spinal meningitis, headache with vertigo and ringing noises in ears.
- Tarax.** Weak digestive organs, irritable or acute inflammatory condition of stomach or bowels.





See inside of
wrapper for a
list of books on
Homœopathy



Books by
Dr. Dorothy Shepherd

In Preparation :

A PHYSICIAN'S POSY (In health and disease)
A brief Homeopathic Herbal

*

THIS and THAT
Essays on Diet and Health

*

PREVENTION and CURE of SOME
EPIDEMIC DISEASES

*

HOMCEOPATHY for the FIRST-AIDER

*

MORE MAGIC of the MINIMUM DOSE
Further experiences in the new art of healing

* *

Now Ready :

The MAGIC of the MINIMUM DOSE

The reader is given many fascinating glimpses from the author's experiences showing how disease may be cured gently and safely.

A book that has made many new friends for Homeopathy.

"Warmly recommended"—*Medical World*.

Price 8/6 (postage 7d. extra).

